

# START & RUN CAPACITORS



**Rotom** AND **USA** CAPACITORS

# CONTENTS

<b>QOTOM</b> Start Capacitors.....	01-03
125 Volts.....	01
165 Volts.....	02
250 Volts.....	02
330 Volts.....	03
<b>QOTOM</b> Run Capacitors.....	04-05
Dual Voltage Round   370/440 Volts.....	04
Dual Voltage Oval   370/440 Volts.....	05
Accessories.....	06
<b>USA</b> Start Capacitors.....	07-08
125 Volts.....	07
165 Volts.....	08
250 Volts.....	08
330 Volts.....	08
<b>USA</b> Run Capacitors.....	09
370 Volts .....	10

## PART NUMBER DESCRIPTION

SUFFIX	DESCRIPTION
B	125V
F	165V
C	250V
D	330V
E	440V OVAL
DV	370/440V OVAL
DVR	370/440V ROUND

For Example: 35/5 DVR = 35/5 MFD @ 370/440V round.



# START CAPACITORS



## 125 VOLTS | ROUND

PEMS NUMBER	MFD	DIA	HEIGHT
21B	21-25	1.438	2.75
25B	25-30	1.438	2.75
30B	30-36	1.438	2.75
36B	36-43	1.438	2.75
43B	43-56	1.438	2.75
53B	53-64	1.438	2.75
64B	64-77	1.438	2.75
72B	72-88	1.438	2.75
88B	88-108	1.438	2.75
108B	108-130	1.438	2.75
124B	124-149	1.438	2.75
130B	130-156	1.438	2.75
145B	145-174	1.438	2.75
161B	161-193	1.438	2.75
189B	189-227	1.438	2.75
200B	200-240	1.438	2.75
216B	216-259	1.438	2.75
233B	233-280	1.438	2.75
243B	243-292	1.438	2.75
270B	270-324	1.438	2.75
300B	300-360	1.438	2.75
324B	324-388	1.438	2.75
324B-4	324-388	1.813	3.375
340B	340-408	1.813	3.375
378B	378-440	1.813	3.375
400B-2	400-480	1.813	3.375
400B	400-480	1.813	3.375
430B	430-515	1.813	3.375
430B-2	430-515	2.063	3.375
460B	460-552	1.813	3.375
540B	540-648	1.813	3.375
540B-5	540-648	1.813	4.375
590B	590-708	1.813	3.375
590B-5	590-708	1.813	4.375
708B	708-850	2.063	3.375
708B-7	708-850	2.063	4.375
829B-5	829-995	1.813	4.375
829B	829-995	2.063	4.375
1000B	1000-1200	2.063	4.375
1175B	1175-1410	2.063	4.375
1280B	1280-1536	2.063	4.375

## 165 VOLTS | ROUND

PEMS NUMBER	MFD	DIA	HEIGHT
72F	72-88	1.438	2.75
88F	88-108	1.438	2.75
108F	108-130	1.438	3.375
124F	124-149	1.438	3.375
130F	130-156	1.438	3.375
145F	145-174	1.438	3.375
161F	161-193	1.813	3.375
189F	189-227	1.813	3.375
216F	216-259	1.813	3.375
233F	233-280	1.813	3.375
243F	243-292	1.813	3.375
270F	270-324	1.813	3.375
340F	340-408	1.813	4.375
378F	378-440	1.813	4.375
400F	400-480	1.813	4.375
540F	540-648	2.063	4.375
710F	708-850	2.063	4.375
810F	815-978	2.063	4.375
829F	815-978	2.063	4.375
850F	850-1020	2.063	4.375
1000F	1000-1200	2.063	4.375

## 250 VOLTS | ROUND

PEMS NUMBER	MFD	DIA	HEIGHT
21C	21-25	1.438	2.75
25C	25-30	1.438	2.75
30C	30-36	1.438	2.75
36C	36-43	1.438	3.375
43C	43-56	1.438	3.375
47C	47-56	1.438	3.375
53C-1	53-64	1.438	2.75
53C	53-64	1.438	3.375
64C-1	64-77	1.438	2.75
64C	64-77	1.813	3.375
72C	72-88	1.813	3.375
88C	88-108	1.813	3.375
108C	108-130	1.813	3.375
124C	124-149	1.813	3.375
130C	130-156	1.813	3.375
145C	145-174	2.063	3.375
161C	161-193	1.813	3.375
161C-5	161-193	1.813	4.375
161C-6	161-193	2.063	3.375
189C	189-227	2.063	4.375
216C-6	216-259	2.063	3.375
216C	216-259	2.063	4.375
233C	233-280	2.063	4.375
243C	243-292	2.063	4.375
270C	270-324	2.063	4.375
320C	320-384	2.56	4.375
340C	340-408	2.56	4.375
400C	400-480	2.56	4.375



## START CAPACITORS (CONTINUED)

### 330 VOLTS | ROUND

PEMS NUMBER	MFD	DIA	HEIGHT
21D	21-25	1.438	3.375
25D	25-30	1.438	3.375
30D	30-36	1.813	3.375
36D	36-43	1.813	3.375
43D	43-56	1.813	3.375
53D	53-64	1.813	3.375
64D	64-77	1.813	3.375
72D	72-88	1.813	4.375
88D	88-108	2.063	3.375
108D	108-130	2.063	3.375
124D	124-149	2.063	4.375
130D	130-156	2.063	4.375
135D	135-162	2.56	4.375
145D	145-174	2.56	4.375
161D	161-193	2.56	4.375
189D	189-227	2.56	4.375
216D	216-259	2.56	4.375
270D	270-324	2.56	4.375





# RUN CAPACITORS

## 370/440 VOLTS | ROUND

PEMS NUMBER	MFD	DIA	HEIGHT
5DVR	5	1.65	2.375
6DVR	6	1.65	2.33
7.5DVR	7.5	1.65	2.75
10DVR	10	1.65	2.75
12.5DVR	12.5	1.65	2.75
15/5DVR	15/5	1.78	2.54
15DVR	15	1.65	3.15
17.5DVR	17.5	1.65	3.15
20/15DVR	20/15	1.97	4.16
20/5DVR	20/5	1.97	3.54
20DVR	20	1.78	3.15
25/10DVR	25/10	1.97	4.16
25/3DVR	25/3	1.97	3.54
25/4DVR	25/4	1.97	3.54
25/5DVR	25/5	1.97	3.54
25/7.5DVR	25/7.5	1.97	4.16
25DVR	25	1.78	3.54
30/4DVR	30/4	1.97	4.16
30/5DVR	30/5	1.97	4.16
30DVR	30	2	3.94
30/7.5DVR	30/7.5	1.97	4.16
35/10DVR	35/10	2.17	4.33
35/4DVR	35/4	1.97	4.33
35/5DVR	35/5	1.97	4.33
35/7.5DVR	35/7.5	1.97	4.33
35DVR	35	2	3.94
40/10DVR	40/10	2.36	4.72
40/5DVR	40/5	2.36	4.72
40/7.5DVR	40/7.5	2.36	4.72
40DVR	40	2	4.33
45/4DVR	45/4	2.36	4.72
45/5DVR	45/5	2.36	4.72
45/7.5DVR	45/7.5	2.36	4.72
45DVR	45	2	4.33
50/10DVR	50/10	2.36	5.12
50/5DVR	50/5	2.36	5.12
50/7.5DVR	50/7.5	2.36	5.12
50DVR	50	2	4.33
55/10DVR	55/10	2.36	5.12
55/5DVR	55/5	2.36	5.12
55/7.5DVR	55/7.5	2.36	5.12
55DVR	55	2.18	5.12
60/10DVR	60/10	2.36	5.12
60/5DVR	60/5	2.36	5.12
60/7.5DVR	60/7.5	2.36	5.12
60DVR	60	2.18	5.12
70DVR	70	2.33	4.75
80/5DVR	80/5	2.36	5.9
80DVR	80	2.33	5.12
100DVR	100	-	-
110DVR	110	-	-



## RUN CAPACITORS (CONTINUED)



### 370/440 VOLTS | OVAL

PEMS NUMBER	MFD	WIDTH	DEPTH	HEIGHT
2DV	2	2.03	1.24	1.58
3DV	3	2.03	1.24	1.58
4DV	4	2.03	1.24	2.36
5DV	5	2.03	1.24	2.36
6DV	6	2.03	1.24	2.36
7.5DV	7.5	2.03	1.24	2.36
10DV	10	2.03	1.24	3.15
12.5DV	12.5	2.03	1.24	3.15
15/10DV	15/10	2.8	1.77	2.56
15/3DV	15/3	2.8	1.77	2.56
15DV	15	2.03	1.24	3.15
15/5DV	15/5	2.8	1.77	2.56
17.5DV	17.5	2.8	1.77	3.15
20/15DV	20/15	2.8	1.77	3.55
20DV	20	2.8	1.77	3.15
20/5DV	20/5	2.8	1.77	3.15
25/10DV	25/10	2.8	1.77	3.75
25DV	25	2.8	1.77	3.15
25/5DV	25/5	2.8	1.77	3.55
25/7.5DV	25/7.5	2.8	1.77	3.55
30DV	30	2.8	1.77	3.55
30/5DV	30/5	2.8	1.77	3.94
30/7.5DV	30/7.5	2.8	1.77	3.94
35DV	35	2.8	1.77	3.55
35/5DV	35/5	2.8	1.77	3.94
35/7.5DV	35/7.5	2.8	1.77	3.94
40DV	40	2.8	1.77	3.55
40/5DV	40/5	2.8	1.77	4.33
40/7.5DV	40/7.5	2.8	1.77	4.33
45DV	45	2.8	1.77	4.33
45/5DV	45/5	2.8	1.77	4.33
50DV	50	2.8	1.77	4.33
55DV	55	2.8	1.77	4.33
60DV	60	2.8	1.77	5.90

## START CAPACITORS | ACCESSORIES

PART NUMBER	DESCRIPTION	CASE SIZE
AAP1	END CAPS, BOTTOM HOLE	1, 2, 3
AAP2	END CAPS, BOTTOM HOLE	4, 5
AAP3	END CAPS, BOTTOM HOLE	6, 7
ABP1	END CAPS, TOP HOLE	1, 2, 3
ABP2	END CAPS, TOP HOLE	4, 5
ABP3	END CAPS, TOP HOLE	6, 7
35-11208	BRACKETS	3, 5, 7, 8
BP2	BRACKETS	2, 4, 6
BP3	BRACKETS	1

## RUN CAPACITORS | ACCESSORIES

PART NUMBER	DESCRIPTION	BASE
81-0002-A	OVAL STRAP MOUNTING BRACKET	SO
81-0002-B	OVAL STRAP MOUNTING BRACKET	SFO
81-0002-C+	OVAL STRAP MOUNTING BRACKET	LFO
U2116	ROUND STRAP MOUNTING BRACKET	1-3/4" DIA.
0012-0079	RUBBER INSULATING BOOT	-----
8725-6001	CAPACITOR MOUNTING KIT*	-----

+ Item to be discontinued when present stock is depleted.

\* Includes rubber boot and wrap around bracket for small size run capacitor.

^ Pricing subject to change without notice.

A close-up, high-angle photograph of the stars on the American flag. The stars are white and set against a dark blue background. The flag is draped, creating a sense of movement and depth. The stars are arranged in a grid pattern, though some are slightly out of focus due to the shallow depth of field. The lighting is dramatic, with some stars appearing brighter than others. The overall composition is clean and patriotic.

# **USA CAPACITORS**



## 125 VOLTS | ROUND START CAPACITORS

PEMS NUMBER	MFD	DIA	HEIGHT
88B-USA	88-108	1.438	2.75
108B-USA	108-130	1.438	2.75
124B-USA	124-149	1.438	2.75
130B-USA	130-156	1.438	2.75
145B-USA	145-174	1.438	2.75
161B-USA	161-193	1.438	2.75
189B-USA	189-227	1.438	2.75
200B-USA	200-240	1.438	2.75
216B-USA	216-259	1.438	2.75
233B-USA	233-280	1.438	2.75
243B-USA	243-292	1.438	2.75
270B-USA	270-324	1.438	2.75
300B-USA	300-360	1.438	2.75
324B-USA	324-388	1.438	2.75
324B-4-USA	324-388	1.813	2.375
340B-USA	340-408	1.813	3.375
378B-USA	378-440	1.813	3.375
400B-2-USA	400-480	1.438	3.365
400B-USA	400-480	1.812	3.365
430B-USA	430-515	1.813	3.375
430B-2-USA	430-515	2.063	3.375
460B-USA	460-552	1.813	3.375
540B-USA	540-648	1.813	3.375
540B-5-USA	540-648	1.813	4.375
590B-USA	590-708	1.813	3.375
708B-USA	708-850	1.813	4.375
708B-7-USA	708-850	2.063	4.375
829B-5-USA	829-995	1.813	4.375
829B-USA	829-995	2.063	4.375
1000B-USA	1000-1200	2.063	4.375
1175B-USA	1175-1410	2.063	4.375
1280B-USA	1280-1536	2.063	4.375

# USA START CAPACITORS

## 165 VOLTS | ROUND

PEMS NUMBER	MFD	DIA	HEIGHT
72F-USA	72-88	1.438	2.75
270F-USA	270-324	1.813	3.375
400F-USA	400-480	1.813	4.375
540F-USA	540-648	2.063	4.375
710F-USA	708-850	2.063	4.375
810F-USA	815-978	2.063	4.375
1000F-USA	1000-1200	2.063	4.375

## 250 VOLTS | ROUND

PEMS NUMBER	MFD	DIA	HEIGHT
30C-USA	30-36	1.438	2.75
43C-USA	43-56	1.438	3.375
53C-1-USA	53-64	1.438	2.75
53C-USA	53-64	1.438	3.375
64C-1-USA	64-77	1.438	2.75
64C-USA	64-77	1.813	3.375
72C-USA	72-88	1.813	3.375
88C-USA	88-108	1.813	3.375
108C-USA	108-130	1.813	3.375
124C-USA	124-149	1.813	3.375
130C-USA	130-156	1.813	3.375
145C-USA	145-174	2.063	3.375
161C-USA	161-193	1.813	3.375
189C-USA	189-227	2.063	4.375
216C-USA	216-259	2.063	4.375
233C-USA	233-280	2.063	4.375
243C-USA	243-292	2.063	4.375
270C-USA	270-324	2.063	4.375
320C-USA	320-384	2.56	4.375
400C-USA	400-480	2.56	4.375

## 330 VOLTS | ROUND

PEMS NUMBER	MFD	DIA	HEIGHT
53D-USA	53-64	1.813	3.375
64D-USA	64-77	1.813	3.375
72D-USA	72-88	1.813	4.375
88D-USA	88-108	2.063	3.375
108D-USA	108-130	2.063	3.375
130D-USA	130-156	2.063	4.375
145D-USA	145-174	2.56	4.375
161D-USA	161-193	2.56	4.375
189D-USA	189-227	2.56	4.375
216D-USA	216-259	2.56	4.375
270D-USA	270-324	2.56	4.375

# USA RUN CAPACITORS



## 370 VOLTS | ROUND

PEMS NUMBER	MFD	DIA	HEIGHT
USA15HR	15	1.75	2.375
USA20HR	20	1.75	3.063
USA25HR	25	1.75	3.063
USA30HR	30	1.75	3.375
USA35HR	35	1.75	3.625
USA40HR	40	1.75	3.625
USA50HR	50	2	3.625
USA55HR	55	2	3.75
USA60HR	60	2.50	3.00



**CATALOG 1300**

# ACCESSORY

9.12.11

**CAPACITORS • CAPACITOR ACCESSORIES • CAPACITOR TESTER  
MUNICIPAL 200 • PULLEYS • BELTS • PHASE CONVERTERS  
SPEED CONTROLS • CONTACTORS • ALARMS • SWITCHES  
MOTOR BASES • MOTOR MOUNTING BRACKETS  
MOTOR ACCESSORIES • RUBBER MOUNTING RINGS  
RAIN SHIELDS • WATER SLINGER**

**CALL OUR  
CUSTOMER SERVICE DEPARTMENT  
OR VISIT [WWW.PEMSMOTORS.COM](http://WWW.PEMSMOTORS.COM)  
FOR PRICING**

- 04** | **capacitors**
- 09** | **capacitor accessories**
- 10** | **capacitor tester & municap 200**
- 11** | **pulleys**
- 21** | **belts**
- 24** | **phase converters**
- 29** | **speed controls**
- 30** | **contactors**
- 33** | **alarms & switches**
- 34** | **motor bases**
- 36** | **motor mounting brackets**
- 38** | **motor accessories**
- 44** | **rubber mounting rings**
- 45** | **rain shields & water slinger**
- 46** | **model index**



**INDEX**

START CAPACITORS | 125 VOLTS




STOCK NUMBER	DESCRIPTION	CASE SIZE
25B <sup>+</sup>	25-30 MFD	1
43B	43-53 MFD	1
53B	53-64 MFD	1
64B	64-77 MFD	1
72B	72-88 MFD	1
88B	88-108 MFD	1
108B	108-130 MFD	1
124B	124-145 MFD	1
130B	130-156 MFD	1
145B	145-175 MFD	1
161B	161-193 MFD	1
189B	189-227 MFD	1
200B	200-240 MFD	1
216B	216-259 MFD	1
233B	233-280 MFD	1
243B	243-292 MFD	1
270B	270-324 MFD	1
300B	300-360 MFD	1
324B	324-388 MFD	1
324B-4	324-388 MFD	4
340B	340-408 MFD	4
378B	378-440 MFD	4
400B-2	400-480 MFD	2
400B	400-480 MFD	4
430B-2	430-516 MFD	2
430B	430-516 MFD	4
460B	460-552 MFD	4
540B	540-648 MFD	4
540B-5	540-648 MFD	5
590B	590-708 MFD	4
708B	708-849 MFD	6
708B-7	708-849 MFD	7
829B-5	829-994 MFD	5
829B	829-994 MFD	7
1000B	1000-1200 MFD	7
1175B	1175-1410 MFD	7
1280B	1280-1536 MFD	7

NOTE

<sup>+</sup> Item to be discontinued when present stock is depleted.

STOCK NUMBER DESCRIPTION

SUFFIX	DESCRIPTION
B	125V
F	165V
C	250V
D	330V
DV	370/440V OVAL
DVR	370/440V ROUND



## START CAPACITORS | 165 VOLTS

STOCK NUMBER	DESCRIPTION	CASE SIZE
72F	72-88 MFD	1
88F	88-108 MFD	1
108F <sup>+</sup>	108-130 MFD	2
124F <sup>+</sup>	124-149 MFD	2
130F <sup>+</sup>	130-156 MFD	2
145F	145-175 MFD	2
161F	161-193 MFD	4
189F	189-227 MFD	4
216F	216-259 MFD	4
233F	233-280 MFD	4
243F	243-292 MFD	4
270F	270-324 MFD	4
340F	340-408 MFD	5
378F	378-440 MFD	5
400F	400-480 MFD	5
540F	540-648 MFD	7
710F	710-852 MFD	7
810F	810-972 MFD	7
1000F	1000-1200 MFD	7

## NOTE

<sup>+</sup> Item to be discontinued when present stock is depleted.



## START CAPACITORS | 250 VOLTS

STOCK NUMBER	DESCRIPTION	CASE SIZE
21C	21-25 MFD	1
25C	25-30 MFD	1
30C	30-36 MFD	1
36C	36-43 MFD	2
43C	43-53 MFD	2
47C	47-56 MFD	2
53C-1	56-64 MFD	1
53C	53-64 MFD	2
64C-1	64-77 MFD	1
64C	64-77 MFD	4
72C	72-88 MFD	4
88C	88-108 MFD	4
108C	108-130 MFD	4
124C	124-149 MFD	4
130C	130-156 MFD	4
145C	145-172 MFD	6
161C	161-193 MFD	4
161C-5	161-193 MFD	5
161C-6 <sup>+</sup>	161-193 MFD	6
189C	189-227 MFD	7
216C	216-259 MFD	7
233C	233-280 MFD	7
243C	243-292 MFD	7
270C	270-324 MFD	7
320C	320-384 MFD	8
400C	400-480 MFD	8

## NOTE

<sup>+</sup> Item to be discontinued when present stock is depleted.



START CAPACITORS | 330 VOLTS



STOCK NUMBER	DESCRIPTION	CASE SIZE
21D	21-25 MFD	2
25D	25-30 MFD	2
30D	30-36 MFD	4
36D	36-45 MFD	4
43D	43-53 MFD	4
53D	53-64 MFD	4
64D	64-77 MFD	4
72D	72-88 MFD	5
88D	88-108 MFD	6
108D	108-130 MFD	7
124D	124-145 MFD	7
130D	130-156 MFD	7
135D	135-162 MFD	8
145D	145-175 MFD	8
161D	161-193 MFD	8
189D	189-227 MFD	8
216D	216-259 MFD	8
270D	270-324 MFD	8

START CAPACITORS | RECESSED



STOCK NUMBER	DESCRIPTION	CASE SIZE
K250B+	R 250 MFD 125V	7
K59C+	R 59 MFD 250V	7
K105C+	R 105 MFD 250V	7

NOTE

+ item to be discontinued when present stock is depleted.

CASE DIMENSIONS

CASE SIZE	DIAMETER	HEIGHT
1	1 7/16"	2 3/4"
2	1 7/16"	3 3/8"
3	1 7/16"	4 3/8"
4	1 13/16"	3 3/8"
5	1 13/16"	4 3/8"
6	2 1/16"	3 3/8"
7	2 1/16"	4 3/8"
8	2 9/16"	4 3/8"

## RUN CAPACITORS | DUAL VOLTAGE OVAL 370/440 VOLTS



STOCK NUMBER	DESCRIPTION	BASE	HEIGHT
2DV	2 MFD	2.00" x 1.25"	1.58"
3DV	3 MFD	2.00" x 1.25"	1.58"
4DV	4 MFD	2.00" x 1.25"	2.33"
5DV	5 MFD	2.00" x 1.25"	2.33"
6DV	6 MFD	2.00" x 1.25"	2.33"
7.5DV	7.5 MFD	2.00" x 1.25"	2.33"
10DV	10 MFD	2.00" x 1.25"	3.15"
12.5DV	12.5 MFD	2.00" x 1.25"	3.15"
15DV	15 MFD	2.00" x 1.25"	3.15"
17.5DV	17.5 MFD	2.75" x 1.75"	3.15"
20DV	20 MFD	2.75" x 1.75"	3.15"
25DV	25 MFD	2.75" x 1.75"	3.15"
30DV	30 MFD	2.75" x 1.75"	3.55"
35DV	35 MFD	2.75" x 1.75"	3.55"
40DV	40 MFD	2.75" x 1.75"	3.55"
45DV	45 MFD	2.75" x 1.75"	4.33"
50DV	50 MFD	2.75" x 1.75"	4.33"
55DV	55 MFD	2.75" x 1.75"	4.33"
60DV	60 MFD	2.75" x 1.75"	5.12"

## RUN CAPACITORS | DUAL VOLTAGE ROUND 370/440 VOLTS



STOCK NUMBER	DESCRIPTION	BASE	HEIGHT
5DVR	5 MFD	1.65"	2.33"
6DVR	6 MFD	1.65"	2.33"
7.5DVR	7.5 MFD	1.65"	2.75"
10DVR	10 MFD	1.65"	2.75"
12.5DVR	12.5 MFD	1.65"	2.75"
15DVR	15 MFD	1.65"	3.15"
17.5DVR	17.5 MFD	1.65"	3.15"
20DVR	20 MFD	1.78"	3.15"
25DVR	25 MFD	1.78"	3.54"
30DVR	30 MFD	2.00"	3.94"
35DVR	35 MFD	2.00"	3.94"
40DVR	40 MFD	2.00"	4.33"
45DVR	45 MFD	2.00"	4.33"
50DVR	50 MFD	2.00"	4.33"
55DVR	55 MFD	2.18"	5.12"
60DVR	60 MFD	2.18"	5.12"
70DVR	70 MFD	2.33"	4.75"
80DVR	80 MFD	2.33"	5.12"
100DVR	100 MFD	2.33"	5.88"
110DVR	110 MFD	2.33"	5.88"

## RUN CAPACITORS | DUAL VOLTAGE/DUAL VALUE OVAL 370/440 VOLTS



STOCK NUMBER	DESCRIPTION	BASE	HEIGHT
15/3DV	15/3 MFD	2.80" x 1.77"	2.56"
15/5DV	15/5 MFD	2.80" x 1.77"	2.56"
15/10DV	15/10 MFD	2.80" x 1.77"	2.56"
20/5DV	20/5 MFD	2.80" x 1.77"	3.15"
20/15DV	20/15 MFD	2.80" x 1.77"	3.55"
25/5DV	25/5 MFD	2.80" x 1.77"	3.15"
25/10DV	25/10 MFD	2.80" x 1.77"	3.75"
30/5DV	30/5 MFD	2.80" x 1.77"	3.94"
35/5DV	35/5 MFD	2.80" x 1.77"	3.94"
40/5DV	40/5 MFD	2.80" x 1.77"	4.33"
45/5DV	45/5 MFD	2.80" x 1.77"	4.33"

## RUN CAPACITORS | DUAL VOLTAGE/DUAL VALUE ROUND 370/440 VOLTS



STOCK NUMBER	DESCRIPTION	BASE	HEIGHT
15/5DVR	15/5 MFD	1.78"	3.15"
15/10DVR	15/10 MFD	1.97"	3.54"
20/5DVR	20/5 MFD	1.97"	3.54"
20/15DVR	20/15 MFD	1.97"	4.16"
25/3DVR	25/3 MFD	1.97"	3.54"
25/4DVR	25/4 MFD	1.97"	3.54"
25/5DVR	25/5 MFD	1.97"	3.54"
25/7.5DVR	25/7.5 MFD	1.97"	4.16"
25/10DVR	25/10 MFD	1.97"	4.16"
30/4DVR	30/4 MFD	1.97"	4.16"
30/5DVR	30/5 MFD	1.97"	4.16"
35/4DVR	35/4 MFD	1.97"	4.33"
35/5DVR	35/5 MFD	2.17"	4.33"
35/7.5DVR	35/7.5 MFD	2.17"	4.33"
35/10DVR	35/10 MFD	2.17"	4.33"
40/5DVR	40/5 MFD	2.36"	4.72"
40/7.5DVR	40/7.5 MFD	2.36"	4.72"
40/10DVR	40/10 MFD	2.36"	4.72"
45/4DVR	45/4 MFD	2.36"	4.72"
45/5DVR	45/5 MFD	2.36"	4.72"
45/7.5DVR	45/7.5 MFD	2.36"	4.72"
50/5DVR	50/5 MFD	2.36"	5.12"
50/7.5DVR	50/7.5 MFD	2.36"	5.12"
50/10DVR	50/10 MFD	2.36"	5.12"
55/5DVR	55/5 MFD	2.36"	5.12"
55/7.5DVR	55/7.5 MFD	2.36"	5.12"
55/10DVR	55/10 MFD	2.36"	5.12"
60/5DVR	60/5 MFD	2.36"	5.12"
60/7.5DVR	60/7.5 MFD	2.36"	5.12"
60/10DVR	60/10 MFD	2.36"	5.12"
80/5DVR	80/5 MFD	2.36"	5.90"

START CAPACITORS | ACCESSORIES



STOCK NUMBER	DESCRIPTION	CASE SIZE
AAP1	END CAPS, BOTTOM HOLE	1, 2, 3
AAP2	END CAPS, BOTTOM HOLE	4, 5
AAP3	END CAPS, BOTTOM HOLE	6, 7
ABP1	END CAPS, TOP HOLE	1, 2, 3
ABP2	END CAPS, TOP HOLE	4, 5
ABP3	END CAPS, TOP HOLE	6, 7
BP1	BRACKETS	3, 5, 7, 8
BP2	BRACKETS	2, 4, 6
BP3	BRACKETS	1

RUN CAPACITORS | ACCESSORIES



STOCK NUMBER	DESCRIPTION	WIDTH
81-0002-A	OVAL STRAP MOUNTING BRACKET	2"
81-0002-B	OVAL STRAP MOUNTING BRACKET	2 1/2"
81-0002-C+	OVAL STRAP MOUNTING BRACKET	3 1/2"
PEM2921	ROUND STRAP MOUNTING BRACKET	1 3/4" DIA.

NOTE

+ Item to be discontinued when present stock is depleted.

CAPACITOR MOUNTING KIT

Stock No. 8725-6001

RUBBER BOOT AND BRACKET.

Stock No. 0012-0079

RUBBER BOOT.



DIGITAL CAPACITOR TESTER | 9V BATTERY INCLUDED



LENGTH	WIDTH	HEIGHT	STOCK NUMBER
5 1/4"	2 7/8"	1 3/4"	CAP1500P

GOOD TO KNOW...

FUSE PROTECTED...

1 7/8" x 1/2" LCD DISPLAY...

LOW BATTERY INDICATOR...

± 0.5% ACCURACY...

NEW IMPROVED DESIGN  
OIL FILLED FOR LONGER LIFE!



MOTOR MATE | UNIVERSAL MOTOR RUN CAPACITOR

VOLTS	DIAMETER	HEIGHT	STOCK NUMBER
370/440	2.5"	4.5"	MUNICAP200

FEATURES

REPLACES OVER 200 SINGLE AND DUAL VALUE CAPACITORS

2.5 MFD TO 67.5 MFD

INCLUDES JUMPER LEADS

PROTECTION INCLUDES SAFETY INTERRUPTER AND THERMAL FUSING

UL FILE #E306036

US PATENT NUMBERS 7987593 & 8159810

-40°C TO 70°C TEMPERATURE RANGE

GOOD TO KNOW...

PROTECTED TO 10,000 AFC...



SINGLE GROOVE FIXED BORE 'A' SECTION | CAST IRON

OUTSIDE DIAMETER	BORE SIZE	POWER DRIVE NUMBER	MASKA NUMBER
1.55"	1/2"	---	MA15-1/2
1.55"	5/8"	---	MA15-5/8
1.75"	1/2"	AK17-1/2	MA18-1/2
1.75"	5/8"	AK17-5/8	MA18-5/8
2.0"	1/2"	AK20-1/2	MA20-1/2
2.0"	5/8"	AK20-5/8	MA20-5/8
2.0"	7/8"	---	MA20-7/8
2.2"	1/2"	AK22-1/2	MA22-1/2
2.2"	5/8"	AK22-5/8	MA22-5/8
2.2"	7/8"	---	MA22-7/8
2.3"	1/2"	AK23-1/2	MA23-1/2
2.3"	5/8"	AK23-5/8	MA23-5/8
2.3"	7/8"	---	MA23-7/8
2.5"	1/2"	AK25-1/2	MA25-1/2
2.5"	5/8"	AK25-5/8	MA25-5/8
2.5"	7/8"	---	MA25-7/8
2.7"	1/2"	AK27-1/2	MA27-1/2
2.7"	5/8"	AK27-5/8	MA27-5/8
2.7"	7/8"	---	MA27-7/8
2.8"	1/2"	AK28-1/2	MA28-1/2
2.8"	5/8"	AK28-5/8	MA28-5/8
2.8"	7/8"	---	MA28-7/8
3.05"	1/2"	AK30-1/2	MA30-1/2
3.05"	5/8"	AK30-5/8	MA30-5/8
3.05"	7/8"	AK30-7/8	MA30-7/8
3.25"	1/2"	AK32-1/2	MA33-1/2
3.25"	5/8"	AK32-5/8	MA33-5/8
3.25"	7/8"	AK32-7/8	MA33-7/8
3.45"	1/2"	AK34-1/2	MA35-1/2
3.45"	5/8"	AK34-5/8	MA35-5/8
3.45"	7/8"	AK34-7/8	MA35-7/8
3.75"	1/2"	AK39-1/2	MA38-1/2
3.75"	5/8"	AK39-5/8	MA38-5/8
3.75"	7/8"	AK39-7/8	MA38-7/8
3.95"	1/2"	AK41-1/2	MA40-1/2
3.95"	5/8"	AK41-5/8	MA40-5/8
3.95"	7/8"	AK41-7/8	MA40-7/8
4.25"	1/2"	AK44-1/2	MA43-1/2
4.25"	5/8"	AK44-5/8	MA43-5/8
4.25"	7/8"	AK44-7/8	MA43-7/8
4.45"	1/2"	AK46-1/2	MA45-1/2
4.45"	5/8"	AK46-5/8	MA45-5/8
4.45"	7/8"	AK46-7/8	MA45-7/8
4.75"	1/2"	AK49-1/2	MA48-1/2
4.75"	5/8"	AK49-5/8	MA48-5/8
4.75"	7/8"	AK49-7/8	MA48-7/8
4.95"	1/2"	AK51-1/2	MA50-1/2
4.95"	5/8"	AK51-5/8	MA50-5/8
4.95"	7/8"	AK51-7/8	MA50-7/8
5.25"	1/2"	AK54-1/2	MA53-1/2

NOTE

Use with 3L & A(4L) V-belts.  
Additional sizes available upon request.

CONTINUE TO NEXT PAGE ►

SINGLE GROOVE FIXED BORE 'A' SECTION | CAST IRON



OUTSIDE DIAMETER	BORE SIZE	POWER DRIVE NUMBER	MASKA NUMBER
5.25"	5/8"	AK54-5/8	MA53-5/8
5.25"	7/8"	AK54-7/8	MA53-7/8
5.45"	1/2"	AK56-1/2	MA55-1/2
5.45"	5/8"	AK56-5/8	MA55-5/8
5.45"	7/8"	AK56-7/8	MA55-7/8
5.75"	1/2"	AK59-1/2	MA58-1/2
5.75"	5/8"	AK59-5/8	MA58-5/8
5.75"	7/8"	AK59-7/8	MA58-7/8
5.95"	1/2"	AK61-1/2	MA60-1/2
5.95"	5/8"	AK61-5/8	MA60-5/8
5.95"	7/8"	AK61-7/8	MA60-7/8
6.45"	1/2"	---	MA65-1/2
6.45"	5/8"	AK66-5/8	MA65-5/8
6.45"	7/8"	---	MA65-7/8
6.95"	1/2"	---	MA70-1/2
6.95"	5/8"	AK71-5/8	MA70-5/8
6.95"	7/8"	---	MA70-7/8
7.25"	1/2"	AK74-1/2	MA73-1/2
7.25"	5/8"	AK74-5/8	MA73-5/8
7.25"	7/8"	---	MA73-7/8
8.0"	1/2"	---	MA80-1/2
8.0"	5/8"	---	MA80-5/8
8.0"	7/8"	---	MA80-7/8

**NOTE**

Use with A(4L) & B(5L) V-belts.  
Additional sizes available upon request.





SINGLE GROOVE FIXED BORE 'B' SECTION | CAST IRON

OUTSIDE DIAMETER	BORE SIZE	POWER DRIVE NUMBER	MASKA NUMBER
2.0"	1/2"	---	MB20-1/2
2.0"	5/8"	---	MB20-5/8
2.25"	1/2"	---	MB23-1/2
2.25"	5/8"	---	MB23-5/8
2.25"	7/8"	---	MB23-7/8
2.4"	1/2"	BK24-1/2	MB24-1/2
2.4"	5/8"	BK24-5/8	MB24-5/8
2.4"	7/8"	BK24-7/8	MB24-7/8
2.5"	1/2"	BK25-1/2	MB25-1/2
2.5"	5/8"	BK25-5/8	MB25-5/8
2.5"	7/8"	BK25-7/8	MB25-7/8
2.6"	1/2"	BK26-1/2	MB26-1/2
2.6"	5/8"	BK26-5/8	MB26-5/8
2.6"	7/8"	BK26-7/8	MB26-7/8
2.7"	1/2"	BK27-1/2	MB28-1/2
2.7"	5/8"	BK27-5/8	MB28-5/8
2.7"	7/8"	BK27-7/8	MB28-7/8
2.95"	1/2"	BK28-1/2	MB30-1/2
2.95"	5/8"	BK28-5/8	MB30-5/8
2.95"	7/8"	BK28-7/8	MB30-7/8
3.15"	1/2"	BK30-1/2	MB31-1/2
3.15"	5/8"	BK30-5/8	MB31-5/8
3.15"	7/8"	BK30-7/8	MB31-7/8
3.25"	1/2"	---	MB33-1/2
3.25"	5/8"	---	MB33-5/8
3.25"	7/8"	---	MB33-7/8
3.35"	1/2"	BK32-1/2	MB34-1/2
3.35"	5/8"	BK32-5/8	MB34-5/8
3.35"	7/8"	BK32-7/8	MB34-7/8
3.55"	1/2"	BK34-1/2	MB35-1/2
3.55"	5/8"	BK34-5/8	MB35-5/8
3.55"	7/8"	BK34-7/8	MB35-7/8
3.75"	1/2"	BK36-1/2	MB38-1/2
3.75"	5/8"	BK36-5/8	MB38-5/8
3.75"	7/8"	BK36-7/8	MB38-7/8
3.95"	1/2"	BK40-1/2	MB40-1/2
3.95"	5/8"	BK40-5/8	MB40-5/8
3.95"	7/8"	BK40-7/8	MB40-7/8
4.25"	1/2"	BK45-1/2	MB43-1/2
4.25"	5/8"	BK45-5/8	MB43-5/8
4.25"	7/8"	BK45-7/8	MB43-7/8
4.25"	1 1/8"	BK45-1-1/8	MB43-1-1/8
4.45"	1/2"	BK47-1/2	MB45-1/2
4.45"	5/8"	BK47-5/8	MB45-5/8
4.45"	7/8"	BK47-7/8	MB45-7/8
4.45"	1 1/8"	BK47-1-1/8	MB45-1-1/8
4.75"	1/2"	BK50-1/2	MB48-1/2
4.75"	5/8"	BK50-5/8	MB48-5/8
4.75"	7/8"	BK50-7/8	MB48-7/8
4.75"	1 1/8"	BK50-1-1/8	MB48-1-1/8

NOTE

Use with A(4L) & B(5L) V-belts. Additional sizes available upon request.

CONTINUE TO NEXT PAGE ►

SINGLE GROOVE FIXED BORE 'B' SECTION | CAST IRON



OUTSIDE DIAMETER	BORE SIZE	POWER DRIVE NUMBER	MASKA NUMBER
4.95"	1/2"	BK52-1/2	MB50-1/2
4.95"	5/8"	BK52-5/8	MB50-5/8
4.95"	7/8"	BK52-7/8	MB50-7/8
4.95"	1 1/8"	BK52-1-1/8	MB50-1-1/8
5.25"	1/2"	BK55-1/2	MB53-1/2
<hr/>			
5.25"	5/8"	BK55-5/8	MB53-5/8
5.25"	7/8"	BK55-7/8	MB53-7/8
5.25"	1 1/8"	BK55-1-1/8	MB53-1-1/8
5.45"	1/2"	---	MB55-1/2
5.45"	5/8"	BK57-5/8	MB55-5/8
<hr/>			
5.45"	7/8"	BK57-7/8	MB55-7/8
5.45"	1 1/8"	BK57-1-1/8	MB55-1-1/8
5.75"	1/2"	BK60-1/2	MB58-1/2
5.75"	5/8"	BK60-5/8	MB58-5/8
5.75"	7/8"	BK60-7/8	MB58-7/8
<hr/>			
5.75"	1 1/8"	BK60-1-1/8	MB58-1-1/8
5.95"	1/2"	BK62-1/2	MB60-1/2
5.95"	5/8"	BK62-5/8	MB60-5/8
5.95"	7/8"	BK62-7/8	MB60-7/8
5.95"	1 1/8"	BK62-1-1/8	MB60-1-1/8
<hr/>			
6.25"	1/2"	---	MB63-1/2
6.25"	5/8"	BK65-5/8	MB63-5/8
6.25"	7/8"	---	MB63-7/8
6.25"	1 1/8"	BK65-1-1/8	MB63-1-1/8
6.45"	5/8"	BK67-5/8	MB65-5/8
<hr/>			
6.45"	7/8"	BK67-7/8	MB65-7/8
6.45"	1 1/8"	BK67-1-1/8	MB65-1-1/8
6.75"	5/8"	BK70-5/8	MB68-5/8
6.75"	7/8"	BK70-7/8	MB68-7/8
6.75"	1 1/8"	BK70-1-1/8	MB68-1-1/8
<hr/>			
6.95"	1/2"	---	MB70-1/2
6.95"	5/8"	---	MB70-5/8
6.95"	7/8"	---	MB70-7/8
6.95"	1 1/8"	BK72-1-1/8	MB70-1-1/8
7.25"	1/2"	---	MB73-1/2
<hr/>			
7.25"	7/8"	---	MB73-7/8
7.25"	1 1/8"	BK75-1-1/8	MB73-1-1/8
7.75"	1/2"	---	MB78-1/2
7.75"	5/8"	BK80-5/8	MB78-5/8
7.75"	7/8"	BK80-7/8	MB78-7/8
<hr/>			
7.75"	1 1/8"	BK80-1-1/8	MB78-1-1/8
8.0"	1/2"	---	MB80-1/2
8.0"	5/8"	---	MB80-5/8
8.0"	7/8"	---	MB80-7/8
8.0"	1 1/8"	---	MB80-1-1/8

NOTE

Use with A(4L) & B(5L) V-belts.  
Additional sizes available upon request.



VARIABLE PITCH SINGLE GROOVE HVAC | CAST IRON

OUTSIDE DIAMETER	BORE SIZE	POWER DRIVE NUMBER	MASKA NUMBER
2.5"	1/2"	1VL25-1/2PD	MVL25-1/2
2.5"	5/8"	1VL25-5/8PD	MVL25-5/8
2.87"	1/2"	1VL30-1/2PD	MVL30-1/2
2.87"	5/8"	1VL30-5/8PD	MVL30-5/8
3.15"	1/2"	1VL34-1/2PD	MVL34-1/2
3.15"	5/8"	1VL34-5/8PD	MVL34-5/8
3.15"	3/4"	1VL34-3/4PD	MVL34-3/4
3.75"	1/2"	1VL40-1/2PD	MVL40-1/2
3.75"	5/8"	1VL40-5/8PD	MVL40-5/8
3.75"	3/4"	1VL40-3/4PD	MVL40-3/4
3.75"	7/8"	1VL40-7/8PD	MVL40-7/8
4.15"	1/2"	1VL44-1/2PD	MVL44-1/2
4.15"	5/8"	1VL44-5/8PD	MVL44-5/8
4.15"	3/4"	1VL44-3/4PD	MVL44-3/4
4.15"	7/8"	1VL44-7/8PD	MVL44-7/8
4.75"	1/2"	1VM50-1/2PD	---
4.75"	5/8"	1VM50-5/8PD	---
4.75"	7/8"	1VM50-7/8PD	---

NOTE


Use with A(4L), B(5L) & 3L V-belts.

SINGLE GROOVE FIXED BORE HVAC | CAST IRON

OUTSIDE DIAMETER	BORE SIZE	POWER DRIVE NUMBER	MASKA NUMBER
4.93"	5/8"	AL54-5/8	MFAL54-5/8
4.93"	3/4"	AL54-3/4	MFAL54-3/4
4.93"	1"	AL54-1	MFAL54-1
5.93"	5/8"	AL64-5/8	MFAL64-5/8
5.93"	3/4"	AL64-3/4	MFAL64-3/4
5.93"	1"	AL64-1	MFAL64-1
6.93"	5/8"	AL74-5/8	MFAL74-5/8
6.93"	3/4"	AL74-3/4	MFAL74-3/4
6.93"	1"	AL74-1	MFAL74-1
7.93"	5/8"	AL84-5/8	MFAL84-5/8
7.93"	3/4"	AL84-3/4	MFAL84-3/4
7.93"	1"	AL84-1	MFAL84-1
8.93"	3/4"	AL94-3/4	MFAL94-3/4
8.93"	1"	AL94-1	MFAL94-1
9.93"	3/4"	AL104-3/4	MFAL104-3/4
9.93"	1"	AL104-1	MFAL104-1
10.93"	3/4"	AL114-3/4	MFAL114-3/4
10.93"	1"	AL114-1	MFAL114-1
11.93"	3/4"	AL124-3/4	MFAL124-3/4
11.93"	1"	AL124-1	MFAL124-1
14.16"	3/4"	AM144-3/4	MFAM144-3/4
14.16"	1"	AM144-1	MFAM144-1

NOTE

Use with A(4L) V-belts.



SINGLE GROOVE "A/B" SECTION BUSHING TYPE | CAST IRON



OUTSIDE DIAMETER	POWER DRIVE NUMBER	MASKA NUMBER
3.15"	BK30H	MBL31
3.35"	BK32H	MBL33
3.55"	BK34H	MBL35
3.75"	BK36H	MBL37
3.95"	BK40H	MBL39
4.25"	BK45H	MBL42
4.45"	BK47H	MBL44
4.75"	BK50H	MBL47
4.95"	BK52H	MBL49
5.25"	BK55H	MBL52
5.45"	BK57H	MBL54
5.75"	BK60H	MBL57
5.95"	BK62H	MBL59
6.25"	BK65H	MBL62
6.45"	BK67H	MBL64
6.75"	BK70H	MBL67
6.95"	BK72H	MBL69
7.25"	BK75H	MBL72
7.45"	BK77H	MBL74
7.75"	BK80H	MBL77
8.25"	BK85H	MBL82
8.75"	BK90H	MBL87
9.25"	BK95H	MBL92
9.75"	BK100H	MBL97
10.25"	BK105H	MBL102
10.75"	BK110H	MBL107
11.25"	BK115H	MBL112
11.75"	BK120H	MBL117
12.75"	BK130H	MBL127
13.75"	BK140H	MBL137
14.75"	BK150H	MBL147
15.75"	BK160H	MBL157
18.75"	BK190H	MBL187

NOTE

Use with A(4L) & B(5L) V-belts.  
Bushings on page 18.



DOUBLE GROOVE "A/B" SECTION FIXED BORE | CAST IRON

OUTSIDE DIAMETER	BORE SIZE	POWER DRIVE NUMBER	MASKA NUMBER
2.5"	1/2"	2BK25-1/2	2MB25-1/2
2.5"	5/8"	2BK25-5/8	2MB25-5/8
2.5"	7/8"	2BK25-7/8	2MB25-7/8
2.5"	1 1/8"	---	2MB25-1-1/8
2.95"	5/8"	2BK28-5/8	2MB30-5/8
2.95"	7/8"	2BK28-7/8	2MB30-7/8
2.95"	1 1/8"	2BK28-1-1/8	2MB30-1-1/8
3.95"	5/8"	2BK40-5/8	2MB40-5/8
3.95"	7/8"	2BK40-7/8	2MB40-7/8
3.95"	1 1/8"	2BK40-1-1/8	2MB40-1-1/8
4.45"	5/8"	---	2MB45-5/8
4.45"	7/8"	2BK47-7/8	2MB45-7/8
4.45"	1 1/8"	2BK47-1-1/8	2MB45-1-1/8
4.95"	5/8"	---	2MB50-5/8
4.95"	7/8"	2BK52-7/8	2MB50-7/8
4.95"	1 1/8"	2BK52-1-1/8	2MB50-1-1/8
5.45"	5/8"	---	2MB55-5/8
5.45"	7/8"	---	2MB55-7/8
5.45"	1 1/8"	2BK57-1-1/8	2MB55-1-1/8
5.95"	5/8"	---	2MB60-5/8
5.95"	7/8"	---	2MB60-7/8
5.95"	1 1/8"	2BK62-1-1/8	2MB60-1-1/8
6.75"	5/8"	---	2MB68-5/8
6.75"	1 1/8"	2BK70-1-1/8	2MB68-1-1/8
7.75"	5/8"	---	2MB78-5/8
7.75"	7/8"	---	2MB78-7/8
7.75"	1 1/8"	2BK80-1-1/8	2MB78-1-1/8
8.75"	1 1/8"	2BK90-1-1/8	2MB88-1-1/8

NOTE

Use with A(4L) & B(5L) V-belts.  
Additional sizes available.



DOUBLE GROOVE "A/B" SECTION BUSHING TYPE | CAST IRON



OUTSIDE DIAMETER	POWER DRIVE NUMBER	MASKA NUMBER
3.35"	2BK32H	2MBL33
3.55"	2BK34H	2MBL35
3.75"	2BK36H	2MBL37
3.95"	2BK40H	2MBL39
4.25"	2BK45H	2MBL42
4.45"	2BK47H	2MBL44
4.75"	2BK50H	2MBL47
4.95"	2BK52H	2MBL49
5.25"	2BK55H	2MBL52
5.45"	2BK57H	2MBL54
5.75"	2BK60H	2MBL57
5.95"	2BK62H	2MBL59
6.25"	2BK65H	2MBL62
6.45"	2BK67H	2MBL64
6.75"	2BK70H	2MBL67
6.95"	---	2MBL69
7.75"	2BK80H	2MBL77
8.75"	2BK90H	2MBL87
9.75"	2BK100H	2MBL97

*NOTE*

Use with A(4L) & B(5L) V-belts.  
Additional sizes available.

SPLIT TAPER BUSHINGS



POWER DRIVE NUMBER	BORE SIZE
H-1/2	1/2"
H-9/16	9/16"
H-5/8	5/8"
H-3/4	3/4"
H-7/8	7/8"
H-1	1"
H-1-1/16	1 1/16"
H-1-1/8	1 1/8"
H-1-3/16	1 3/16"
H-1-1/4	1 1/4"
H-1-5/16	1 5/16"
H-1-3/8	1 3/8"
H-1-7/16	1 7/16"
H-1-1/2	1 1/2"

QD BUSHINGS



MASKA NUMBER	BORE SIZE
L-1/2	1/2"
L-9/16	9/16"
L-5/8	5/8"
L-3/4	3/4"
L-7/8	7/8"
L-1	1"
L-1-1/16	1 1/16"
L-1-1/8	1 1/8"
L-1-3/16	1 3/16"
L-1-1/4	1 1/4"
L-1-5/16	1 5/16"
L-1-3/8	1 3/8"
L-1-7/16	1 7/16"
L-1-1/2	1 1/2"



SINGLE GROOVE FIXED BORE 'A' SECTION | DIE CAST

OUTSIDE DIAMETER	BORE SIZE	STOCK NUMBER
1.5"	3/8"	150-A-3/8
1.75"	3/8"	175-A-3/8
1.75"	1/2"	175-A-1/2
1.75"	3/4"	175-A-3/4+
2.0"	3/8"	200-A-3/8
<hr/>		
2.0"	1/2"	200-A-1/2
2.0"	3/4"	200-A-3/4+
2.25"	3/8"	225-A-3/8
2.25"	1/2"	225-A-1/2
2.5"	3/8"	250-A-3/8
<hr/>		
2.5"	1/2"	250-A-1/2
3.0"	1/2"	300-A-1/2
3.0"	5/8"	300-A-5/8
3.0"	3/4"	300-A-3/4+
3.25"	1/2"	325-A-1/2
<hr/>		
3.25"	5/8"	325-A-5/8
3.5"	1/2"	350-A-1/2
3.5"	5/8"	350-A-5/8
4.0"	1/2"	400-A-1/2
4.0"	5/8"	400-A-5/8
<hr/>		
4.5"	1/2"	450-A-1/2
4.5"	5/8"	450-A-5/8
5.0"	1/2"	500-A-1/2
5.0"	5/8"	500-A-5/8
5.5"	1/2"	550-A-1/2
<hr/>		
5.5"	5/8"	550-A-5/8
6.0"	1/2"	600-A-1/2
6.0"	5/8"	600-A-5/8

NOTE

Use with A(4L) V-belts.

+Discontinued, while supplies last.

SINGLE GROOVE FIXED BORE 'B' SECTION | DIE CAST

OUTSIDE DIAMETER	BORE SIZE	STOCK NUMBER
2.25"	1/2"	225-B-1/2+
2.25"	5/8"	225-B-5/8+
2.75"	5/8"	275-B-5/8+
3.0"	1/2"	300-B-1/2
3.25"	1/2"	325-B-1/2+
<hr/>		
3.25"	5/8"	325-B-5/8+
3.5"	1/2"	350-B-1/2+
3.5"	5/8"	350-B-5/8+
4.0"	1/2"	400-B-1/2+
4.0"	5/8"	400-B-5/8+
<hr/>		
4.25"	5/8"	400-B-5/8+



NOTE

+Discontinued, while supplies last.

VARIABLE PITCH SINGLE GROOVE HVAC | DIE CAST

OUTSIDE DIAMETER	BORE SIZE	STOCK NUMBER
3.25"	1/2"	325VP-1/2
3.25"	5/8"	325VP-5/8
3.5"	1/2"	350VP-1/2
3.5"	5/8"	350VP-5/8
3.75"	1/2"	375VP-1/2
3.75"	5/8"	375VP-5/8
4.0"	1/2"	400VP-1/2
4.0"	5/8"	400VP-5/8



MULTIPLE GROOVE "A" SECTION STEP PULLEYS | DIE CAST

# OF STEPS	1ST STEP	2ND STEP	3RD STEP	4TH STEP	BORE SIZE	STOCK NUMBER
2	2"	2 1/2"	---	---	1/2"	113-1/2
	2"	2 1/2"	---	---	5/8"	113-5/8
	2"	3"	---	---	1/2"	150-1/2
3	1 3/4"	2 1/4"	2 3/4"	---	1/2"	145-1/2
	2 1/4"	2 3/4"	3 1/4"	---	1/2"	144-1/2 <sup>+</sup>
	2 1/4"	2 3/4"	3 1/4"	---	3/4"	144-3/4 <sup>+</sup>
	2"	3"	4"	---	1/2"	146-1/2
	2"	3"	4"	---	5/8"	146-5/8
	3"	3 1/2"	4"	---	1/2"	149-1/2
4	3 1/2"	4"	4 1/2"	---	5/8"	148-5/8
	2"	2 1/2"	3 1/2"	4"	5/8"	141-5/8
	2"	2 1/2"	3 1/2"	4"	3/4"	141-3/4
	3"	3 1/2"	4"	4 1/2"	1/2"	143-1/2
	3"	3 1/2"	4"	4 1/2"	5/8"	143-5/8



NOTE

<sup>+</sup>Discontinued, while supplies last.



V-BELTS | POWERTWIST PLUS




BELT SECTION	BELT LENGTH	STOCK NUMBER
3L	25'	405010+
3L	10m	410010
3L	30m	418013
4L(A)	10m	410030
4L(A)	30m	418033
5L(B)	25'	405050+
5L(B)	10m	410050
5L(B)	30m	418053
5L(B)	6'	418050-1+
C	10m	410070
C	30m	418073

NOTE

+Discontinued, while supplies last.

V-Belt Cross-Section



DIMENSIONS

V-BELTS	TOP WIDTH	THICKNESS	ANGLE
3L	0.38"	0.24"	40
A OR 4L	0.51"	0.34"	40
B OR 5L	0.66"	0.43"	40

V-BELTS | 3L

OUTSIDE LENGTH	STOCK NUMBER	OUTSIDE LENGTH	STOCK NUMBER
13"	3L130	28"	3L280
14"	3L140	29"	3L290
15"	3L150	30"	3L300
16"	3L160	31"	3L310
17"	3L170	32"	3L320
18"	3L180	33"	3L330
19"	3L190	34"	3L340
20"	3L200	35"	3L350
21"	3L210	36"	3L360
22"	3L220		
23"	3L230		
24"	3L240		
25"	3L250		
26"	3L260		
27"	3L270		



NOTE

Additional sizes available.

## V-BELTS | A(4L)



OUTSIDE LENGTH	REFERENCE NUMBER	STOCK NUMBER	OUTSIDE LENGTH	REFERENCE NUMBER	STOCK NUMBER
15"	4L150	A13	60"	4L600	A58
16"	4L160	A14	61"	4L610	A59
17"	4L170	A15	62"	4L620	A60
18"	4L180	A16	63"	4L630	A61
19"	4L190	A17	64"	4L640	A62
20"	4L200	A18	65"	4L650	A63
21"	4L210	A19	66"	4L660	A64
22"	4L220	A20	67"	4L670	A65
23"	4L230	A21	68"	4L680	A66
24"	4L240	A22	69"	4L690	A67
25"	4L250	A23	70"	4L700	A68
26"	4L260	A24	71"	4L710	A69
27"	4L270	A25	72"	4L720	A70
28"	4L280	A26	73"	4L730	A71
29"	4L290	A27	74"	4L740	A72
30"	4L300	A28	75"	4L750	A73
31"	4L310	A29	76"	4L760	A74
32"	4L320	A30	77"	4L770	A75
33"	4L330	A31	78"	4L780	A76
34"	4L340	A32	79"	4L790	A77
35"	4L350	A33	80"	4L800	A78
36"	4L360	A34	81"	4L810	A79
37"	4L370	A35	82"	4L820	A80
38"	4L380	A36	83"	4L830	A81
39"	4L390	A37	84"	4L840	A82
40"	4L400	A38	85"	4L850	A83
41"	4L410	A39	86"	4L860	A84
42"	4L420	A40	87"	4L870	A85
43"	4L430	A41	88"	4L880	A86
44"	4L440	A42	89"	4L890	A87
45"	4L450	A43	90"	4L900	A88
46"	4L460	A44	91"	4L910	A89
47"	4L470	A45	92"	4L920	A90
48"	4L480	A46	93"	4L930	A91
49"	4L490	A47	94"	4L940	A92
50"	4L500	A48	95"	4L950	A93
51"	4L510	A49	96"	4L960	A94
52"	4L520	A50			
53"	4L530	A51			
54"	4L540	A52			
55"	4L550	A53			
56"	4L560	A54			
57"	4L570	A55			
58"	4L580	A56			
59"	4L590	A57			

## NOTE

**AX Series** available upon request.  
Additional sizes available.

## V-BELTS | B(5L)



OUTSIDE LENGTH	REFERENCE NUMBER	STOCK NUMBER	OUTSIDE LENGTH	REFERENCE NUMBER	STOCK NUMBER
23"	5L230	B20	68"	5L680	B65
24"	5L240	B21	69"	5L690	B66
25"	5L250	B22	70"	5L700	B67
26"	5L260	B23	71"	5L710	B68
27"	5L270	B24	72"	5L720	B69
28"	5L280	B25	73"	5L730	B70
29"	5L290	B26	74"	5L740	B71
30"	5L300	B27	75"	5L750	B72
31"	5L310	B28	76"	5L760	B73
32"	5L320	B29	77"	5L770	B74
33"	5L330	B30	78"	5L780	B75
34"	5L340	B31	79"	5L790	B76
35"	5L350	B32	80"	5L800	B77
36"	5L360	B33	81"	5L810	B78
37"	5L370	B34	82"	5L820	B79
38"	5L380	B35	83"	5L830	B80
39"	5L390	B36	84"	5L840	B81
40"	5L400	B37	85"	5L850	B82
41"	5L410	B38	86"	5L860	B83
42"	5L420	B39	87"	5L870	B84
43"	5L430	B40	88"	5L880	B85
44"	5L440	B41	89"	5L890	B86
45"	5L450	B42	90"	5L900	B87
46"	5L460	B43	91"	5L910	B88
47"	5L470	B44	92"	5L920	B89
48"	5L480	B45	93"	5L930	B90
49"	5L490	B46	94"	5L940	B91
50"	5L500	B47	95"	5L950	B92
51"	5L510	B48	96"	5L960	B93
52"	5L520	B49			
53"	5L530	B50			
54"	5L540	B51			
55"	5L550	B52			
56"	5L560	B53			
57"	5L570	B54			
58"	5L580	B55			
59"	5L590	B56			
60"	5L600	B57			
61"	5L610	B58			
62"	5L620	B59			
63"	5L630	B60			
64"	5L640	B61			
65"	5L650	B62			
66"	5L660	B63			
67"	5L670	B64			

## NOTE

**BX Series** available upon request.  
Additional sizes available.

## STANDARD SOLID STATE

1140 HP	1725 HP	3450 HP	DIAMETER	LENGTH	STOCK NUMBER
1/4-3/4	1/4-1/2	1/4-1/3	2 3/8"	3 3/4"	MODEL A
1-1 1/2	3/4-1	1/2-3/4	2 3/8"	3 3/4"	MODEL B
2-3	1 1/2-2	1-1 1/2	2 3/8"	3 3/4"	MODEL C
3	3	2	2 3/8"	4 3/4"	MODEL D
5	5	3	2 7/8"	4 3/4"	MODEL E
7 1/2	7 1/2	5	2 7/8"	4 3/4"	MODEL H
10	10	7 1/2	2 7/8"	4 3/4"	MODEL K



**FOR OPERATING  
3-PHASE 230V MOTORS  
WITH SINGLE PHASE  
230V INPUT**

**NOTE**

Some old large frame motors may require the next larger model.


### GOOD TO KNOW...

**UP TO 75% HP EFFICIENCY...**

FOR USE ON LIGHT-MEDIUM STARTING LOADS, WHERE FULL HP IS NOT REQUIRED...

STANDARD SOLID STATE MODELS CAN BE USED IN REVERSING APPLICATIONS...

IDEAL APPLICATIONS: LATHES, MILLING MACHINES, DRILL PRESSES, SEWING MACHINES, AND GRINDERS...



### RECOMMENDED MOTOR FUSE PROTECTION

HP	TIME DELAY 230V FUSES
1/4	3 AMP
1/3	5 AMP
1/2	5 AMP
3/4	7.5 AMP
1	10 AMP
1 1/2	10 AMP
2	15 AMP
3	20 AMP
5	25 AMP
7 1/2	30 AMP
10	40 AMP



STANDARD ROTARY | LESS BOX, CAPACITORS, STARTER, AND IDLER MOTOR

IDLER HP @ 1725 RPM REQUIRED (NOT INCLUDED)	370V RUN CAP REQUIRED (NOT INCLUDED)	DIAMETER	LENGTH	STOCK NUMBER
1/2	15 MFD	2 3/8"	4 3/8"	MODEL A-I
3/4	20 MFD	2 3/8"	4 3/8"	
1	30 MFD	2 3/8"	4 3/8"	
1 1/2	40 MFD	2 3/8"	4 3/8"	MODEL B-I
2	50 MFD	2 3/8"	4 3/8"	
3	70 MFD	2 3/8"	4 3/8"	MODEL C-I
5	110 MFD	2 3/8"	4 3/8"	MODEL D-I
7.5	160 MFD	3"	5 1/2"	MODEL E-I
10	220 MFD	3"	5 1/2"	MODEL H-I
15	320 MFD	3"	5 1/2"	MODEL K-I
20	400 MFD	3"	5 1/2"	MODEL N-I



**FOR OPERATING  
3-PHASE 230V MOTORS  
WITH SINGLE PHASE  
230V INPUT**

**GOOD TO KNOW...**

**THESE MODELS REQUIRE AN IDLER MOTOR**

THAT IS AT LEAST 50% LARGER THAN THE LARGEST MOTOR BEING STARTED...

PACKAGED ROTARY | LESS IDLER MOTOR

IDLER HP (REQUIRED)	LENGTH	WIDTH	HEIGHT	STOCK NUMBER
1	12"	10"	6"	PRT-1
1 1/2	12"	10"	6"	PRT-1.5
2	12"	10"	6"	PRT-2
3	12"	10"	6"	PRT-3
5	12"	10"	6"	PRT-5
7 1/2	14"	12"	6"	PRT-7.5
10	14"	12"	6"	PRT-10
15	20"	16"	6"	PRT-15
20	20"	16"	6"	PRT-20
25	20"	16"	8"	PRT-25
30	20"	16"	8"	PRT-30
40	20"	16"	8"	PRT-40
50	24"	24"	8"	PRT-50
60	24"	24"	8"	PRT-60
75	24"	24"	8"	PRT-75



**GOOD TO KNOW...**

**USE ONLY WITH 1725 RPM IDLER MOTORS...**

INCLUDES STARTER AND CAPACITORS ASSEMBLED IN A NEMA 3R ENCLOSURE...

IDEAL APPLICATIONS ARE VIRTUALLY UNLIMITED...

FOR USE ON HEAVY STARTING LOADS, WHERE FULL HP IS REQUIRED...

COMPLETE ROTARY | COMPLETELY ASSEMBLED WITH IDLER MOTORS



IDLER HP (REQUIRED)	STOCK NUMBER
1	RT-1
1 1/2	RT-1.5
2	RT-2
3	RT-3
5	RT-5
7 1/2	RT-7.5
10	RT-10
15	RT-15
20	RT-20
25	RT-25
30	RT-30
40	RT-40
50	RT-50
60	RT-60
75	RT-75

FOR OPERATING  
**3-PHASE 230V MOTORS**  
WITH SINGLE PHASE  
**230V INPUT**

GOOD TO KNOW...

CAN BE CONVERTED FOR CNC MACHINES...

FOR USE ON HEAVY STARTING LOADS, WHERE FULL HP IS REQUIRED...

THESE ASSEMBLED UNITS CONTAIN CONVERTER, STARTER, SWITCH AND CAPACITORS IN A NEMA 3R ENCLOSURE WHICH ARE MOUNTED TO A TEFC CAST IRON ENERGY EFFICIENT IDLER MOTOR...

IDLER HP SHOULD BE AT LEAST 50% LARGER THAN THE LARGEST MOTOR BEING STARTED...

WHEN STARTING MORE THAN ONE MOTOR AT A TIME, THE TOTAL COMBINED HP MUST NOT EXCEED 75% OF THE IDLER MOTOR HP...

WHEN RUNNING MORE THAN ONE MOTOR AT A TIME, THE TOTAL COMBINED HP MUST NOT EXCEED FOUR TIMES THE IDLER MOTOR HP...

SOFT START AND/OR 460V MODELS ARE AVAILABLE, CALL FOR DETAILS...



PHASE CONVERTER/VARIABLE FREQUENCY DRIVE

MAX CONTINUOUS LOAD CURRENT	MAX HP	FIG.	LENGTH	WIDTH	HEIGHT	STOCK NUMBER
2.4 AMPS	1/2	A	4.3"	3.8"	2.5"	KBVF-23D
4.0 AMPS	1	A	4.7"	4.3"	5.0"	KBVF-24D
5.5 AMPS	2	A	5.7"	4.7"	5.7"	KBVF-26D
3.6 AMPS	1	B	4.9"	3.2"	7.0"	KBMA-24D



KBVF-23D



KBMA-24D

**KBMA-24D INCLUDES ALL THE FEATURES OF THE KBVFs WITH THE ADDITION OF A NEMA 1 ENCLOSURE.**

FEATURES

PHASE CONVERTER OPERATES STANDARD 208/230V, 3-PHASE AC MOTORS WITH 115V OR 208/230V SINGLE PHASE INPUT (SPEED POTENTIOMETER MUST BE CONNECTED)

SLIP COMPENSATION WITH STATIC AUTO-TUNE AND BOOST PROVIDE EXCELLENT LOAD REGULATION OVER A WIDE SPEED RANGE.

POWER START™ PROVIDES MORE THAN 200% STARTING TORQUE.

SIMPLE OPERATION DOES NOT REQUIRE PROGRAMMING. USES TRIMPOTS AND JUMPERS, WHICH ARE FACTORY SET FOR MOST APPLICATIONS.

SPEED RANGE IS 60:1 OR 30:1 WITH FULL MOTOR TORQUE.

MAIN SPEED POTENTIOMETER INCLUDED WITH ALL MODELS.

JUMPER SELECTION OF DRIVE OUTPUT FREQUENCY INCREASES THE MOTOR SPEED UP TO TWO TIMES THE RATED RPM.

PROTECTION FEATURES

**MOTOR OVERLOAD (i<sup>2</sup>t) WITH RMS CURRENT LIMITS:** PROVIDES MOTOR OVERLOAD PROTECTION WHICH PREVENTS MOTOR BURNOUT AND ELIMINATES NUISANCE TRIPS.

**ELECTRONIC INRUSH CURRENT LIMIT (EICL™):** ELIMINATES HARMFUL INRUSH AC LINE CURRENT DURING STARTUP.

**SHORT CIRCUIT:** SHUTS DOWN THE DRIVE IF A SHORT CIRCUIT OCCURS AT THE MOTOR (PHASE-TO-PHASE).

**REGENERATION:** ELIMINATES TRIPPING DUE TO BUS OVERVOLTAGE CAUSED BY RAPID DECELERATION OF HIGH INERTIAL LOADS.

**OVERVOLTAGE AND UNDERVOLTAGE:** SHUTS DOWN THE DRIVE IF THE AC LINE INPUT VOLTAGE GOES ABOVE OR BELOW THE OPERATING RANGE.

**MOV INPUT TRANSIENT SUPPRESSION.**


**MICROCONTROLLER SELF MONITORING AND AUTO-REBOOT.**

GOOD TO KNOW...

THESE MODELS COMBINE THE FLEXIBILITY OF A FULL FEATURED DRIVE WITH THE CONVENIENCE OF A PHASE CONVERTER, ALL IN ONE LOW COST, EASY TO USE PACKAGE...

SOLID STATE SPEED CONTROLS

VOLTS	AMP	FIGURE	REPLACES AO SMITH	PEMS
115	3.0	A	---	A177-1001
115	4.0	B	1234A	A177-1004
115	2.5	C	---	K177-1002
115	5.0	C	1233A	K177-1005
115	6.0	C	---	K177-1006
115	8.0	C	---	K177-1008
115	10.0	D	1408A	K177-1010
115	15.0	D	---	K177-1015
240	2.5	C	---	K177-2002
240	5.0	C	1407A	K177-2005
240	8.0	C	---	K177-2008
240	10.0	D	---	K177-2010
277	6.0	C	---	K177-2706
277	15.0	D	---	K177-2715



## DEFINITE PURPOSE CONTACTORS | FASCO



POLES	AMPS	COIL VOLTS	USE AUX. SWITCH	STOCK NUMBER
1	30	24	H6S OR H7S	H130A
1	30	120	H6S OR H7S	H130B
1	30	208/240	H6S OR H7S	H130C
1	40	24	H6S OR H7S	H140A
1	40	120	H6S OR H7S	H140B
1	40	208/240	H6S OR H7S	H140C
2	30	24	H6S OR H7S	H230A
2	30	120	H6S OR H7S	H230B
2	30	208/240	H6S OR H7S	H230C
2	40	24	H6S OR H7S	H240A
2	40	120	H6S OR H7S	H240B
2	40	208/240	H6S OR H7S	H240C
3	30	24	H6S OR H7S	H330A
3	30	120	H6S OR H7S	H330B
3	30	208/240	H6S OR H7S	H330C
3	40	24	H6S OR H7S	H340A
3	40	120	H6S OR H7S	H340B
3	40	208/240	H6S OR H7S	H340C
3	50	24	H6S OR H7S	H350A
3	50	120	H6S OR H7S	H350B
3	50	208/240	H6S OR H7S	H350C
3	60	24	H6S OR H7S	H360A
3	60	120	H6S OR H7S	H360B
3	60	208/240	H6S OR H7S	H360C
3	75	24	H9S	H375AC
3	75	120	H9S	H375BC
3	75	208/240	H9S	H375CC
3	90	24	H9S	H390AC
3	90	120	H9S	H390BC
3	90	208/240	H9S	H390CC
4	30	24	H6S OR H7S	H430A
4	30	120	H6S OR H7S	H430B
4	30	208/240	H6S OR H7S	H430C
4	40	24	H6S OR H7S	H440A
4	40	120	H6S OR H7S	H440B
4	40	208/240	H6S OR H7S	H440C

REVERSING CONTACTORS | FASCO




POLES	AMPS	COIL VOLTS	USE AUX. SWITCH	STOCK NUMBER
3	30	24	H6S OR H7S	H3R30A
3	30	120	H6S OR H7S	H3R30B
3	30	208/240	H6S OR H7S	H3R30C



H6S



H7S



H9S

AUXILIARY SWITCHES | FASCO

TYPE	FASCO MODEL
SPDT	H6S
DUAL SPDT	H7S
SPDT	H9S

10 AMP @ 1/3 HP, 125 OR 250 VAC

1/2 AMP @ 125 VDC

1/4 AMP @ 250 VDC


GOOD TO KNOW...

30 AMP-SCREWS AND QUICK CONNECT TERMINALS...

40 AMP-LUGS AND QUICK CONNECT TERMINALS...

50/60 AMP-LUGS AND QUICK CONNECT TERMINALS...

75/90 AMP-LUGS AND QUICK CONNECT TERMINALS...



## DEFINITE PURPOSE CONTACTORS | ROTOM



POLES	AMPS	COIL VOLTS	REPLACES FURNAS #	STOCK NUMBER
1.5	30	24	45EG10AJA	DP-1P30A24
1.5	30	120	45EG10AFA	DP-1P30A120
1.5	30	240	45EG10AGA	DP-1P30A240
2	30	24	45EG20AJ	DP-2P30A24
2	30	120	45EG20AF	DP-2P30A120
2	30	240	45EG20AG	DP-2P30A240
2	40	24	45GG20AJ	DP-2P40A24
2	40	120	45GG20AF	DP-2P40A120
2	40	240	45GG20AG	DP-2P40A240
3	30	24	42BF35AJ	DP-3P30A24
3	30	120	42BF35AF	DP-3P30A120
3	30	240	42BF35AG	DP-3P30A240
3	40	24	42CF35AJ	DP-3P40A24
3	40	120	42CF35AF	DP-3P40A120
3	40	240	42CF35AG	DP-3P40A240
3	50	24	42DF35AJ	DP-3P50A24
3	50	120	42DF35AF	DP-3P50A120
3	50	240	42DF35AG	DP-3P50A240
3	60	24	42EF35AJ	DP-3P60A24
3	60	120	42EF35AF	DP-3P60A120
3	60	240	42EF35AG	DP-3P60A240
4	30	24	42BF25AJ	DP-4P30A24
4	30	120	42BF25AF	DP-4P30A120
4	30	240	42BF25AG	DP-4P30A240
4	40	24	42CF25AJ	DP-4P40A24
4	40	120	42CF25AF	DP-4P40A120
4	40	240	42CF25AG	DP-4P40A240

## AUXILLARY SWITCHES | ROTOM

TYPE	ROTOM MODEL
SPDT, N/O & N/C	DP-AS7
Dual SPDT, N/O & N/C	DP-AS8



DP-AS7



DP-AS8

FOR USE WITH  
ROTOM 30-60 AMP, THREE AND FOUR POLE CONTACTORS

## HIGH-LOW WATER ALARM |

USER SAFE 9-VOLT AC POWER, 9-VOLT DC BACKUP.  
 EASY CONVERSION FROM HIGH WATER TO LOW WATER ALARM.  
 95 DECIBEL SOUND ALARM.  
 RELIABLE NON-MERCURY FLOAT SWITCH WITH 10 FT. CORD.  
 EASY INSTALLATION.  
 ATTACHMENT STRAP INCLUDED.  
 CORROSION RESISTANT ABS FLOAT.  
 9-VOLT TRANSFORMER AND FLOAT SWITCH WITH CORD ARE UL LISTED AND CPA APPROVED.  
 TEST BUTTON.  
 1 YEAR LIMITED WARRANTY.



WA9-04

## FAILED CIRCUIT ALARM |

EASY INSTALLATION.  
 VELCRO MOUNT.  
 12' CORD.  
 9 VOLT SYSTEM.  
 85 TO 90 DECIBEL ALARM BUZZER.  
 110/120 VOLT STANDARD TRANSFORMER.  
 TOGGLE ON/OFF SWITCH TO SILENCE ALARM BUZZER.  
 ALARM BUZZER/BATTERY TEST BUTTON.  
 GREEN POWER PRESENT INDICATOR.  
 1 YEAR WARRANTY.



FCA-12

## MECHANICAL FLOAT SWITCH |

VOLTS	AMPS	CORD LENGTH	STOCK NUMBER
115	15	10'	CSH-1
230	12	10'	CSH-2
115	15	20'	CSH-1-20
230	12	20'	CSH-2-20



RESILIENT MOUNTING BASE INDEX | FASCO

FASCO MODEL	BASE LENGTH						
D112	517*	D474	542	D807	435	D1051	408
D117	386	D480	542	D812	492	D1061	492
D148	354	D481	542	D814	435	D1065	408*
D150	492*	D482	492	D816	461	D1086	435
D151	492*	D483	492	D818	705*	D1089	435
D152	492*	D484	492	D821	542	D1246	435
D154	558	D485	492	D823	595	D1709	595*
D156	479*	D486	517*	D825	705	D1710	705*
D158	479	D487	517*	D831	705*	D1745	558
D160	479	D488	517	D838	595	D1748	461
D164	479*	D489	542	D860	595	D1749	461
D166	479*	D490	558	D870	542	D1853	492
D174	417	D491	558	D879	461	D1910	595
D176	354*	D492	558	D896	435	D1911	558
D178	417	D493	558	D897	435	D2700	595
D221	417	D494	492	D902	595	D2701	558
D224	435	D495	492	D910	595	D2702	595*
D236	435	D497	542	D911	558	D2703	595*
D245	558	D635	435	D912	479	D2704	595*
D247	479	D655	435	D913	479	D2705	705
D249	354	D656	479	D914	595	D2814	595*
D250	435	D658	479	D915	595	D2817	595*
D252	354	D701	595	D916	595	D2832	595*
D253	354	D703	558	D918	479	D2833	595
D254	417	D711	595	D920	595	D7745	517
D255	417	D721	461	D923	492	D7748	492
D256	479*	D723	517	D927	435	D7749	435
D257	417	D725	461	D928	435	S2846	705
D258	435	D726	558*	D929	558*	S156	435
D260	479	D727	479	D930	558*		
D261	461	D728	595	D935	558		
D264	408*	D729	595	D937	461		
D277	479	D730	595	D939	461		
D290	435*	D733	492	D940	595*		
D312	492	D735	595	D951	595*		
D314	517*	D737	517	D966	517*		
D316	461*	D739	492	D967	558		
D329	435	D745	517	D968	595		
D333	386*	D746	517	D970	595		
D335	408	D747	542	D971	542		
D336	435	D748	492	D972	492		
D337	435	D780	517	D973	461		
D338	492	D782	492	D974	595		
D339	492	D783	461	D975	461		
D347	386	D784	558	D1015	435		
D354	479	D785	542	D1016	479		
D356	417	D786	595	D1025	492		
D382	386	D787	492	D1033	479		
D389	408	D788	558	D1042	492		
D435	517*	D789	592	D1046	386		

**NOMENCLATURE  
30-479**




**NOTE**  
\*May need to reverse one or more mounting rings.



**CRADLE BASE**

BASE LENGTH	3 1/2" SHAFT HEIGHT BASE No.	3" SHAFT HEIGHT BASE No.	2 11/16" SHAFT HEIGHT BASE No.
3.54"	35-354	30-354	---
3.67"	1343	1342	---
3.86"	35-386	30-386	---
3.94"	2062	2061	1205
4.08"	35-408	30-408	---
4.17"	35-417	---	1206
4.35"	35-435	30-435	---
4.42"	2044	1422	---
4.61"	35-461	30-461	1207
4.79"	35-479	30-479	---
4.92"	35-492	30-492	---
5.17"	35-517	30-517	2089
5.42"	35-542	30-542	2090
5.58"	35-558	30-558	---
5.67"	1419	1293	---
5.95"	35-595	30-595	---
7.05"	35-705	30-705	---



**BASE CLAMPS**

Stock No. 8582-6004



**BAND MOUNTING KITS | FASCO**

MOTOR DIAMETER	LUG SIZE	BOLT CIRCLE RANGE	STOCK NUMBER
3.3"	SMALL	4 5/8"-5 7/8"	1379A
3.3"	LARGE	4 11/16"-9 7/8"	KIT 34
3.3"	LARGE	4 1/2"-10"	33L
4.4" & 5.0"	LARGE	6 1/2"-11 8/16"	50L
5.0"	LARGE	6 7/16"-11 11/16"	KIT 50
5.5"	SMALL	6 7/8"-8 1/8"	55S
5.5"	LARGE	8 1/8"-12 1/8"	55L
5.0"	LARGE	9.8"	KIT 315
5.6"	LARGE	9.8"	KIT317

3 SMALL LUGS FOR KIT55S	KIT 49
4 GROMMETS TO FIT LUGS ON KITS 34, 49, 50, 55L, 55S	KIT 150
MOUNTING GROMMETS FOR 1/2" SLOT	8684-6000
MOUNTING GROMMETS FOR 3/4" SLOT (WITH STEEL SLEEVE)	8684-6008



**LUG MOUNTING BRACKET**

**Stock No. 1410A**

FOR 5 5/8" MOTOR DIAMETER.

TWO MOUNTING SLOTS ACCEPTS EITHER A 1/4" OR 3/4" MOUNTING BOLT.

CIRCLE MOUNTING DIAMETER RANGES FROM 6 3/8" TO 7 5/8".

3/4" HOLE FOR LARGE MOUNTING RUBBER.

1/4" SLOT FOR DIRECT MOUNTING SCREW.



**ADAPT-A-LUG KITS (PATENT NO. 3,903,443)**

**Stock No. 1327A 1/4" SLOT**

**Stock No. 1328A 3/4" SLOT**

SAVE INSTALLATION TIME. FITS DIRECTLY TO THE CASE ON ADAPT-A-LUG® MODELS. BOTH KITS PROVIDE FOR BOLT CIRCLES FROM 6 7/8"-8 1/8".



**48 TO 56 FRAME ADAPTER**

**Stock No. 615467-001**

3" BAND WIDTH.

**Stock No. 615467-002**

1 1/2" BAND WIDTH.

ADAPTER CONVERTS 5 1/2" DIAMETER AO SMITH FAN MOTORS TO 6 1/2" DIAMETER. THE ADAPTER CAN BE EASILY MOUNTED ON STANDARD, OFF-THE-SHELF 48 FRAME (5 1/2") FAN AND BLOWER MOTORS. THE MOTOR, WITH ADAPTER MOUNTED, CAN BE USED TO REPLACE MOST OLD STANDARD AND SPECIAL 56 FRAME (6 1/2") FAN MOTORS, ENGINEERED AND TESTED FOR MAXIMUM RELIABILITY AND VERSATILITY.



**FAS MOUNT BRACKET KIT**

**Stock No. FM50**

MOTOR DIAMETER 5.0".

BOLT CIRCLE 9" AND 10.18".

THESE KITS ARE DESIGNED FOR DIRECT DRIVE BLOWER MOTORS USING THE FLEXIBLE BRACKET MOUNTING ARRANGEMENT.

GROMMETS AND EYELETS ARE INCLUDED.



**FAS MOUNT BRACKET KIT**

**Stock No. FM55**

MOTOR DIAMETER 5.5".

BOLT CIRCLE 9" AND 10.18".

3 BRACKETS.

THESE KITS ARE DESIGNED FOR DIRECT DRIVE BLOWER MOTORS USING THE FLEXIBLE BRACKET MOUNTING ARRANGEMENT.

GROMMETS AND EYELETS ARE INCLUDED.



**FAS MOUNT BRACKET KIT**

**Stock No. FM554**

MOTOR DIAMETER 5.5".

BOLT CIRCLE 9" AND 10.18".

4 BRACKETS.

THESE KITS ARE DESIGNED FOR DIRECT DRIVE BLOWER MOTORS USING THE FLEXIBLE BRACKET MOUNTING ARRANGEMENT.

GROMMETS AND EYELETS ARE INCLUDED.



**ROTOM FLEX MOUNT BRACKET KIT**

**Stock No. 92-A8555**

MOTOR DIAMETER 5.5".

BOLT CIRCLE 9" AND 10.18".

3 BRACKETS.

THESE KITS ARE DESIGNED FOR DIRECT DRIVE BLOWER MOTORS USING THE FLEXIBLE BRACKET MOUNTING ARRANGEMENT.

GROMMETS AND EYELETS ARE INCLUDED.



**ROTOM FLEX MOUNT BRACKET KIT**

**Stock No. 92-A8617**

MOTOR DIAMETER 5.0" & 5.5".

BOLT CIRCLE 9" AND 10.18".

3 BRACKETS.

THESE KITS ARE DESIGNED FOR DIRECT DRIVE BLOWER MOTORS USING THE FLEXIBLE BRACKET MOUNTING ARRANGEMENT.

GROMMETS AND EYELETS ARE INCLUDED.



CONDUIT BOX

Stock No. KIT 142

BLACK BOX FOR 3.3" DIAMETER MOTORS.  
PACKAGED ONE PER KIT.



CONDUIT BOX

Stock No. KIT 144

GREY, TIE-ROD MOUNTABLE BOX FOR 4.4", 5.0" AND 5.6" DIAMETER MOTORS.  
PACKAGED ONE PER KIT.



CONDUIT KIT

Stock No. KIT 100

FOR 5/16" AND 3/8" GREENFIELD (FLEXIBLE CONDUIT).  
PACKAGED TWO PER KIT.



CONDUIT KIT

Stock No. KIT 102

3/8" CONDUIT CONNECTOR ALLEN STEVENS TYPE,  
COMPLETE WITH MOUNTING SCREWS.  
PACKED THREE PER KIT.



CONDUIT FITTING

Stock No. 1202A

FOR 4 5/16" DIAMETER MOTORS.  
PACKAGED ONE PER PACK.



**INLET SCREENS**

**Stock No. INLET 4004**


FOR AIR ROTORS OF LESS THAN 3 7/8" DIAMETER, INLET 4004 CAN BE USED ON THE FOLLOWING BLOWERS: 50746-D500, 50747-D230, 50747-D401, 50747-D500, 50747-D600, 50748-D500, 50748-D700, 50752-D230, 50752-D500, A069, A071, A073, A075, A081, A083, B23617 OR B23618.

PACKAGED ONE PER KIT.

**Stock No. INLET 4000**

FOR AIR ROTORS OF LESS THAN 4" TO 5 1/2" DIAMETER, INLET 4000 CAN BE USED ON THE FOLLOWING BLOWERS: 50755-D230, 50755-D500, 50756-D230, 50756-D500, 50757-D500, A159 OR A161.

PACKAGED ONE PER KIT.



4004  
A=3.125  
B=4.50  
C=4.188

4000  
A=4.72  
B=6.125  
C=5.75

**FLANGES**

**Stock No. KIT 280**

MEETING HOLE DIAMETER IS 0.281".

PACKAGED ONE PER KIT.

**Stock No. KIT 282**

MEETING HOLE DIAMETER IS 0.136".

PACKAGED ONE PER KIT.

**Stock No. KIT 284**

PACKAGED ONE PER KIT.



**RHEEM MOUNTING CABLES**

**Stock No. KIT 325**

1/6 HP, 3 1/4" LENGTH.

**Stock No. KIT 350**

1/4 HP, 3 1/2" LENGTH.

**Stock No. KIT 378**

1/3 HP, 3 1/8" LENGTH.



SPECIAL MOUNTING CABLES FOR RHEEM.

FOUR PER PACKAGE.

**ADAPTER KIT**

**Stock No. KIT 380**

MOUNTING KITS.

RHEEM MOUNTING ADAPTER PLATE.

PACKAGED ONE PER KIT.



**ADAPTER KIT**

**Stock No. KIT 414**

ADJUSTABLE CASEBOLT MOUNTING KIT.

FOUR BOLT ADAPTERS PER KIT.



**ADAPTER KIT**

**Stock No. H33**

SPECIAL MOUNTING KIT FOR 3.3" DIAMETER TO REPLACE MOTORS IN NU-TONE UNITS.

INCLUDES FOUR NUTS AND TWO HEX HUB BRACKETS.

USE KIT187 MOUNTING RINGS.



**ADAPTER KIT**

**Stock No. KIT 199**

MOUNTING KITS.

MOTOR LENGTH ADAPTER KIT.

PROVIDES MEANS TO BASE MOUNT FASCO 5" DIAMETER MOTORS.

TWO KITS NEEDED TO ADAPT BOTH ENDS OF MOTOR FOR BASE MOUNTING.



**ADAPTER KIT**

**Stock No. KIT 200**

MOUNTING KITS.

HOLES FOR 4.4" AND 5.6" DIAMETER MOTORS.

ONE KIT WILL ADAPT BOTH ENDS OF MOTOR FOR BASE MOUNTING.



**ADAPTER KIT**

**Stock No. KIT 205**

ADAPTER PLATES.

FRANKLIN REDMOND 4 1/8" DIAMETER MOUNTING ADAPTER PLATE.

PACKAGED ONE PER KIT.



**ADAPTER KIT**

**Stock No. KIT 214**

MOUNTING KITS.

SPECIAL END PLATE FOR 3.3" DIAMETER MOTOR.

PACKAGED ONE PER KIT.



**END SHIELD KIT**

**Stock No. KIT 216**

FOR 3.3" DIAMETER MOTORS.

SPECIAL END PLATE FOR 3.3" DIAMETER MOTORS FOR BASE MOUNTING.

USE WITH KIT 180 MOUNTING RINGS (SEE PAGE 43).

PACKAGED ONE PER KIT.



**ADAPTER KIT**

**Stock No. KIT 218**

MOUNTING KITS.

ALUMINUM STAND-OFF BRACKET FOR MOTOR-BLOWER MOUNTING.

MATCHES 3.3" MOUNTING PATTERN.

KIT 214 REQUIRED TO MOUNT TO MOTOR.

PACKAGED ONE PER KIT.



**COOLING FAN KITS**

**Stock No. 92-FMK**

CW ROTATION-OPPOSITE SHAFT END.

**Stock No. 92-FMK1**

CCW ROTATION-OPPOSITE SHAFT END.

FOR DRAFT BOOSTER MOTORS.

2" DIAMETER.

5/16" HUB ID WITH 1/4" ADAPTER.

SHIPPED ONE FAN PER KIT.



**NEOPRENE GASKET**

**Stock No. 0912-0167**

INCLUDES ONE GASKET AND FOUR GROMMETS.

3.3" DIAMETER MOTORS.

2.84" BOLT CIRCLE DIAMETER.



**ADAPTER KIT**

**Stock No. KIT 207**

ADAPTER PLATES.

PROVIDES RECTANGULAR MOUNTING STUD PATTERN ON 5.0" OR 5.6" DIAMETER FASCO MOTORS TO MATCH FEDDERS STUD MOTORS.

SIMILAR TO EMERSON AND RMR RECTANGULAR MOUNTING STUD PATTERN.

PACKAGED ONE PER KIT.



**END SHIELD KIT**

**Stock No. KIT 265**

MOUNTING CUP.

USED TO MOUNT 3.3" MOTORS TO SOME BLOWER HOUSINGS.

PACKAGED ONE PER KIT.



**END SHIELD KIT**

**Stock No. KIT 225**

TRIANGULAR BRACKET WITH GROMMETS FOR 3.3" DIAMETER MOTORS.

4.38" BCD.

PACKAGED ONE PER KIT.



**STAKED TIE ROD NUTS**

**Stock No. KIT 832**

8-32 NUTS.

**Stock No. KIT 1032**

10-32 NUTS.



PACKAGED 32 PIECES PER PACK.

**STAKED TIE RODS**

**Stock No. KIT 220**

8" LONG 8-32 NC FOR FASCO 5.6" DIAMETER MOTORS.

INCLUDES ONE STAKED NUT AND ONE REGULAR NUT.

**Stock No. KIT 221**

8" LONG 10-32 NC FOR FASCO 4.4" DIAMETER MOTORS.



PACKAGED FOUR PER KIT.

**MOUNTING STUDS**

**Stock No. 2064A**

8-32, 3/4" EXT., COLLAR STUDS FOR 3 3/8" DIAMETER MOTORS.

**Stock No. 2087A**

10-32, 1" EXT., COLLAR STUDS FOR 5" DIAMETER MOTORS.



THREADING LONGEST END INTO MOTOR CAN CREATE ELECTRICAL SHOCK OR FIRE HAZARDS, AND SHORTEN MOTOR LIFE.

**EZ Telescopic Oiler**

**Stock No. 10-Z575**

118 ML TELESCOPIC BOTTLE



PACKAGED 12 PER CARTON.

**ANTI-WINDMILL BRAKES**

**Stock No. AW-1/2**

1/2" BORE SIZE.

**Stock No. AW-5/8**

5/8" BORE SIZE.



USED TO STOP WIND-MILLING IN THE WRONG DIRECTION. SHAFT WILL ROTATE THE CORRECT DIRECTION FREELY.

**EZ Rust Breaker**

**Stock No. 10-RB75**


118 ML TELESCOPIC BOTTLE



PACKAGED 12 PER CARTON.


### RUBBER MOUNTING GROMMETS

BODY DIAMETER	TYPE	BODY LENGTH	THREAD	THREAD LENGTH	FIGURE	STOCK NUMBER
9/16"	MALE/FEMALE	1/2"	8/32	3/8"	A	B177-0001
9/16"	MALE/MALE	1/2"	8/32	3/8"	B	B177-0002
9/16"	MALE/FEMALE	1/2"	10/32	3/8"	A	B177-0003
9/16"	MALE/MALE	1/2"	10/32	3/8"	B	B177-0004
1"	MALE/MALE	1/2"	1/4 x 20	1/2"	B	B177-0006
1"	MALE/MALE	1"	5/16 x 18	9/16"	B	B177-0007
1"	FEMALE/FEMALE	1"	5/16 x 18	---	C	B177-0008
1 1/4"	MALE/MALE	3/4"	5/16 x 18	5/8"	B	B177-0009
2"	MALE/MALE	3/4"	5/16 x 18	3/4"	B	B177-0010



### SPECIAL CARRIER GROMMET

Stock No. B177-0011



### SHAFT EXTENSION ASSEMBLY

Stock No. 1308A

1/4" SIZE, 4 1/2" LENGTH.

Stock No. 1310A

5/16" SIZE, 4 1/2" LENGTH.

Stock No. 1475A

1/2" SIZE, 4 1/2" LENGTH.



COUPLING COMES COMPLETE WITH SET SCREWS.  
USE ANYWHERE AN EXTENSION IS DESIRED.

### STEEL SHAFT ADAPTER BUSHINGS

INSIDE DIAMETER	OUTSIDE DIAMETER	QUANTITY	STOCK NUMBER
1/4"	5/16"	4	KIT 240
5/16"	3/8"	4	KIT 244
5/16"	1/2"	5	1304A
3/8"	7/16"	5	1305A
3/8"	1/2"	4	KIT 242
1/2"	5/8"	4	KIT 246
5/8"	3/4"	5	1483A




### RUBBER MOUNTING RINGS

MOTOR DIAMETER				OUTSIDE RING DIAMETER	MATERIAL	BRAND	FIGURE	STOCK NUMBER
3.3"	4.4"	5.0"	5.6"					
x				1.75"	RUBBER/STEEL BAND	CENTURY	A	1255A
x				1.80"	RUBBER	FASCO	B	KIT 187*
x				1.80"	HENRITE	FASCO	C	KIT 180
x				1.875"	RUBBER WITH GASKET	NUTONE	H	19359
x				2.00"	RUBBER	BROAN	I	99-10-0412
x				2.125"	RUBBER	NUTONE	J	19360
x				2.25"	RUBBER	CENTURY	D	1263A
	x	x	x	2.25"	RUBBER/STEEL BAND	FASCO	A	KIT 183
	x	x	x	2.25"	RUBBER/STEEL BAND	CENTURY	F	1220A
	x	x	x	2.50"	RUBBER	FASCO	E	KIT 186
	x	x	x	2.50"	RUBBER	CENTURY	D	1219A
	x	x	x	2.50"	RUBBER/STEEL BAND	CENTURY	G	1182A
	x	x	x	2.50"	HENRITE	FASCO	E	KIT 184

**NOTE**

\*Use with H33 in Broan and Nutone applications (page 40)




### RESILIENT RINGS

FIGURE	OUTSIDE DIAMETER	INSIDE DIAMETER	STOCK NUMBER
A	2.50"	1.55"	619432-105*
B	2.25"	1.57"	619432-111
B	2.50"	1.57"	619432-112
C	2.50"	1.57"	619432-113

**NOTE**

\*Trane/GE and others.



PACKAGED TWO PER PACK.

**RAIN SHIELDS**

**Stock No. 8860-6016**

PLASTIC 7" DIAMETER, 1/2" SHAFT DIAMETER BORE.

**Stock No. 8860-6000**

PLASTIC 7" DIAMETER, 5/8" SHAFT DIAMETER BORE.



**Stock No. 2097A**

PLASTIC 6" DIAMETER, 1/2" BORE, 42 FRAME.

**Stock No. 1411A**

DISHED PLASTIC 7" DIAMETER, 1/2" BORE, 48 FRAME.

**Stock No. 1412A**

DISHED PLASTIC 7" DIAMETER, 5/8" BORE, 48 FRAME.



**WATER SLINGER**

**Stock No. 8865-6002**

1/2" ID x 2" OD.

SHIPPED INDIVIDUALLY.



MODEL	PG	MODEL	PG	MODEL	PG	MODEL	PG	MODEL	PG
1205	35	130C	5	1VL30-1/2PD	15	25B	4	2MB40-5/8	17
1206	35	130D	6	1VL30-5/8PD	15	25C	5	2MB40-7/8	17
1207	35	130F	5	1VL34-1/2PD	15	25D	6	2MB45-1-1/8	17
1293	35	1310A	43	1VL34-3/4PD	15	25DV	7	2MB45-5/8	17
1342	35	1327A	36	1VL34-5/8PD	15	25DVR	7	2MB45-7/8	17
1343	35	1328A	36	1VL40-1/2PD	15	270B	4	2MB50-1-1/8	17
1419	35	135D	6	1VL40-3/4PD	15	270C	5	2MB50-5/8	17
1422	35	1379A	36	1VL40-5/8PD	15	270D	6	2MB50-7/8	17
2044	35	1410A	36	1VL40-7/8PD	15	270F	5	2MB55-1-1/8	17
2061	35	1411A	45	1VL44-1/2PD	15	275-B-5/8	19	2MB55-5/8	17
2062	35	1412A	45	1VL44-3/4PD	15	275-B-5/8	20	2MB55-7/8	17
2089	35	141-3/4	20	1VL44-5/8PD	15	2BK100H	18	2MB60-1-1/8	17
2090	35	141-5/8	20	1VL44-7/8PD	15	2BK25-1/2	17	2MB60-5/8	17
410010	21	143-1/2	20	1VM50-1/2PD	15	2BK25-5/8	17	2MB60-7/8	17
410030	21	143-5/8	20	1VM50-5/8PD	15	2BK25-7/8	17	2MB68-1-1/8	17
410050	21	144-1/2	20	1VM50-7/8PD	15	2BK28-1-1/8	17	2MB68-5/8	17
410070	21	144-3/4	20	20/15DV	8	2BK28-5/8	17	2MB78-1-1/8	17
418013	21	145-1/2	20	20/15DVR	8	2BK28-7/8	17	2MB78-5/8	17
418033	21	145B	4	20/5DV	8	2BK32H	18	2MB78-7/8	17
418053	21	145C	5	20/5DVR	8	2BK34H	18	2MB88-1-1/8	17
418073	21	145D	6	200-A-1/2	19	2BK36H	18	2MBL33	18
0012-0079	9	145F	5	200-A-3/4	19	2BK40-1-1/8	17	2MBL35	18
0912-0167	41	146-1/2	20	200-A-3/8	19	2BK40-5/8	17	2MBL37	18
1000B	4	146-5/8	20	200B	4	2BK40-7/8	17	2MBL39	18
1000F	5	1475A	43	2064A	42	2BK40H	18	2MBL42	18
100DVR	7	1483A	43	2087A	42	2BK45H	18	2MBL44	18
108B	4	148-5/8	20	2097A	45	2BK47-1-1/8	17	2MBL47	18
108C	5	149-1/2	20	20DV	7	2BK47-7/8	17	2MBL49	18
108D	6	15/10DV	8	20DVR	7	2BK47H	18	2MBL52	18
108F	5	15/10DVR	8	216B	4	2BK50H	18	2MBL54	18
10DV	7	15/3DV	8	216C	5	2BK52-1-1/8	17	2MBL57	18
10DVR	7	15/5DV	8	216D	6	2BK52-7/8	17	2MBL59	18
10-RB75	42	15/5DVR	8	216F	5	2BK52H	18	2MBL62	18
10-Z575	42	150-1/2	20	21C	5	2BK55H	18	2MBL64	18
110DVR	7	150-A-3/8	19	21D	6	2BK57-1-1/8	17	2MBL67	18
113-1/2	20	15DV	7	225-A-1/2	19	2BK57H	18	2MBL69	18
113-5/8	20	15DVR	7	225-A-3/8	19	2BK60H	18	2MBL77	18
1175B	4	161B	4	225-B-1/2	19	2BK62-1-1/8	17	2MBL87	18
1182A	44	161C	5	225-B-1/2	20	2BK62H	18	2MBL97	18
12.5DV	7	161C-5	5	225-B-5/8	19	2BK65H	18	30/4DVR	8
12.5DVR	7	161C-6	5	225-B-5/8	20	2BK67H	18	30/5DV	8
1200A	43	161D	6	233B	4	2BK70-1-1/8	17	30/5DVR	8
1202A	38	161F	5	233C	5	2BK70H	18	300-A-1/2	19
1219A	44	17.5DV	7	233F	5	2BK80-1-1/8	17	300-A-3/4	19
1220A	44	17.5DVR	7	243B	4	2BK80H	18	300-A-5/8	19
124B	4	175-A-1/2	19	243C	5	2BK90-1-1/8	17	300B	4
124C	5	175-A-3/4	19	243F	5	2BK90H	18	300-B-1/2	19
124D	6	175-A-3/8	19	25/10DV	8	2DV	7	300-B-1/2	20
124F	5	189B	4	25/10DVR	8	2MB25-1/2	17	30-354	35
1255A	44	189C	5	25/3DVR	8	2MB25-1-1/8	17	30-386	35
1263A	44	189D	6	25/4DVR	8	2MB25-5/8	17	30-408	35
1280B	4	189F	5	25/5DV	8	2MB25-7/8	17	30-435	35
1304A	43	19359	44	25/5DVR	8	2MB30-1-1/8	17	30-461	35
1305A	43	19360	44	25/7.5DVR	8	2MB30-5/8	17	30-479	35
1308A	43	1VL25-1/2PD	15	250-A-1/2	19	2MB30-7/8	17	30-492	35
130B	4	1VL25-5/8PD	15	250-A-3/8	19	2MB40-1-1/8	17	30-517	35

MODEL	PG	MODEL	PG	MODEL	PG	MODEL	PG	MODEL	PG
30-542	35	3L180	21	50/10DVR	8	80/5DVR	8	A45	22
30-558	35	3L190	21	50/5DVR	8	80DVR	7	A46	22
30-595	35	3L200	21	50/7.5DVR	8	81-0002-A	9	A47	22
30-705	35	3L210	21	500-A-1/2	19	81-0002-B	9	A48	22
30C	5	3L220	21	500-A-5/8	19	81-0002-C	9	A49	22
30D	6	3L230	21	50DV	7	810F	5	A50	22
30DV	7	3L240	21	50DVR	7	829B	4	A51	22
30DVR	7	3L250	21	50L	36	829B-5	4	A52	22
320C	5	3L260	21	53B	4	8582-6004	35	A53	22
324B	4	3L270	21	53C	5	8684-6000	36	A54	22
324B-4	4	3L280	21	53C-1	5	8684-6008	36	A55	22
325-A-1/2	19	3L290	21	53D	6	8725-6001	9	A56	22
325-A-5/8	19	3L300	21	540B	4	8860-6000	45	A57	22
325-B-1/2	19	3L310	21	540B-5	4	8860-6016	45	A58	22
325-B-1/2	20	3L320	21	540F	5	8865-6002	45	A59	22
325-B-5/8	19	3L330	21	55/10DVR	8	88B	4	A60	22
325-B-5/8	20	3L340	21	55/5DVR	8	88C	5	A61	22
33L	36	3L350	21	55/7.5DVR	8	88D	6	A62	22
340B	4	3L360	21	550-A-1/2	19	88F	5	A63	22
340F	5	40/10DVR	8	550-A-5/8	19	92-A8555	37	A64	22
35/10DVR	8	40/5DV	8	55DV	7	92-A8617	37	A65	22
35/4DVR	8	40/5DVR	8	55DVR	7	99-10-0412	44	A66	22
35/5DV	8	40/7.5DVR	8	55L	36	A13	22	A67	22
35/5DVR	8	400-A-1/2	19	55S	36	A14	22	A68	22
35/7.5DVR	8	400-A-5/8	19	590B	4	A15	22	A69	22
350-A-1/2	19	400B	4	5DV	7	A16	22	A70	22
350-A-5/8	19	400-B-1/2	19	5DVR	7	A17	22	A71	22
350-B-1/2	19	400-B-1/2	20	60/10DVR	8	A177-1001	29	A72	22
350-B-1/2	20	400B-2	4	60/5DVR	8	A177-1004	29	A73	22
350-B-5/8	19	400-B-5/8	19	60/7.5DVR	8	A18	22	A74	22
350-B-5/8	20	400-B-5/8	19	600-A-1/2	19	A19	22	A75	22
35-354	35	400-B-5/8	20	600-A-5/8	19	A20	22	A76	22
35-386	35	400-B-5/8	20	60DV	7	A21	22	A77	22
35-408	35	400C	5	60DVR	7	A22	22	A78	22
35-417	35	400F	5	615467-001	37	A23	22	A79	22
35-435	35	405010	21	615467-002	37	A24	22	A80	22
35-461	35	405050	21	619432-105	44	A25	22	A81	22
35-479	35	40DV	7	619432-111	44	A26	22	A82	22
35-492	35	40DVR	7	619432-112	44	A27	22	A83	22
35-517	35	418050-1	21	619432-113	44	A28	22	A84	22
35-542	35	430B	4	64B	4	A29	22	A85	22
35-558	35	430B-2	4	64C	5	A30	22	A86	22
35-595	35	43B	4	64C-1	5	A31	22	A87	22
35-705	35	43C	5	64D	6	A32	22	A88	22
35DV	7	43D	6	6DV	7	A33	22	A89	22
35DVR	7	45/4DVR	8	6DVR	7	A34	22	A90	22
36C	5	45/5DV	8	7.5DV	7	A35	22	A91	22
36D	6	45/5DVR	8	7.5DVR	7	A36	22	A92	22
378B	4	45/7.5DVR	8	708B	4	A37	22	A93	22
378F	5	450-A-1/2	19	708B-7	4	A38	22	A94	22
3DV	7	450-A-5/8	19	70DVR	7	A39	22	AAP1	9
3L130	21	45DV	7	710F	5	A40	22	AAP2	9
3L140	21	45DVR	7	72B	4	A41	22	AAP3	9
3L150	21	460B	4	72C	5	A42	22	ABP1	9
3L160	21	47C	5	72D	6	A43	22	ABP2	9
3L170	21	4DV	7	72F	5	A44	22	ABP3	9

MODEL	PG	MODEL	PG	MODEL	PG	MODEL	PG	MODEL	PG
AK17-1/2	11	AK74-5/8	12	B41	23	BK115H	16	BK50H	16
AK17-5/8	11	AL104-1	15	B42	23	BK120H	16	BK52-1/2	14
AK20-1/2	11	AL104-3/4	15	B43	23	BK130H	16	BK52-1-1/8	14
AK20-5/8	11	AL114-1	15	B44	23	BK140H	16	BK52-5/8	14
AK22-1/2	11	AL114-3/4	15	B45	23	BK150H	16	BK52-7/8	14
AK22-5/8	11	AL124-1	15	B46	23	BK160H	16	BK52H	16
AK23-1/2	11	AL124-3/4	15	B47	23	BK190H	16	BK55-1/2	14
AK23-5/8	11	AL54-1	15	B48	23	BK24-1/2	13	BK55-1-1/8	14
AK25-1/2	11	AL54-3/4	15	B49	23	BK24-5/8	13	BK55-5/8	14
AK25-5/8	11	AL54-5/8	15	B50	23	BK24-7/8	13	BK55-7/8	14
AK27-1/2	11	AL64-1	15	B51	23	BK25-1/2	13	BK55H	16
AK27-5/8	11	AL64-3/4	15	B52	23	BK25-5/8	13	BK57-1-1/8	14
AK28-1/2	11	AL64-5/8	15	B53	23	BK25-7/8	13	BK57-5/8	14
AK28-5/8	11	AL74-1	15	B54	23	BK26-1/2	13	BK57-7/8	14
AK30-1/2	11	AL74-3/4	15	B55	23	BK26-5/8	13	BK57H	16
AK30-5/8	11	AL74-5/8	15	B56	23	BK26-7/8	13	BK60-1/2	14
AK30-7/8	11	AL84-1	15	B57	23	BK27-1/2	13	BK60-1-1/8	14
AK32-1/2	11	AL84-3/4	15	B58	23	BK27-5/8	13	BK60-5/8	14
AK32-5/8	11	AL84-5/8	15	B59	23	BK27-7/8	13	BK60-7/8	14
AK32-7/8	11	AL94-1	15	B60	23	BK28-1/2	13	BK60H	16
AK34-1/2	11	AL94-3/4	15	B61	23	BK28-5/8	13	BK62-1/2	14
AK34-5/8	11	AM144-1	15	B62	23	BK28-7/8	13	BK62-1-1/8	14
AK34-7/8	11	AM144-3/4	15	B63	23	BK30-1/2	13	BK62-5/8	14
AK39-1/2	11	AW-1/2	42	B64	23	BK30-5/8	13	BK62-7/8	14
AK39-5/8	11	AW-5/8	42	B65	23	BK30-7/8	13	BK62H	16
AK39-7/8	11	B177-0001	43	B66	23	BK30H	16	BK65-1-1/8	14
AK41-1/2	11	B177-0002	43	B67	23	BK32-1/2	13	BK65-5/8	14
AK41-5/8	11	B177-0003	43	B68	23	BK32-5/8	13	BK65H	16
AK41-7/8	11	B177-0004	43	B69	23	BK32-7/8	13	BK67-1-1/8	14
AK44-1/2	11	B177-0006	43	B70	23	BK32H	16	BK67-5/8	14
AK44-5/8	11	B177-0007	43	B71	23	BK34-1/2	13	BK67-7/8	14
AK44-7/8	11	B177-0008	43	B72	23	BK34-5/8	13	BK67H	16
AK46-1/2	11	B177-0009	43	B73	23	BK34-7/8	13	BK70-1-1/8	14
AK46-5/8	11	B177-0010	43	B74	23	BK34H	16	BK70-5/8	14
AK46-7/8	11	B177-0011	43	B75	23	BK36-1/2	13	BK70-7/8	14
AK49-1/2	11	B20	23	B76	23	BK36-5/8	13	BK70H	16
AK49-5/8	11	B21	23	B77	23	BK36-7/8	13	BK72-1-1/8	14
AK49-7/8	11	B22	23	B78	23	BK36H	16	BK72H	16
AK51-1/2	11	B23	23	B79	23	BK40-1/2	13	BK75-1-1/8	14
AK51-5/8	11	B24	23	B80	23	BK40-5/8	13	BK75H	16
AK51-7/8	11	B25	23	B81	23	BK40-7/8	13	BK77H	16
AK54-1/2	11	B26	23	B82	23	BK40H	16	BK80-1-1/8	14
AK54-5/8	12	B27	23	B83	23	BK45-1/2	13	BK80-5/8	14
AK54-7/8	12	B28	23	B84	23	BK45-1-1/8	13	BK80-7/8	14
AK56-1/2	12	B29	23	B85	23	BK45-5/8	13	BK80H	16
AK56-5/8	12	B30	23	B86	23	BK45-7/8	13	BK85H	16
AK56-7/8	12	B31	23	B87	23	BK45H	16	BK90H	16
AK59-1/2	12	B32	23	B88	23	BK47-1/2	13	BK95H	16
AK59-5/8	12	B33	23	B89	23	BK47-1-1/8	13	BP1	9
AK59-7/8	12	B34	23	B90	23	BK47-5/8	13	BP2	9
AK61-1/2	12	B35	23	B91	23	BK47-7/8	13	BP3	9
AK61-5/8	12	B36	23	B92	23	BK47H	16	CAP1500P	10
AK61-7/8	12	B37	23	B93	23	BK50-1/2	13	CSH-1	33
AK66-5/8	12	B38	23	BK100H	16	BK50-1-1/8	13	CSH-1-20	33
AK71-5/8	12	B39	23	BK105H	16	BK50-5/8	13	CSH-2	33
AK74-1/2	12	B40	23	BK110H	16	BK50-7/8	13	CSH-2-20	33

MODEL	PG	MODEL	PG	MODEL	PG	MODEL	PG	MODEL	PG
DP-1P30A120	32	H240C	30	KBVF-26D	28	MA15-5/8	11	MA58-7/8	12
DP-1P30A24	32	H-3/4	18	KIT 100	38	MA18-1/2	11	MA60-1/2	12
DP-1P30A240	32	H33	40	KIT 102	38	MA18-5/8	11	MA60-5/8	12
DP-2P30A120	32	H330A	30	KIT 1032	42	MA20-1/2	11	MA60-7/8	12
DP-2P30A24	32	H330B	30	KIT 142	38	MA20-5/8	11	MA65-1/2	12
DP-2P30A240	32	H330C	30	KIT 144	38	MA20-7/8	11	MA65-5/8	12
DP-2P40A120	32	H340A	30	KIT 150	36	MA22-1/2	11	MA65-7/8	12
DP-2P40A24	32	H340B	30	KIT 180	44	MA22-5/8	11	MA70-1/2	12
DP-2P40A240	32	H340C	30	KIT 183	44	MA22-7/8	11	MA70-5/8	12
DP-3P30A120	32	H350A	30	KIT 184	44	MA23-1/2	11	MA70-7/8	12
DP-3P30A24	32	H350B	30	KIT 186	44	MA23-5/8	11	MA73-1/2	12
DP-3P30A240	32	H350C	30	KIT 187	44	MA23-7/8	11	MA73-5/8	12
DP-3P40A120	32	H360A	30	KIT 199	40	MA25-1/2	11	MA73-7/8	12
DP-3P40A24	32	H360B	30	KIT 200	40	MA25-5/8	11	MA80-1/2	12
DP-3P40A240	32	H360C	30	KIT 205	40	MA25-7/8	11	MA80-5/8	12
DP-3P50A120	32	H375AC	30	KIT 207	41	MA27-1/2	11	MA80-7/8	12
DP-3P50A24	32	H375BC	30	KIT 214	40	MA27-5/8	11	MB20-1/2	13
DP-3P50A240	32	H375CC	30	KIT 216	40	MA27-7/8	11	MB20-5/8	13
DP-3P60A120	32	H390AC	30	KIT 218	41	MA28-1/2	11	MB23-1/2	13
DP-3P60A24	32	H390BC	30	KIT 220	42	MA28-5/8	11	MB23-5/8	13
DP-3P60A240	32	H390CC	30	KIT 221	42	MA28-7/8	11	MB23-7/8	13
DP-4P30A120	32	H3R30A	31	KIT 225	41	MA30-1/2	11	MB24-1/2	13
DP-4P30A24	32	H3R30B	31	KIT 240	43	MA30-5/8	11	MB24-5/8	13
DP-4P30A240	32	H3R30C	31	KIT 242	43	MA30-7/8	11	MB24-7/8	13
DP-4P40A120	32	H430A	30	KIT 244	43	MA33-1/2	11	MB25-1/2	13
DP-4P40A24	32	H430B	30	KIT 246	43	MA33-5/8	11	MB25-5/8	13
DP-4P40A240	32	H430C	30	KIT 265	41	MA33-7/8	11	MB25-7/8	13
DP-AS7	32	H440A	30	KIT 280	39	MA35-1/2	11	MB26-1/2	13
DP-AS8	32	H440B	30	KIT 282	39	MA35-5/8	11	MB26-5/8	13
FCA-12	33	H440C	30	KIT 284	39	MA35-7/8	11	MB26-7/8	13
FK100	41	H-5/8	18	KIT 315	36	MA38-1/2	11	MB28-1/2	13
FK101	41	H6S	31	KIT 317	36	MA38-5/8	11	MB28-5/8	13
FM50	37	H-7/8	18	KIT 325	39	MA38-7/8	11	MB28-7/8	13
FM55	37	H7S	31	KIT 34	36	MA40-1/2	11	MB30-1/2	13
FM554	37	H-9/16	18	KIT 350	39	MA40-5/8	11	MB30-5/8	13
H-1	18	H9S	31	KIT 378	39	MA40-7/8	11	MB30-7/8	13
H-1/2	18	INLET 4000	39	KIT 380	39	MA43-1/2	11	MB31-1/2	13
H-1-1/16	18	INLET 4004	39	KIT 414	39	MA43-5/8	11	MB31-5/8	13
H-1-1/2	18	K105C	6	KIT 49	36	MA43-7/8	11	MB31-7/8	13
H-1-1/4	18	K177-1002	29	KIT 50	36	MA45-1/2	11	MB33-1/2	13
H-1-1/8	18	K177-1005	29	KIT 832	42	MA45-5/8	11	MB33-5/8	13
H-1-3/16	18	K177-1006	29	L-1	18	MA45-7/8	11	MB33-7/8	13
H-1-3/8	18	K177-1008	29	L-1/2	18	MA48-1/2	11	MB34-1/2	13
H130A	30	K177-1010	29	L-1-1/16	18	MA48-5/8	11	MB34-5/8	13
H130B	30	K177-1015	29	L-1-1/2	18	MA48-7/8	11	MB34-7/8	13
H130C	30	K177-2002	29	L-1-1/4	18	MA50-1/2	11	MB35-1/2	13
H140A	30	K177-2005	29	L-1-1/8	18	MA50-5/8	11	MB35-5/8	13
H140B	30	K177-2008	29	L-1-3/16	18	MA50-7/8	11	MB35-7/8	13
H140C	30	K177-2010	29	L-1-3/8	18	MA53-1/2	11	MB38-1/2	13
H-1-5/16	18	K177-2706	29	L-1-5/16	18	MA53-5/8	12	MB38-5/8	13
H-1-7/16	18	K177-2715	29	L-1-7/16	18	MA53-7/8	12	MB38-7/8	13
H230A	30	K250B	6	L-3/4	18	MA55-1/2	12	MB40-1/2	13
H230B	30	K59C	6	L-5/8	18	MA55-5/8	12	MB40-5/8	13
H230C	30	KBMA-24D	28	L-7/8	18	MA55-7/8	12	MB40-7/8	13
H240A	30	KBVF-23D	28	L-9/16	18	MA58-1/2	12	MB43-1/2	13
H240B	30	KBVF-24D	28	MA15-1/2	11	MA58-5/8	12	MB43-1-1/8	13

MODEL	PG	MODEL	PG	MODEL	PG	MODEL	PG	MODEL	PG
MB43-5/8	13	MBL107	16	MODEL A-R3	25	PRT-10	26		
MB43-7/8	13	MBL112	16	MODEL B	24	PRT-15	26		
MB45-1/2	13	MBL117	16	MODEL B-I	26	PRT-2	26		
MB45-1-1/8	13	MBL127	16	MODEL B-R3	25	PRT-20	26		
MB45-5/8	13	MBL137	16	MODEL C	24	PRT-25	26		
MB45-7/8	13	MBL147	16	MODEL C-I	26	PRT-3	26		
MB48-1/2	13	MBL157	16	MODEL C-R3	25	PRT-30	26		
MB48-1-1/8	13	MBL187	16	MODEL D	24	PRT-40	26		
MB48-5/8	13	MBL31	16	MODEL D-I	26	PRT-5	26		
MB48-7/8	13	MBL33	16	MODEL D-R3	25	PRT-50	26		
MB50-1/2	14	MBL35	16	MODEL E	24	PRT-60	26		
MB50-1-1/8	14	MBL37	16	MODEL E-I	26	PRT-7.5	26		
MB50-5/8	14	MBL39	16	MODEL E-R3	25	PRT-75	26		
MB50-7/8	14	MBL42	16	MODEL H	24	RT-1	27		
MB53-1/2	14	MBL44	16	MODEL H-I	26	RT-1.5	27		
MB53-1-1/8	14	MBL47	16	MODEL H-R3	25	RT-10	27		
MB53-5/8	14	MBL49	16	MODEL K	24	RT-15	27		
MB53-7/8	14	MBL52	16	MODEL K-I	26	RT-2	27		
MB55-1/2	14	MBL54	16	MODEL K-R3	25	RT-20	27		
MB55-1-1/8	14	MBL57	16	MODEL N-I	26	RT-25	27		
MB55-5/8	14	MBL59	16	MODEL N-R3	25	RT-3	27		
MB55-7/8	14	MBL62	16	MUNICAP200	10	RT-30	27		
MB58-1/2	14	MBL64	16	MVL25-1/2	15	RT-40	27		
MB58-1-1/8	14	MBL67	16	MVL25-5/8	15	RT-5	27		
MB58-5/8	14	MBL69	16	MVL30-1/2	15	RT-50	27		
MB58-7/8	14	MBL72	16	MVL30-5/8	15	RT-60	27		
MB60-1/2	14	MBL74	16	MVL34-1/2	15	RT-7.5	27		
MB60-1-1/8	14	MBL77	16	MVL34-3/4	15	RT-75	27		
MB60-5/8	14	MBL82	16	MVL34-5/8	15	WA9-04	33		
MB60-7/8	14	MBL87	16	MVL40-1/2	15				
MB63-1/2	14	MBL92	16	MVL40-3/4	15				
MB63-1-1/8	14	MBL97	16	MVL40-5/8	15				
MB63-5/8	14	MFAL104-1	15	MVL40-7/8	15				
MB63-7/8	14	MFAL104-3/4	15	MVL44-1/2	15				
MB65-1-1/8	14	MFAL114-1	15	MVL44-3/4	15				
MB65-5/8	14	MFAL114-3/4	15	MVL44-5/8	15				
MB65-7/8	14	MFAL124-1	15	MVL44-7/8	15				
MB68-1-1/8	14	MFAL124-3/4	15	PEM2921	9				
MB68-5/8	14	MFAL54-1	15	PR-1	25				
MB68-7/8	14	MFAL54-3/4	15	PR-1.5	25				
MB70-1/2	14	MFAL54-5/8	15	PR-1/2	25				
MB70-1-1/8	14	MFAL64-1	15	PR-1/3	25				
MB70-5/8	14	MFAL64-3/4	15	PR-1/4	25				
MB70-7/8	14	MFAL64-5/8	15	PR-10	25				
MB73-1/2	14	MFAL74-1	15	PR-1SS	25				
MB73-1-1/8	14	MFAL74-3/4	15	PR-2	25				
MB73-7/8	14	MFAL74-5/8	15	PR-2SS	25				
MB78-1/2	14	MFAL84-1	15	PR-3	25				
MB78-1-1/8	14	MFAL84-3/4	15	PR-3/4	25				
MB78-5/8	14	MFAL84-5/8	15	PR-3SS	25				
MB78-7/8	14	MFAL94-1	15	PR-5	25				
MB80-1/2	14	MFAL94-3/4	15	PR-5SS	25				
MB80-1-1/8	14	MFAM144-1	15	PR-7.5	25				
MB80-5/8	14	MFAM144-3/4	15	PRPC-20	29				
MB80-7/8	14	MODEL A	24	PRT-1	26				
MBL102	16	MODEL A-I	26	PRT-1.5	26				

# FAN BLADES

**BLOWER WHEELS • BLOWER BEARINGS • ACCESSORIES**

*Catalog 800*



**ACME • BECKET AIR • FASCO • JAN-AIR • LAU • REVCOR • ROTOM**

# INDEX

## FAN BLADES

- 04 | SMALL FIXED HUB
- 05 | SMALL HUBLESS
- 06 | SMALL PLASTIC PUSH-ON
- 07 | SLINGER RING
- 08 | TWO-WING
- 11 | THREE-WING
- 17 | FOUR-WING
- 25 | FIVE-WING
- 28 | SIX-WING

## BLOWER WHEELS

- 29 | SINGLE INLET
- 35 | INDENTATION TYPES
- 36 | DOUBLE INLET

## CENTRIFUGAL WHEELS

- 40 | BACKWARD INCLINE

## ACCESSORIES

- 41 | HUBS
- 41 | BUSHINGS
- 42 | BALANCING CLIPS
- 42 | PITCH GAUGE
- 42 | BEARINGS
- 45 | FAN BLADE & BLOWER WHEEL PULLERS
- 46 | THRUST SPACERS & COLLARS
- 46 | VIBRO-PADS
- 47 | MOTOR MOUNTING DEVICES
- 47 | BELT DRIVE BRACKETS W/ BEARINGS &
- 47 | SHAFT BELT DRIVE BEARING BRACKETS
- 48 | SOLID SHAFTS
- 48 | MOTOR MOUNTING BRACKETS

## ROTATION

- 19 | FAN BLADES
- 36 | BLOWER WHEELS

## NOTE KEY

---

- |                                       |  |
|---------------------------------------|--|
| 1   Keyway                            | 13   5 1/4" Blade Depth                                  |
| 2   Must Ship via Common Carrier      | 14   Discontinued, While Supplies Last                   |
| 3   Special Order Only-Allow 6-8      | 15   Lau and Fasco are Available                         |
| 4   Weeks Braced                      | 16   With Thrust Collars & Spacers                       |
| 5   Clamplock Hubs 1 3/16" and Larger | 17   With Steel Journals                                 |
| 6   IN 3/8"                           | 18   Heavy Duty Bearings                                 |
| 7   IN 1/2"                           | 19   Flatted on Pulley End                               |
| 8   IN 5/8"                           | 20   Cast Aluminum Hub                                   |
| 9   IN 3/4"                           | 21   "L" Type Bushing Needed, See Page 43                |
| 10   IN 1"                            | 22   "P" Type Bushing Needed, See Page 43                |
| 11   Hub Not Centered                 | 23   CW Model Discontinued, While Supplies               |
| 12   Nutone Blower<br>Wheel           | 24   Last CCW model Discontinued, While<br>Supplies Last |




## SMALL FIXED HUB FAN BLADES

DIA.	PITCH	BORE	ROT.	BLADE DEPTH	NO. OF BLADES	RPM	ORDER NO.	NOTES
5 1/2"	27°	1/4"	CW	3/4"	4	3600	5.527CWA	
			CCW				5.527CCWA	
5 1/2"	27°	3/16"	CW	7/8"	4	3600	5.527CWC	
			CCW				5.527CCWC	
5 1/2"	27°	1/4"	CW	7/8"	5	3600	5.527CWB	
			CCW				5.527CCWB	
5 1/2"	45°	5/16"	CW	1 1/2"	6	3450	5.545CWA	
			CCW				5.545CCWA	
6"	27°	1/4"	CW	7/8"	4	3600	627CWA	
			CCW				627CCWA	
6 1/2"	27°	1/4"	CW	13/16"	4	3600	6.527CWA	
			CCW				6.527CCWA	
7"	27°	1/4"	CW	1 1/2"	5	3600	727CWA	
			CCW				727CCWA	
7"	27°	5/16"	CW	1 1/2"	5	3600	727CWB	
			CCW				727CCWB	
7"	27°	7/16"	CW	1 1/2"	5	3600	727CWC	
			CCW				727CCWC	
8"	18°	5/16"	CW	1 1/16"	5	3600	60-8356-01	
			CCW				60-8357-01	
8"	24°	1/4"	CW	1 1/8"	5	3600	824CWA	
			CCW				824CCWA	
8"	24°	5/16"	CW	1 1/8"	5	3600	824CWB	
			CCW				824CCWB	
8"	30°	1/4"	CW	1 5/8"	5	3600	832CWA	
			CCW				832CWCWA	
8"	32°	5/16"	CW	1 5/8"	5	3600	832CWB	
			CCW				832CCWB	
9"	26°	1/4"	CW	1 1/4"	5	3000	926CWA	
			CCW				926CCWA	
9"	26°	5/16"	CW	1 1/4"	5	3000	926CWB	
			CCW				926CCWB	
10"	20°	1/4"	CW	1 1/8"	5	2400	1020CWA	
			CCW				1020CCWA	
10"	20°	5/16"	CW	1 1/8"	5	2400	1020CWB	
			CCW				1020CCWB	
10"	31°	1/4"	CW	1 5/8"	5	2400	1031CWA	
			CCW				1031CCWA	
10"	31°	5/16"	CW	1 5/8"	5	2400	1031CWB	
			CCW				1031CCWB	
11"	30°	5/16"	CW	---	5	1800	1130CWB	
12"	25°	5/16"	CW	2"	5	1550	1225CWB	
			CCW				1225CCWB	
14"	19°	5/16"	CW	2"	5	1550	1419CWB	

## SMALL HUBLESS FAN BLADES



DIA.	PITCH	ROT.	BLADE DEPTH	RPM	NO. OF BLADES	MATERIAL	ORDER NO.	NOTES
6"	21°	CW	1 1/8"	3000	4	ALUMINUM	4HP621CW	
6"	21°	CCW	1 1/8"	3000	4	ALUMINUM	4HP621CCW	
6"	30°	CCW	1"	1550	4	ALUMINUM	4H633CCW	
7"	20°	CW	1"	3600	5	ALUMINUM	5H720CW	
7"	21°	CW	1 1/8"	1550	5	ALUMINUM	5H721CW	
7"	26°	CW	1 1/2"	3000	5	PLASTIC	5HP726CW	
7"	31°	CW	1 1/2"	3600	5	ALUMINUM	5H731CW	
7 3/4"	30°	CW	2 9/16"	1550	3	ALUMINUM	3H7.7530CW	
7 3/4"	20°	CW	1 1/8"	3600	5	ALUMINUM	5H7.7520CW	
7 3/4"	31°	CW	1 11/16"	3600	5	ALUMINUM	5H7.7531CW	
8"	23°	CW	1 1/4"	1500	5	ALUMINUM	5H823CW	
8"	24°	CW	1"	3600	5	ALUMINUM	5H825CW	
8"	31°	CW	1 5/8"	3600	5	ALUMINUM	5H830CW	
8 3/4"	23°	CW	2 1/4"	1550	3	ALUMINUM	3H8.7523CW	
8 3/4"	32°	CW	3"	1550	3	ALUMINUM	3H8.7532CW	
8 3/4"	26°	CW	1 5/8"	1550	4	ALUMINUM	4H927CW	
9"	20°	CW	1"	3000	5	ALUMINUM	5H920CW	
9"	25°	CW	1 1/4"	1500	5	ALUMINUM	5H925CW	
9"	31°	CW	1 5/8"	3000	5	ALUMINUM	5H930CW	
10"	24°	CW	2 5/8"	1550	3	ALUMINUM	3H1024CW	
10"	26°	CW	1 7/8"	1550	4	STEEL	4H1027CW	
10"	20°	CW	1"	2400	5	ALUMINUM	5H1020CW	
10"	23°	CW	1 1/4"	1550	5	ALUMINUM	5H1023CW	
10"	28°	CW	1 1/2"	1550	5	ALUMINUM	5H1028CW	
10"	31°	CW	1 5/8"	2400	5	ALUMINUM	5H1031CW	





## SMALL PLASTIC PUSH-ON FAN BLADES

DIA.	ROT.	BLADE DEPTH	BORE	NO. OF BLADES	MATERIAL	ORDER NO.	NOTES
2 1/2"	CW	5/8"	3/16"	4	PLASTIC	4P2.5CWC	
3 1/2"	CW	3/4"	3/16"	4	PLASTIC	8660-6012	
3 1/2"	CCW	3/4"	3/16"	4	PLASTIC	4P3.5CCWC	
4"	CW	3/4"	1/8"	4	PLASTIC	4P4CWE	
4"	CCW	3/4"	1/8"	4	PLASTIC	4P4CCWE	
4"	CW	3/4"	3/16"	4	PLASTIC	8660-6010	
4"	CCW	3/4"	3/16"	4	PLASTIC	4P4CCWC	
4"	CW	1"	3/16"	5	PLASTIC	8660-6011	
5"	CCW	3/4"	3/16"	4	PLASTIC	4P5CCWC	
5 1/2"	CCW	1 1/8"	3/16"	4	PLASTIC	8660-6013	
5 1/2"	CCW	3/4"	3/16"	5	PLASTIC	8660-6046	
6 5/8"	CW	1 1/4"	7/32"	5	PLASTIC	8660-6009	
4 5/8"	BOTH	1"	3/16"	WHEEL	PLASTIC	8660-4031	
4 5/8"	BOTH	1"	7/32"	WHEEL	PLASTIC	8660-4032	

## LAU SLINGER RING FAN BLADES



6 blade

ORDER NO.	LAU NO.	ROT.	BLADE DIA.	OUTSIDE RING DIA.	BORE SIZE	PITCH	BLADE DEPTH	RPM	NOTES
61-1068-01	1068	CW	13"	14"	1/2"	36°	2 5/8"	1500	14
61-1063-01	1063	CCW	13"	14"	1/2"	40°	3 1/8"	1500	14
61-1064-01	1064	CCW	13"	14"	1/2"	50°	3 7/8"	1500	
6S1435CW	7720	CW	13"	14 1/4"	1/2"	35°	2 1/2"	1500	
6S1437CW	6571	CW	13"	14 1/4"	1/2"	37°	2 3/4"	1500	14
6S1439CW	7721	CW	13"	14 1/4"	1/2"	39°	3 3/8"	1500	14
61-1065-01	1065	CCW	14"	15 1/4"	1/2"	33°	3 1/8"	1140	14

## LAU PLASTIC SLINGER RING FAN BLADES



6 blade

ORDER NO.	ROT.	BLADE DIA.	OUTSIDE RING DIA.	BORE SIZE	PITCH	BLADE DEPTH	NOTES
61-0782-02	CW	10 7/8"	12 19/32"	1/2"	30°	2.62"	
61-0782-09	CW	10 31/32"	12 15/32"	1/2"	30°	2.50"	
61-0782-04	CW	12 1/16"	13 1/2"	1/2"	35°	2.87"	
61-0782-05	CW	13"	14 1/4"	1/2"	28°	2.30"	
61-0782-06	CW	13"	14 1/4"	1/2"	35°	2.78"	14
61-0782-07	CW	14"	15"	1/2"	40°	3.50"	
61-0782-08	CW	14 1/2"	15 1/2"	1/2"	43°	4.80"	



## TWO WING CONDENSER FAN BLADES

Interchangeable hub, aluminum blades, steel spiders

DIA.	PITCH	ROT.	BLADE DEPTH	CARTON QTY.	ORDER NO.	RPM	STATIC PRESSURE				NOTES
							0.0"		0.3"		
						CFM	BHP	CFM	BHP		
18"	27°	CCW	4 1/4"	4	2CL1827	850	2040	0.05	250	0.09	
						1000	2400	0.08	870	0.11	
						1140	2730	0.12	1500	0.15	
20"	25°	CCW	4 1/8"	4	2CL2025	850	2550	0.06	650	0.10	
						1000	3000	0.10	1320	0.15	
						1140	3420	0.15	2180	0.22	
22"	18°	CCW	2 1/4"	4	2CL2218	830	2325	0.06	425	0.21	14
						1000	2800	0.11	1188	0.22	
						1140	3193	0.16	---	---	
22"	27°	CCW	4 1/4"	4	2CL2227	850	3690	0.10	850	0.17	
						1000	4340	0.17	2200	0.26	
						1140	4950	0.25	3470	0.37	

# TWO WING CONDENSER FAN BLADES



*1/2" fixed bore, aluminum blades, steel spiders*

DIA.	PITCH	ROT.	BLADE DEPTH	CARTON QTY.	ORDER NO.	RPM	STATIC PRESSURE				NOTES
							0.0"		0.3"		
						CFM	BHP	CFM	BHP		
14"	32°	CW	---	2	2C1432RFH	825	983	0.020	---	---	
						1075	1281	0.044	---	---	
						1625	1937	0.152	1227	0.184	
14"	36°	CW	4"	2	2C1436RFH	825	1067	0.027	---	---	
						1073	1391	0.061	---	---	
						1625	2102	0.210	1582	0.247	
14"	36°	CCW	4"	2	2C1436LFH	825	1016	0.024	---	---	
						1073	1324	0.053	---	---	14
						1625	2001	0.184	1275	0.217	
18"	19°	CCW	---	2	2C1819LFH	825	1650	0.035	---	---	
						1073	2024	0.081	---	---	
						1140	2147	0.097	537	0.121	
18"	24°	CW	---	2	2C1824RFH	825	1800	0.049	---	---	
						1075	2250	0.098	700	0.120	
						1140	2500	0.112	950	0.141	
18"	28°	CCW	4 1/4"	2	2C1828LFH	825	2003	0.061	---	---	
						1075	2572	0.122	0984	0.160	
						1140	2768	0.144	1189	0.177	
18"	33°	CCW	4 1/4"	2	2C1833LFH	825	2217	0.078	---	---	
						1073	2841	0.154	1080	0.201	
						1140	3015	0.187	1310	0.219	
18"	36°	CW	---	2	2C1836RFH	---	---	---	---	---	
						---	---	---	---	---	
						---	---	---	---	---	
20"	23°	CCW	---	2	2C2023LFH	---	---	---	---	---	
						---	---	---	---	---	
						---	---	---	---	---	
20"	25°	CCW	---	2	2C2025LFH	---	---	---	---	---	
						---	---	---	---	---	
						---	---	---	---	---	
20"	28°	CW	---	2	2C2028RFH	825	2375	0.085	400	0.120	
						1000	2861	0.148	1175	0.184	
						1140	3262	0.220	1827	0.251	
20"	28°	CCW	3 3/4"	2	2C2028LFH	825	2375	0.085	400	0.120	
						1000	2861	0.148	1175	0.184	
						1140	3262	0.220	1827	0.251	
20"	34°	CCW	---	2	2C2034LFH	---	---	---	---	---	
						---	---	---	---	---	
						---	---	---	---	---	



## TWO WING CONDENSER FAN BLADES

*1/2" fixed bore, aluminum blades, steel spiders*


DIA.	PITCH	ROT.	BLADE DEPTH	CARTON QTY.	ORDER NO.	RPM	STATIC PRESSURE				NOTES
							0.0"		0.3"		
						CFM	BHP	CFM	BHP		
22"	16°	CCW	2 1/4"	2	2C2216LFH	825	2325	0.060	---	---	
						1000	2800	0.105	452	0.210	
						1140	3193	0.155	1188	0.218	
22"	21°	CCW	---	2	2C2221LFH	825	2950	0.075	---	---	
						1075	3844	0.166	2087	0.219	
						1140	4076	0.198	2441	0.249	
22"	27°	CCW	4 1/4"	2	2C2227LFH	825	3250	0.095	1250	0.148	
						1000	3910	0.160	2100	0.226	
						1140	4450	0.240	3060	0.320	
24"	19°	CCW	---	2	2C2419LFH	---	---	---	---	---	
						---	---	---	---	---	
						---	---	---	---	---	
24"	22°	CCW	---	2	2C2422LFH	825	3731	0.100	642	0.171	
						1075	4862	0.221	2787	0.295	
						1140	5156	0.264	3277	0.346	
24"	24°	CCW	---	2	2C2424LFH	825	3697	0.103	910	0.156	
						1075	4817	0.228	2838	0.290	
						1140	5108	0.272	3316	0.338	
24"	27°	CCW	4 1/4"	2	2C2427LFH	825	4136	0.151	899	0.240	
						1075	5299	0.300	3785	0.393	
						1140	5647	0.367	4202	0.460	

# THREE WING CONDENSER FAN BLADES



Interchangeable hub, aluminum blades, steel spiders

DIA.	PITCH	BLADE DEPTH	CARTON QTY.	ORDER NO. specify rotation		RPM	STATIC PRESSURE				NOTES
							0.0"		0.3"		
						CFM	BHP	CFM	BHP		
10"	23°	---	2	3C1023	CCW	1075	383	0.086	19	0.222	
						1550	552	0.258	146	0.471	
						1625	579	0.297	169	0.522	
12"	19°	1 7/8"	2	3C1219	CW	1075	559	0.015	---	---	
						1550	800	0.032	353	0.055	
						1725	886	0.042	455	0.068	
12"	23°	2 1/2"	2	3C1223	CW	1075	720	0.019	---	---	
						1550	1037	0.045	543	0.075	
						1725	1147	0.060	725	0.082	
14"	23°	2 7/8"	2	3C1423	CW	1075	1060	0.031	---	---	
						1550	1512	0.071	927	0.116	
						1725	1660	0.099	1141	0.148	
14"	27°	3 1/4"	2	3C1427	CW	1075	1211	0.037	338	0.077	
						1550	1717	0.103	1116	0.149	
						1725	1908	0.134	1426	0.180	
16"	19°	2 7/8"	2	3C1619	CW	1075	1415	0.046	518	0.085	
						1550	2014	0.111	1555	0.161	
						1725	2212	0.140	1840	0.195	
16"	23°	3 1/4"	2	3C1623	CW	1073	1613	0.054	689	0.1041	
						1550	2299	0.140	1860	0.200	
						1725	2538	0.184	2170	0.247	
18"	27°	4 1/4"	2	3C1827	CW	825	2138	0.068	597	0.122	
						1075	2736	0.131	1464	0.187	
						1625	3957	0.537	3409	0.454	
18"	30°	4 5/8"	2	3C1830	CW	825	2236	0.080	640	0.138	
						1075	2908	0.164	1582	0.220	23
						1625	4370	0.548	3817	0.605	
18"	33°	5 1/8"	2	3C1833	CW	825	2453	0.095	746	0.149	
						1075	3127	0.197	1802	0.249	
						1625	4588	0.570	4109	0.637	
20"	24°	---	2	3C2024	CW	825	1700	0.038	---	---	
						1075	2215	0.084	1324	0.152	
						1550	3194	0.252	2482	0.319	
20"	27°	4"	2	3C2027	CW	825	2500	0.072	950	0.122	
						1000	2970	0.115	1600	0.175	
						1140	3360	0.170	2280	0.250	
20"	30°	4 7/16"	2	3C2030	CW	825	2750	0.10	1150	0.15	
						1000	3250	0.14	1850	0.21	
						1140	3700	0.22	2660	0.30	
20"	33°	4 3/4"	2	3C2033	CW	825	2950	0.11	1300	0.17	
						1000	3500	0.175	2000	0.24	
						1140	4000	0.25	2860	0.35	




## THREE WING CONDENSER FAN BLADES

*Interchangeable hub, aluminum blades, steel spiders*


DIA.	PITCH	BLADE DEPTH	CARTON QTY.	ORDER NO. specify rotation		RPM	STATIC PRESSURE				NOTES
							0.0"		0.3"		
						CFM	BHP	CFM	BHP		
22"	27°	4 1/16"	2	3C2227	CW	CCW	823	3930	0.20	2500	0.275
							1000	4700	0.34	3600	0.40
							1140	5330	0.50	4500	0.62
22"	30°	---	2	3C2230	CW	CCW	825	4135	0.222	2689	0.288
							1075	5388	0.491	4523	0.583
							1625	8144	1.697	7651	1.846
22"	33°	4 7/8"	2	3C2233	CW	CCW	825	4600	0.30	3100	0.38
							1000	5450	0.49	4380	0.553
							1140	6200	0.72	5300	0.85
22"	35°	---	2	3C2235	CW	CCW	825	4642	0.312	3464	0.360
							1075	6048	0.690	5094	0.766
							1625	9143	2.384	8166	2.579
24"	27°	4 5/8"	2	3C2427	CW	CCW	825	4844	0.237	1819	0.315
							1075	6277	0.492	5195	0.590
							1625	9151	1.533	8229	1.605
24"	33°	---	2	3C2433	CW	CCW	825	5335	0.300	1931	0.395
							1075	6956	0.640	5758	0.747
							1625	10072	1.857	9194	2.017
26"	26°	4 5/8"	2	3C2626	CW	CCW	823	5600	0.275	3999	0.389
							1075	7297	0.608	6222	0.779
							1140	7739	0.726	6739	0.907
26"	33°	5 9/16"	2	3C2633	CW	CCW	823	6800	0.450	5325	0.583
							1075	8860	0.996	7867	1.143
							1140	9396	1.187	8482	1.339
30"	27°	---	2	3C3027	CW	CCW	825	8871	0.482	5148	0.577
							1075	11559	1.066	9322	1.251
							1140	12258	1.272	10216	1.479
30"	33°	---	2	3C3033	CW	CCW	825	9775	0.740	6126	0.821
							1075	12737	1.637	10335	1.755
							1140	13507	1.953	11312	2.084

# THREE WING CONDENSER FAN BLADES



1/2" fixed hub, aluminum blades, steel spiders


DIA.	PITCH	ROT.	CARTON QTY.	HUB LOCATION	ORDER NO.	RPM	STATIC PRESSURE				NOTES
							0.0"		0.3"		
						CFM	BHP	CFM	BHP		
16"	30°	CW	2	DISCHARGE	3C1630CWH	825	1414	0.030	495	0.062	
						1075	1842	0.066	968	0.112	
						1625	2785	0.229	2345	0.291	
18"	33°	CW	4	INTAKE	3CR1833-4	850	2400	0.09	1000	0.15	13
						1000	2830	0.14	1620	0.21	
						1140	3220	0.21	2220	0.29	
18"	19°	CW	2	DISCHARGE	3C1819CWH	---	---	---	---	---	
						---	---	---	---	---	
18"	22°	CCW	2	INTAKE	3C1822CCWH	---	---	---	---	---	
						---	---	---	---	---	
18"	26°	CW	2	DISCHARGE	3C1826CWH	---	---	---	---	---	
						---	---	---	---	---	
18"	35°	CCW	2	INTAKE	3C1835CCWH	---	---	---	---	---	
						---	---	---	---	---	
20"	33°	CW	4	INTAKE	3CR2033-4	850	3200	0.18	2100	0.24	13
						1000	4070	0.26	2830	0.33	
						1140	4780	0.33	3570	0.46	
20"	21°	CW	2	DISCHARGE	3C2021CWH	---	---	---	---	---	
						---	---	---	---	---	
20"	25°	CCW	2	INTAKE	3C2025CCWH	---	---	---	---	---	
						---	---	---	---	---	
20"	31°	CW	2	DISCHARGE	3C2031CWH	---	---	---	---	---	
						---	---	---	---	---	
22"	20°	CW	2	INTAKE	3C2220CWH	---	---	---	---	---	
						---	---	---	---	---	
22"	24°	CW	2	INTAKE	3C2224CWH	---	---	---	---	---	
						---	---	---	---	---	
22"	28°	CW	2	INTAKE	3C2228CWH	---	---	---	---	---	
						---	---	---	---	---	
24"	22°	CW	2	INTAKE	3C2422CWH	825	3682	0.116	1553	0.178	
						1075	4798	0.257	3548	0.338	
						1140	5088	0.306	3992	0.394	



## THREE WING CONDENSER FAN BLADES

*1/2" fixed hub, aluminum blades, steel spiders*

DIA.	PITCH	ROT.	CARTON QTY.	HUB LOCATION	ORDER NO.	RPM	STATIC PRESSURE				NOTES
							0.0"		0.3"		
						CFM	BHP	CFM	BHP		
24"	30°	CW	2	INTAKE	3C2430CWH	---	---	---	---	---	
						---	---	---	---	---	
						---	---	---	---	---	
26"	26°	CW	1	DISCHARGE	3C2626CWH	825	5115	0.199	2717	0.275	
						1075	6665	0.440	4968	0.553	
						1140	7068	0.525	3575	0.645	
26"	37°	CW	1	INTAKE	3C2637CWH	825	6798	0.421	4270	0.499	
						1075	8859	0.932	7151	1.006	
						1140	9394	1.112	7833	1.183	



# THREE WING CONDENSER FAN BLADES



*Interchangeable hub, aluminum blades, steel spiders*

DIA.	PITCH	BLADE DEPTH	CARTON QTY.	ORDER NO. specify rotation		RPM	STATIC PRESSURE				NOTES
							0.0"		0.3"		
						CFM	BHP	CFM	BHP		
10"	27°	2 3/8"	2	3F1027	CW	CCW	1075	450	0.016	---	---
							1550	650	0.027	---	---
							1725	700	0.036	---	---
12"	23°	2 1/4"	2	3F1223	CW	CCW	1075	600	0.017	---	---
							1550	870	0.030	---	---
							1725	1080	0.041	---	---
14"	23°	2 1/2"	2	3F1423	CW	CCW	1075	740	0.019	---	---
							1550	1080	0.033	---	---
							1725	1210	0.048	---	---
14"	27°	3 1/4"	2	3F1427	CCW		1075	910	0.023	---	---
							1550	1360	0.064	---	---
							1725	1510	0.086	---	---
16"	23°	2 3/8"	2	3F1623	CW	CCW	1075	1210	0.032	---	---
							1550	1780	0.071	---	---
							1725	2010	0.090	---	---
18"	23°	3 1/4"	2	3F1823	CW	CCW	1075	1570	0.040	---	---
							1550	2330	0.110	---	---
							1725	2610	0.150	---	---
20"	23°	3 1/4"	2	3F2023	CW	CCW	1075	2120	0.080	---	---
							1550	3130	0.250	---	---
							1725	3510	0.330	---	---
24"	12°	3 1/4"	2	3F2412	CCW		1075	2250	0.060	---	---
							1550	3320	0.200	---	---
							1725	3700	0.270	---	---
24"	18°	4 1/8"	2	3F2418	CW		1075	3320	0.110	---	---
							1550	4530	0.330	---	---
							1725	4830	0.500	---	---

## HEAVY DUTY THREE WING FAN BLADES



DIA.	PITCH	ROT.	BLADE DEPTH	BLADE WIDTH	CARTON QTY.	ORDER NO.	RPM	STATIC PRESSURE				NOTES
								CFM	BHP	CFM	BHP	
30"	22°	CW	2 3/8"	6"	1	3LC3022CW	850	7430	0.35	4430	0.43	21
							1000	8730	0.58	6710	0.68	
							1140	9960	0.85	8370	0.98	
30"	27°	CW	2 7/8"	6"	1	3LC3027CW	850	8510	0.49	5540	0.56	21
							1000	10010	0.79	7780	0.88	
							1140	11380	1.18	9530	1.29	
36"	27°	CW	2 7/8"	6"	1	3LC3627CW	720	11450	0.56	6210	0.64	21
							850	13520	0.92	9790	1.05	
							1000	15900	1.49	13070	1.68	
36"	33°	CW	3 3/8"	6"	1	3LC3633CW	720	13190	0.81	7890	0.88	21
							850	15570	1.33	11900	1.46	
							1000	18320	2.16	15530	2.36	



*Condenser Fan Blades*

# FOUR WING CONDENSER FAN BLADES

*fixed hub, aluminum blades, steel spiders*




STATIC PRESSURE  
0.0" | 0.3"

DIA.	PITCH	ROT.	BORE	HUB LOCATION	CARTON QTY.	ORDER NO.	RPM	0.0"		0.3"		NOTES
								CFM	BHP	CFM	BHP	
12"	33°	CCW	1/2"	INTAKE	2	4C1233CCWH	1075	1004	0.41	---	---	
							1550	1447	0.123	1008	0.149	
							1625	1517	0.142	1112	0.168	
14"	33°	CW	1/2"	INTAKE	4	4CR1433-4	850	1010	0.03	320	0.05	
							1000	1320	0.07	670	0.10	
							1140	1990	0.13	1330	0.19	
16"	33°	CW	1/2"	INTAKE	4	4CR1633-4	850	1960	0.07	930	0.09	
							1000	2550	0.15	1450	0.18	
							1140	3860	0.20	2690	0.26	
18"	33°	CW	1/2"	INTAKE	4	4CR1833-4	850	2500	0.10	1340	0.16	
							1000	2950	0.17	1870	0.23	
							1140	3360	0.25	2540	0.33	
20"	20°	CW	1/2"	DISCHARGE	2	4C2020CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
20"	29°	CW	1/2"	DISCHARGE	2	4C2029CWH	825	2655	0.94	1262	0.155	
							1075	3460	0.205	2445	0.274	
							1625	5231	0.716	4620	0.80	
20"	33°	CW	1/2"	INTAKE	4	4CR2033-4	850	3690	0.22	2330	0.28	
							1000	4350	0.35	3270	0.41	
							1140	4950	0.53	5360	0.59	
20"	33°	CW	1/2"	INTAKE	4	4CL2033-4	---	---	---	---	0.28	
							---	---	---	---	0.41	
							---	---	---	---	0.59	
20"	36°	CW	1/2"	INTAKE	2	4C2036CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
22"	24°	CW	1/2"	DISCHARGE	2	4C2224CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
22"	26°	CW	1/2"	INTAKE	2	4C2226CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
22"	30°	CW	1/2"	DISCHARGE	2	4C2230CWH	825	4213	0.237	2880	0.329	
							1075	5490	0.524	4667	0.610	
							1140	5822	0.625	5074	0.710	
22"	33°	CW	1/2"	INTAKE	4	4CR2233-4	850	4820	0.25	3190	0.36	
							1000	5670	0.41	4290	0.51	
							1140	6460	0.61	5360	0.70	
24"	20°	CW	1/2"	DISCHARGE	2	4C2420CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	

## FOUR WING CONDENSER FAN BLADES

*fixed hub, aluminum blades, steel spiders*




STATIC PRESSURE  
0.0" 0.3"

DIA.	PITCH	ROT.	BORE	HUB LOCATION	CARTON QTY.	ORDER NO.	RPM	0.0"		0.3"		NOTES
								CFM	BHP	CFM	BHP	
24"	23°	CCW	1/2"	INTAKE	2	4C2423CWH	825	4194	0.204	1964	0.292	
							1075	5465	0.450	4501	0.571	
							1140	5795	0.537	4946	0.668	
24"	25°	CW	1/2"	INTAKE	2	4C2425CWH	825	4491	0.248	2241	0.337	
							1075	5851	0.548	4880	0.661	
							1140	6205	0.653	5350	0.775	
24"	29°	CW	1/2"	INTAKE	2	4C2429CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
24"	33°	CW	1/2"	INTAKE	4	4CR2433-4	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
26"	28°	CW	1/2"	DISCHARGE	1	4C2628CWH	825	5207	0.290	3115	0.366	
							1075	6785	0.642	5297	0.742	
							1140	7195	0.766	5829	0.874	
26"	30°	CW	5/8"	DISCHARGE	1	4C2630CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
26"	32°	CW	5/8"	INTAKE	1	4C2632CWH	825	5875	0.395	3678	0.460	
							1075	7655	0.874	6185	0.970	
							1140	8118	1.043	6774	1.149	
26"	38°	CW	3/4"	INTAKE	1	4C2638CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
28"	25°	CW	5/8"	INTAKE	1	4C2825CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
28"	29°	CW	1/2"	DISCHARGE	1	4C2829CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
28"	34°	CW	5/8"	INTAKE	1	4C2834CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
30"	22°	CW	5/8"	DISCHARGE	1	4C3022CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
30"	25°	CW	5/8"	INTAKE	1	4C3025CWH	825	8352	0.606	6036	0.707	
							1075	10830	1.348	9428	1.511	
							1140	11485	1.61	10186	1.784	
30"	27°	CW	5/8"	DISCHARGE	1	4C3027CWH	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	


# FOUR WING CONDENSER FAN BLADES

*fixed hub, aluminum blades, steel spiders*



STATIC PRESSURE  
0.0" | 0.3"


DIA.	PITCH	ROT.	BORE	HUB LOCATION	CARTON QTY.	ORDER NO.	RPM	0.0"		0.3"		NOTES
								CFM	BHP	CFM	BHP	
30"	30°	CW	5/8"	INTAKE	1	4C3030CWH	---	---	---	---	---	
30"	40°	CW	5/8"	INTAKE	1	4C3040CWH	---	---	---	---	---	



*Condenser Fan Blades*

# FOUR WING CONDENSER FAN BLADES


interchangeable hub, aluminum blades, steel spiders



DIA.	PITCH	BLADE DEPTH	CARTON QTY.	ORDER NO. specify rotation		RPM	STATIC PRESSURE				NOTES
							0.0"		0.3"		
						CFM	BHP	CFM	BHP		
10"	19°	1 7/8"	2	4C1019	CW	CCW	1075	563	0.027	---	---
							1550	812	0.082	623	0.107
							1625	851	0.095	674	0.121
10"	23°	2 1/8"	2	4C1023	CW	CCW	1075	402	0.012	---	---
							1550	580	0.025	252	0.046
							1625	646	0.033	330	0.056
10"	27°	2 3/8"	2	4C1027	CW	CCW	1140	580	0.011	---	---
							1550	788	0.027	350	0.040
							1725	877	0.037	462	0.049
10"	33°	2 3/4"	2	4C1033	CW	CCW	---	---	---	---	---
							---	---	---	---	---
							---	---	---	---	---
12"	19°	2 1/4"	2	4C1219	CW	CCW	---	---	---	---	---
							---	---	---	---	---
							---	---	---	---	---
12"	23°	2 1/2"	2	4C1223	CW	CCW	1075	731	0.022	228	0.044
							1550	1045	0.048	644	0.086
							1725	1162	0.065	831	0.105
12"	27°	2 3/4"	2	4C1227	CW	CCW	1075	822	0.023	272	0.048
							1550	1171	0.060	762	0.100
							1725	1302	0.081	973	0.124
12"	33°	3 3/8"	2	4C1233	CW	CCW	1075	953	0.032	326	0.062
							1550	1369	0.087	919	0.129
							1725	1508	0.119	1172	0.163
14"	19°	2 1/2"	2	4C1419	CW	CCW	1075	970	0.023	344	0.055
							1550	138	0.066	899	0.108
							1725	1523	0.088	1134	0.133
14"	23°	2 7/8"	2	4C1423	CW	CCW	1075	1142	0.035	448	0.072
							1550	1643	0.089	1248	0.136
							1725	1810	0.123	1488	0.171
14"	27°	3 1/8"	2	4C1427	CW	CCW	1075	1286	0.046	525	0.087
							1550	1838	0.125	1376	0.173
							1725	2036	0.167	1702	0.218
14"	33°	3 7/8"	2	4C1433	CW	CCW	1075	1448	0.061	596	0.105
							1550	2077	0.179	1521	0.228
							1725	2298	0.234	1891	0.282
16"	19°	3"	2	4C1619	CW	CCW	1075	1405	0.045	646	0.089
							1140	1482	0.049	766	0.093
							1725	2161	0.142	1841	0.213
16"	23°	3 1/4"	2	4C1623	CW	CCW	1075	1671	0.064	845	0.113
							1550	2365	0.169	2016	0.233
							1725	2602	0.218	2307	0.290

# FOUR WING CONDENSER FAN BLADES


interchangeable hub, aluminum blades, steel spiders



DIA.	PITCH	BLADE DEPTH	CARTON QTY.	ORDER NO. specify rotation		RPM	STATIC PRESSURE				NOTES	
							0.0"		0.3"			
						CFM	BHP	CFM	BHP			
16"	27°	3 7/16"	2	4C1627	CW	CCW	1075	1896	0.087	1018	0.140	
							1350	2677	0.229	2348	0.288	
							1725	2959	0.314	2682	0.369	
16"	33°	4 3/4"	2	4C1633	CW	CCW	1073	2013	0.110	1123	0.164	15
							1350	2882	0.299	2501	0.355	
							1725	3201	0.397	2851	0.449	
18"	23°	2 7/8"	2	4C1823	CW	CCW	825	1918	0.053	663	0.103	
							1075	2491	0.105	1595	0.173	
							1625	3624	0.319	3259	0.393	
18"	27°	4 1/4"	2	4C1827	CW	CCW	825	2115	0.068	765	0.124	
							1075	2690	0.136	1657	0.216	
							1625	3960	0.408	3609	0.464	
18"	30°	4 5/8"	2	4C1830	CW	CCW	825	2241	0.078	799	0.138	
							1075	2886	0.172	1954	0.238	
							1625	4231	0.487	3873	0.563	
18"	33°	4 7/8"	2	4C1833	CW	CCW	825	2433	0.100	862	0.157	
							1075	3130	0.208	2047	0.274	
							1625	4623	0.638	4188	0.683	
20"	17°	---	2	4C2017	CCW		825	1925	0.029	792	0.078	14
							1075	2508	0.064	1573	0.123	
							1550	3617	0.193	2879	0.248	
20"	23°	3 1/2"	2	4C2023	CW	CCW	---	---	---	---	---	
							---	---	---	---	---	
							---	---	---	---	---	
20"	27°	3 3/4"	2	4C2027	CW	CCW	850	2590	0.090	1300	0.142	
							1000	3000	0.150	1900	0.200	
							1140	3240	0.196	2540	0.280	
20"	30°	4 1/8"	2	4C2030	CW	CCW	850	2800	0.110	1500	0.170	
							1000	3300	0.180	2150	0.240	
							1140	3770	0.260	2830	0.335	
20"	33°	4 5/8"	2	4C2033	CW	CCW	850	3120	0.130	1610	0.195	
							1000	3660	0.210	2300	0.282	
							1140	4160	0.315	3020	0.390	
22"	23°	3 1/2"	2	4C2023	CW	CCW	850	3300	0.150	2340	0.220	
							1000	3870	0.245	3150	0.330	
							1140	4410	0.360	3850	0.460	
22"	27°	4"	2	4C2227	CW	CCW	850	3900	0.208	2800	0.280	
							1000	4580	0.330	3780	0.427	
							1140	5220	0.500	4580	0.600	
22"	33°	5"	2	4C2233	CW	CCW	850	4460	0.300	3100	0.375	
							1000	5250	0.480	4400	0.580	
							1140	6000	0.710	5320	0.830	

# FOUR WING CONDENSER FAN BLADES

interchangeable hub, aluminum blades, steel spiders



DIA.	PITCH	BLADE DEPTH	CARTON QTY.	ORDER NO. specify rotation		RPM	STATIC PRESSURE				NOTES
							0.0"		0.3"		
						CFM	BHP	CFM	BHP		
22"	35°	5 1/4"	2	4C2235	CW CCW	825	4839	0.300	3525	0.395	
						1075	6306	0.665	5559	0.746	
						1625	9532	2.296	9101	2.406	
24"	13°	---	2	4C2413	CW	825	2631	0.110	1506	0.143	
						1075	3428	0.244	2594	0.307	
						1625	5128	0.842	4717	0.936	
24"	16°	2 7/8"	2	4C2416	CW	825	3166	0.131	1947	0.202	
						1075	4126	0.291	3404	0.372	
						1625	6237	1.004	5849	1.119	
24"	18°	3 1/8"	2	4C2418	CW	825	3586	0.143	2218	0.231	
						1075	4673	0.317	3992	0.428	
						1625	7064	1.094	6703	1.260	
24"	20°	---	2	4C2420	CW CCW	825	4094	0.169	2309	0.263	
						1075	5334	0.374	4463	0.486	
						1625	8063	1.290	7608	1.461	
24"	23°	4"	2	4C2423	CW CCW	825	4188	0.187	2262	0.292	
						1075	5457	0.413	4611	0.508	
						1625	7742	1.266	7124	1.345	
24"	27°	4 5/8"	2	4C2427	CW CCW	825	4598	0.262	2761	0.365	
						1140	6735	0.627	5930	0.774	
						1625	9042	1.548	8496	1.769	
24"	33°	5 1/4"	2	4C2433	CW CCW	825	5879	0.376	3560	0.484	
						1140	7943	0.935	7089	1.071	
						1625	10763	2.312	10237	2.481	
26"	24°	4"	2	4C2624	CW CCW	850	5440	0.333	4500	0.448	
						1000	6400	0.540	5700	0.680	
						1140	7300	0.810	6720	0.960	
26"	27°	4 1/2"	2	4C2627	CW CCW	825	6062	0.390	4875	0.494	
						1075	7899	0.863	7123	0.981	24
						1140	8376	1.029	7659	1.152	
26"	33°	5 1/8"	2	4C2633	CW CCW	825	7346	0.607	5893	0.702	
						1075	9572	1.342	8616	1.430	
						1140	10150	1.602	9266	1.689	
30"	27°	---	2	4C3027	CW CCW	825	8550	0.562	6104	0.660	
						1075	11141	1.242	9706	1.381	
						1140	11814	1.482	10507	1.636	
30"	33°	---	2	4C3033	CW CCW	825	9646	0.712	6991	0.812	
						1075	12569	1.575	11062	1.723	
						1140	13329	1.878	11948	2.043	

# FOUR WING FREE AIR FAN BLADES

interchangeable hub, aluminum blades, steel spider



DIA.	PITCH	BLADE DEPTH	CARTON QTY.	ORDER NO. specify rotation		RPM	STATIC PRESSURE				NOTES
							0.0"		0.3"		
						CFM	BHP	CFM	BHP		
10"	23°	---	2	4F1023	CW CCW	---	---	---	---	---	
12"	23°	---	2	4F1223	CCW	---	---	---	---	---	
14"	27°	3 3/16"	2	4F1427	CW CCW	1050 1550 1725	1000 1500 1660	0.02 0.07 0.09	---	---	
16"	23°	2 1/2"	4	4F1623	CCW	1050 1550 1725	1330 ---	0.02 0.06 0.08	---	---	14
18"	23°	3 3/8"	2	4F1823	CW CCW	---	---	---	---	---	24
18"	27°	3 7/8"	2	4F1827	CW CCW	---	---	---	---	---	
18"	33°	4 1/4"	4	4F1833	CW CCW	---	---	---	---	---	
20"	23°	3 3/8"	2	4F2023	CW CCW	---	---	---	---	---	
20"	27°	4 5/16"	2	4F2027	CW CCW	---	---	---	---	---	
20"	33°	5 1/16"	2	4F2033	CW CCW	---	---	---	---	---	
24"	18°	4 1/8"	2	4F2418	CW CCW	---	---	---	---	---	
24"	23°	5"	2	4F2423	CW CCW	---	---	---	---	---	
24"	27°	5 1/4"	2	4F2427	CW CCW	---	---	---	---	---	

## HEAVY DUTY FOUR WING GALVANIZED STEEL PROPS



STATIC PRESSURE  
0.0" 0.3"

DIA.	PITCH	ROT.	BLADE DEPTH	CARTON QTY.	ORDER NO.	RPM	0.0"		0.3"		NOTES
							CFM	BHP	CFM	BHP	
24"	27°	CW	2 5/8"	1	4LC2427CW	850	4600	0.26	2500	0.31	21
						1000	5350	0.45	4000	0.50	
						1140	6150	0.66	5000	0.72	
24"	34°	CW	3 1/8"	1	4LC2434CW	850	5200	0.32	3400	0.38	14, 21
						1000	6300	0.58	5000	0.65	
						1140	7200	0.71	6270	0.82	
26"	27°	CW	3 3/8"	1	4LC2627CW	850	6730	0.46	4610	0.54	21
						1000	7910	0.74	6400	0.85	
						1140	9020	1.10	7800	1.20	
28"	27°	CW	4 1/4"	1	4LC2827CW	750	7410	0.45	4450	0.54	21
						850	8400	0.66	6370	0.77	
						1000	9900	1.10	8310	1.20	
30"	27°	CW	3 1/4"	1	4LC3027CW	720	7600	0.50	4800	0.60	21
						850	9000	0.80	7200	0.90	
						1000	10500	1.30	9250	1.50	
36"	27°	CW	4"	1	4LC3627CW	720	14500	1.30	11000	1.60	21
						850	17000	2.30	14400	2.50	
						1000	20000	3.90	18300	4.10	
36"	38°	CW	4 1/2"	1	4CR3638	720	15502	1.50	13148	1.68	14, 21
						850	18627	2.50	16694	2.66	
						---	---	---	---	---	
42"	27°	CW	4 1/2"	1	4LC4227CW	600	18500	1.70	14000	2.00	21
						720	22000	3.00	19000	3.50	
						850	26000	5.00	23200	5.50	
42"	38°	CW	5"	1	4CR4238	500	18000	1.40	---	---	14, 21
						600	21600	2.40	17300	2.60	
						850	30600	6.80	27900	6.90	
48"	27°	CW	5 1/4"	1	4LC4827CW	400	18700	1.10	9000	1.30	21
						500	23500	2.00	17000	2.30	
						600	28200	3.40	23000	3.90	
54"	27°	CW	5 1/4"	1	4LC5427CW	400	25500	1.80	13000	2.00	22
						500	32000	3.50	23500	3.60	
						575	37000	5.00	30000	5.50	
60"	27°	CW	5 3/8"	1	4LC6027CW	300	26000	1.30	9000	1.40	22
						400	35000	2.90	24000	3.20	
						475	41000	5.00	35000	5.30	
60"	40°	CW	7 3/8"	1	4LC6040CW	300	33000	2.40	13500	2.60	22
						400	44000	5.60	36000	5.80	
						475	52500	9.30	47000	9.50	

# FIVE WING CONDENSER FAN BLADES

*interchangeable hub, aluminum blades, steel spiders*



DIA.	PITCH	BLADE DEPTH	CARTON QTY.	ORDER NO. specify rotation			RPM	STATIC PRESSURE				NOTES
								0.0"		0.3"		
							CFM	BHP	CFM	BHP		
10"	27°	2 1/4"	2	5C1027	CW	CCW	1140	764	0.048	456	0.069	
							1550	1039	0.121	830	0.145	
							1625	1090	0.139	890	0.164	
12"	19°	1 3/4"	2	5C1219	CW	CCW	1140	820	0.018	315	0.022	
							1550	1115	0.045	610	0.086	
							1725	1240	0.062	775	0.110	
12"	23°	2 1/4"	2	5C1223	CW	CCW	1140	895	0.022	390	0.045	
							1550	1220	0.055	730	0.098	
							1725	1354	0.076	922	0.125	
12"	27°	2 1/2"	2	5C1227	CW	CCW	1140	970	0.027	460	0.049	
							1550	1320	0.068	875	0.104	
							1725	1470	0.094	1080	0.135	
14"	23°	2 1/2"	2	5C1423	CW	CCW	1140	1190	0.045	670	0.075	
							1550	1620	0.113	1225	0.154	
							1725	1800	0.156	1450	0.200	
14"	27°	2 5/8"	2	5C1427	CW	CCW	1140	1330	0.055	725	0.085	
							1550	1810	0.138	1310	0.178	
							1725	2015	0.191	1580	0.230	
16"	27°	2 5/8"	2	5C1627	CW	CCW	825	1556	0.058	462	0.096	
							1075	2058	0.120	1197	0.165	
							1140	2178	0.138	1486	0.191	
16"	33°	4"	2	5C1633	CW	CCW	825	1963	0.085	577	0.127	
							1075	2532	0.179	1554	0.226	
							1140	2673	0.216	2119	0.257	
18"	25°	3"	2	5C1825	CCW		825	2200	0.082	1079	0.138	
							1075	2867	0.182	2217	0.240	
							1140	3040	0.217	2485	0.277	
18"	27°	3 1/4"	2	5C1827	CW	CCW	825	2153	0.074	777	0.130	
							1075	2789	0.151	2003	0.231	
							1140	2951	0.182	2351	0.257	
18"	33°	4"	2	5C1833	CW	CCW	825	2598	0.119	936	0.173	
							1075	3327	0.249	2534	0.321	
							1140	3517	0.292	2881	0.350	
20"	27°	3 1/4"	2	5C2027	CW	CCW	850	2890	0.130	1620	0.185	
							1000	3350	0.220	2500	0.295	
							1140	3800	0.330	3100	0.400	
20"	33°	4"	2	5C2033	CW	CCW	850	3460	0.183	2200	0.240	
							1000	4050	0.300	3120	0.370	
							1140	4650	0.440	3960	0.510	
22"	27°	4 1/2"	2	5C2227	CW	CCW	850	4050	0.190	2425	0.262	
							1000	4700	0.320	3800	0.390	
							1140	5400	0.475	4650	0.545	

## FIVE WING CONDENSER FAN BLADES

*interchangeable hub, aluminum blades, steel spider*



DIA.	PITCH	BLADE DEPTH	CARTON QTY.	ORDER NO. specify rotation		RPM	STATIC PRESSURE				NOTES	
							0.0"		0.3"			
						CFM	BHP	CFM	BHP			
22"	33°	5 1/8"	2	5C2233	CW	CCW	850	4800	0.322	2850	0.365	
							1000	5700	0.530	4420	0.572	
							1140	6500	0.775	5450	0.850	
24"	27°	4 1/2"	2	5C2427	CW	CCW	825	5056	0.284	2446	0.354	
							1075	6577	0.627	5525	0.737	
							1140	6942	0.749	6015	0.864	
24"	33°	---	2	5C2433	CW	CCW	825	5791	0.387	2875	0.451	
							1075	7555	0.838	6509	0.952	
							1140	7956	0.984	7070	1.126	
26"	27°	---	1	5C2627	CW	CCW	850	6600	0.500	5080	0.586	
							1000	7765	0.814	6580	0.920	
							1140	8850	1.205	7875	1.328	
26"	33°	---	1	5C2633	CW	CCW	850	7700	0.710	5700	0.824	
							1000	9060	1.156	7520	1.310	
							1140	10330	1.712	9020	1.896	
28"	33°	---	1	5C2830	CW	CCW	825	8125	0.830	5722	0.899	
							1075	10587	1.836	8884	1.912	
							1140	11227	2.189	9643	2.270	

## Condenser Fan Blades




# HEAVY DUTY SIX WING CONDENSER FAN BLADES



STATIC PRESSURE  
0.0" | 0.3"

DIA.	PITCH	ROT.	BLADE DEPTH	BLADE WIDTH	MAX RPM	BLADE WEIGHT	ORDER NO.	0.0"		0.3"		NOTES	
								RPM	CFM	BHP	CFM		BHP
30"	40°	CW	5"	7 9/16"	1140	18 lbs	6LC3040CW	850	13059	2.02	10938	2.12	21
								1000	15364	3.29	13642	3.44	
								1140	17515	4.88	16014	5.05	
36"	40°	CW	5"	8 1/4"	860	21 lbs	6LC3640CW	720	16652	2.28	13600	2.39	21
								850	19659	3.74	17195	3.91	
								1000	23128	6.10	21161	6.34	
42"	40°	CW	5 1/4"	9 3/4"	650	32 lbs	6LC4240CW	600	21590	2.90	18346	3.12	21
								720	25908	5.01	23330	5.31	
								850	30585	8.24	28485	8.63	
48"	40°	CW	5 1/2"	11 5/8"	500	37 lbs	6LC4840CW	400	21087	1.44	11536	1.74	21
								500	26358	2.81	21123	3.19	
								600	31630	4.85	27615	5.30	
54"	40°	CW	6 1/4"	11 9/16"	555	57 lbs	6LC5440CW	400	30320	2.68	21881	3.04	22
								500	37899	5.24	31906	5.70	
								575	43583	8.00	38758	8.47	



*Condenser Fan Blades*

## SINGLE INLET BLOWER WHEELS

*rotation is illustrated on page 36*



DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	ORDER NO.	NOTES
3"	1 7/8"	CW	1/4"	5000	FLAT	GALVANIZED	1-6038	
3"	1 7/8"	CCW	1/4"	5000	FLAT	GALVANIZED	1-6039	
3 13/16"	1 1/32"	CW	1/4"	4500	FLAT	GALVANIZED	028957-66	
3 13/16"	1 1/32"	CCW	1/4"	4500	FLAT	GALVANIZED	028957-67	
3 13/16"	1 1/4"	CW	1/4"	7200	FLAT	GALVANIZED	66-A8650	
3 13/16"	1 1/4"	CCW	1/4"	7200	FLAT	GALVANIZED	66-A8655	
3 13/16"	1 7/8"	CCW	1/4"	5000	FLAT	GALVANIZED	1-6040	
3 13/16"	1 7/8"	CW	1/4"	5000	FLAT	GALVANIZED	1-6041	
3 13/16"	1 7/8"	CCW	5/16"	5000	FLAT	GALVANIZED	1-6042	
3 13/16"	1 7/8"	CW	5/16"	5000	FLAT	GALVANIZED	1-6043	
3 13/16"	1 7/8"	CW	5/16"	4500	FLAT	GALVANIZED	028957-68	
3 13/16"	1 7/8"	CCW	5/16"	4500	FLAT	GALVANIZED	028957-69	
3 13/16"	2 1/2"	CW	5/16"	5000	FLAT	GALVANIZED	1-6044	
3 13/16"	2 1/2"	CCW	5/16"	5000	FLAT	GALVANIZED	1-6045	
3 13/16"	2 1/2"	CW	5/16"	4500	FLAT	GALVANIZED	028957-70	
3 13/16"	2 1/2"	CCW	5/16"	4500	FLAT	GALVANIZED	028957-71	
3 27/32"	1 1/4"	CW	1/4"	5600	FLAT	GALVANIZED	1-6114	
3 27/32"	1"	CW	1/4"	5800	FLAT	GALVANIZED	1-6113	
3 27/32"	1 13/64"	CCW	1/4"	5640	FLAT	GALVANIZED	1-6051	
3 27/32"	1 1/4"	CW	1/4"	4500	FLAT	GALVANIZED	028957-72	
3 27/32"	1 1/4"	CCW	1/4"	4500	FLAT	GALVANIZED	028957-73	
4"	7/8"	CW	5/16"	3600	FLAT	GALVANIZED	1-6123	
4"	1 1/32"	CW	1/4"	3600	FLAT	GALVANIZED	66-A8660	
4"	1 1/2"	CCW	5/16"	3600	CONVEX	GALVANIZED	1-6141	7
4"	2 1/2"	CCW	1/4"	3600	CONVEX	GALVANIZED	1-6133	7
4"	1 1/2"	CCW	5/16"	4500	FLAT	GALVANIZED	028957-74	
4"	2"	CW	3/8"	4500	FLAT	GALVANIZED	66-A8666	
4"	2"	CCW	3/8"	4500	FLAT	GALVANIZED	66-A8667	
4"	2 1/2"	CCW	1/4"	4500	FLAT	GALVANIZED	028957-75	
4 1/4"	2"	CW	5/16"	3000	FLAT	GALVANIZED	66-A8611	

## SINGLE INLET BLOWER WHEELS

*rotation is illustrated on page 36*



DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	ORDER NO.	NOTES
4 1/4"	2"	CCW	1/4"	4500	FLAT	GALVANIZED	1-6046	
4 1/4"	2"	CCW	5/16"	4500	FLAT	GALVANIZED	1-6047	
4 1/4"	2 7/8"	CCW	1/4"	3600	FLAT	GALVANIZED	66-A8640	
4 1/4"	2 15/16"	CCW	1/4"	4500	FLAT	GALVANIZED	1-6052	
4 1/4"	2"	CCW	1/4"	4500	FLAT	GALVANIZED	028957-76	
4 1/4"	2 1/2"	CW	3/8"	4500	FLAT	GALVANIZED	028957-21	
4 1/4"	2 1/2"	CCW	3/8"	4500	FLAT	GALVANIZED	028957-22	
4 1/4"	2 15/16"	CCW	1/4"	4500	FLAT	GALVANIZED	028957-77	
4 1/4"	3"	CW	1/4"	3000	FLAT	GALVANIZED	66-A8640	
4 17/32"	1 1/4"	CW	5/16"	3600	FLAT	GALVANIZED	1-6160	
4 17/32"	1 1/4"	CCW	5/16"	3600	FLAT	GALVANIZED	1-6161	
4 23/32"	2 15/16"	CW	5/16"	3600	FLAT	GALVANIZED	1-6048	
4 23/32"	2 15/16"	CCW	5/16"	3600	FLAT	GALVANIZED	1-6000	
4 3/4"	1 3/8"	CCW	5/16"	3600	CONVEX	PLASTIC	8715-4335	7
4 3/4"	1 3/4"	CCW	5/16"	3600	CONVEX	PLASTIC	8710-4358	7
4 3/4"	1 3/4"	CCW	5/16"	3600	CONVEX	GALVANIZED	8710-4358M	7
4 3/4"	2 1/16"	CW	1/2"	3450	FLAT	GALVANIZED	028957-25	
4 3/4"	2 1/16"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-26	
4 3/4"	2 1/2"	CW	1/2"	3450	FLAT	GALVANIZED	028957-27	
4 3/4"	2 1/2"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-28	14
4 3/4"	3 1/2"	CCW	1/2"	3450	FLAT	GALVANIZED	50140	
4 3/4"	2 15/16"	CW	1/2"	3450	FLAT	GALVANIZED	028957-29	
4 3/4"	2 15/16"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-30	
4 3/4"	3"	CW	5/16"	3600	FLAT	GALVANIZED	66-2-0542	
4 3/4"	3"	CCW	5/16"	3600	FLAT	GALVANIZED	66-2-0328	
4 3/4"	3 7/16"	CW	1/2"	3450	FLAT	GALVANIZED	028957-31	
4 3/4"	3 7/16"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-32	
4 3/4"	3 1/2"	CW	5/16"	3600	FLAT	GALVANIZED	66-2-0697	
4 3/4"	3 1/2"	CCW	5/16"	3600	FLAT	GALVANIZED	66-2-0426	
5 13/64"	2 1/2"	CW	5/16"	3600	FLAT	GALVANIZED	1-6024	
5 13/64"	2 1/2"	CCW	5/16"	3600	FLAT	GALVANIZED	1-6025	

## SINGLE INLER BLOWER WHEELS

*rotation is illustrated on page 36*



DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	ORDER NO.	NOTES
5 13/64"	2 29/32"	CW	5/16"	3600	FLAT	GALVANIZED	1-6053	
5 13/64"	2 29/32"	CCW	5/16"	3600	FLAT	GALVANIZED	1-6054	
5 1/4"	1 1/4"	CCW	5/16"	2800	FLAT	GALVANIZED	66-A8676	
5 1/4"	2"	CCW	5/16"	3600	FLAT	GALVANIZED	66-A508202	
5 1/4"	2 1/16"	CW	1/2"	3450	FLAT	GALVANIZED	028957-33	
5 1/4"	2 1/16"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-34	
5 1/4"	2 1/2"	CW	5/16"	3600	FLAT	GALVANIZED	66-2-0253	
5 1/4"	2 1/2"	CCW	5/16"	3600	FLAT	GALVANIZED	66-2-0047	
5 1/4"	2 1/2"	CW	1/2"	3450	FLAT	GALVANIZED	028957-35	
5 1/4"	2 1/2"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-36	
5 1/4"	2 15/16"	CW	1/2"	3450	FLAT	GALVANIZED	028957-37	
5 1/4"	2 15/16"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-38	
5 1/4"	3"	CW	5/16"	3600	FLAT	GALVANIZED	66-2-0053	
5 1/4"	3"	CCW	5/16"	3600	FLAT	GALVANIZED	66-2-0054	
5 1/4"	3 7/16"	CW	1/2"	3450	FLAT	GALVANIZED	028957-39	
5 1/4"	3 7/16"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-40	
5 3/8"	2 1/2"	CCW	1/2"	3450	FLAT	PLASTIC	053794-15	6
5 1/2"	1"	CW	5/16"	3450	CONVEX	GALVANIZED	66-A8677	
5 5/8"	1 9/16"	CCW	5/16"	3450	FLAT	GALVANIZED	028957-78	
5 45/64"	2 15/16"	CCW	5/16"	3000	FLAT	GALVANIZED	1-6026	
5 45/64"	4"	CW	1/2"	2800	FLAT	GALVANIZED	1-6002	
5 45/64"	4"	CCW	1/2"	2800	FLAT	GALVANIZED	1-6057	
5 3/4"	1"	CW	5/16"	3600	FLAT	GALVANIZED	57596B	9
5 3/4"	1 1/2"	CCW	5/16"	3600	CONVEX	GALVANIZED	1-6143	12
5 3/4"	2"	CCW	1/4"	3600	FLAT	PLASTIC	5900RDC	
5 3/4"	2 1/16"	CW	1/2"	3450	FLAT	GALVANIZED	028957-53	
5 3/4"	2 1/16"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-54	14
5 3/4"	2 1/2"	CCW	5/16"	3450	FLAT	PLASTIC	053794-01	
5 3/4"	2 1/2"	CW	1/2"	3450	FLAT	GALVANIZED	028957-55	
5 3/4"	2 1/2"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-56	

## SINGLE INLET BLOWER WHEELS

*rotation is illustrated on page 36*



DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	ORDER NO.	NOTES
5 3/4"	2 15/16"	CW	1/2"	3450	FLAT	GALVANIZED	028957-57	
5 3/4"	2 15/16"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-58	
5 3/4"	3"	CW	5/16"	3600	FLAT	GALVANIZED	66-2-0281	
5 3/4"	3"	CCW	5/16"	3600	FLAT	GALVANIZED	66-2-0350	
5 3/4"	3 7/16"	CW	1/2"	3450	FLAT	GALVANIZED	028957-59	
5 3/4"	3 7/16"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-60	
5 3/4"	3 1/2"	CW	5/16"	3600	FLAT	GALVANIZED	66-2-1157	
5 3/4"	3 1/2"	CCW	5/16"	3600	FLAT	GALVANIZED	66-2-0157	
5 3/4"	3 13/16"	CW	1/2"	3450	FLAT	GALVANIZED	028957-61	
5 3/4"	3 13/16"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-62	
5 3/4"	4"	CW	1/2"	3450	FLAT	GALVANIZED	028957-79	
5 3/4"	4"	CCW	1/2"	3450	FLAT	GALVANIZED	028957-80	14
5 3/4"	4"	CW	1/2"	2800	FLAT	GALVANIZED	50225	14
5 3/4"	4"	CCW	1/2"	2800	FLAT	GALVANIZED	50230	
6"	2 1/2"	CCW	5/16"	3600	FLAT	GALVANIZED	66-A610215	
6"	2 1/2"	CW	1/2"	3600	FLAT	GALVANIZED	66-A610220	
6"	2 1/2"	CCW	1/2"	3600	FLAT	GALVANIZED	66-A610225	
6"	3 1/4"	CW	1/2"	2400	FLAT	GALVANIZED	1-6058	
6"	3 1/4"	CCW	1/2"	2400	FLAT	GALVANIZED	1-6010	
6 1/8"	3 7/8"	CW	1/2"	3450	FLAT	PLASTIC	053794-02	
6 1/8"	3 7/8"	CCW	1/2"	3450	FLAT	PLASTIC	053794-03	
6 3/16"	2 15/16"	CCW	3/8"	3000	FLAT	GALVANIZED	1-6060	1
6 1/4"	2 3/16"	CW	5/8"	3450	FLAT	STEEL	6-20621	1
6 1/4"	2 3/16"	CCW	5/8"	3450	FLAT	STEEL	6-20622	1
6 1/4"	2 11/16"	CW	5/8"	3450	FLAT	STEEL	6-25621	1
6 1/4"	2 11/16"	CCW	5/8"	3450	FLAT	STEEL	6-25622	1
6 1/4"	3 3/16"	CW	5/8"	3450	FLAT	STEEL	6-30621	1
6 1/4"	3 3/16"	CCW	5/8"	3450	FLAT	STEEL	6-30622	1
6 1/4"	3 11/16"	CW	5/8"	3450	FLAT	STEEL	6-35621	1
6 1/4"	3 11/16"	CCW	5/8"	3450	FLAT	STEEL	6-35622	

## SINGLE INLET BLOWER WHEELS

*rotation is illustrated on page 36*



DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	ORDER NO.	NOTES
6 1/4"	4"	CW	1/2"	2000	FLAT	GALVANIZED	028957-81	
6 1/4"	4"	CCW	1/2"	2000	FLAT	GALVANIZED	028957-82	
6 1/4"	4 1/4"	CW	1/2"	2000	FLAT	GALVANIZED	028957-51	
6 1/4"	4 1/4"	CCW	1/2"	2000	FLAT	GALVANIZED	028957-52	14
6 9/32"	2 1/2"	CCW	1/2"	2000	FLAT	GALVANIZED	50250	
6 5/16"	2 1/16"	CW	1/2"	2000	FLAT	GALVANIZED	028957-41	
6 5/16"	2 1/16"	CCW	1/2"	2000	FLAT	GALVANIZED	028957-42	
6 5/16"	2 1/2"	CW	1/2"	2000	FLAT	GALVANIZED	028957-43	
6 5/16"	2 1/2"	CCW	1/2"	2000	FLAT	GALVANIZED	028957-44	
6 5/16"	2 15/16"	CW	1/2"	2000	FLAT	GALVANIZED	028957-45	
6 5/16"	2 15/16"	CCW	1/2"	2000	FLAT	GALVANIZED	028957-46	
6 5/16"	3 7/16"	CW	1/2"	2000	FLAT	GALVANIZED	028957-47	
6 5/16"	3 7/16"	CCW	1/2"	2000	FLAT	GALVANIZED	028957-48	
6 5/16"	1 3/16"	CW	1/2"	2000	FLAT	GALVANIZED	028957-49	
6 5/16"	1 3/16"	CCW	1/2"	2000	FLAT	GALVANIZED	028957-50	
6 25/64"	4"	CW	1/2"	1700	FLAT	GALVANIZED	1-6063	
6 25/64"	4"	CCW	1/2"	1700	FLAT	GALVANIZED	1-6064	
6 5/8"	1 7/16"	CW	5/16"	4000	FLAT	GALVANIZED	66-A8652	
6 7/8"	2 1 3/16"	CW	1/2"	3450	FLAT	PLASTIC	053794-04	
6 7/8"	2 1 3/16"	CCW	1/2"	3450	FLAT	PLASTIC	053794-05	1
7"	3 3/16"	CCW	5/8"	3600	FLAT	STEEL	7-30622	
7 3/32"	3 5/32"	CW	1/2"	2500	FLAT	GALVANIZED	020491-53	
7 3/32"	3 5/32"	CCW	1/2"	2500	FLAT	GALVANIZED	020491-54	
7 3/32"	4"	CW	1/2"	2500	FLAT	GALVANIZED	020491-55	
7 3/32"	4"	CCW	1/2"	2500	FLAT	GALVANIZED	020491-56	
7 1/8"	2"	CCW	5/16"	2900	FLAT	GALVANIZED	1-6066	
7 1/8"	3 1/2"	CW	1/2"	1700	FLAT	GALVANIZED	66-1-1074	
7 1/8"	3 1/2"	CCW	1/2"	1700	FLAT	GALVANIZED	66-1-8350	
7 1/8"	4"	CW	1/2"	1500	FLAT	GALVANIZED	66-1-0166	
7 1/8"	4"	CCW	1/2"	1500	FLAT	GALVANIZED	1-6005	14

## SINGLE INLET BLOWER WHEELS

*rotation is illustrated on page 36*



DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	ORDER NO.	NOTES
7 5/16"	3 13/16"	CCW	1/2"	1500	FLAT	GALVANIZED	50350	
7 7/16"	3 9/16"	CW	1/2"	2500	FLAT	PLASTIC	053794-06	
7 7/16"	3 9/16"	CCW	1/2"	2500	FLAT	PLASTIC	053794-07	
7 1/2"	2"	CW	1/2"	2500	FLAT	GALVANIZED	020491-57	
7 1/2"	2"	CCW	1/2"	2500	FLAT	GALVANIZED	020491-58	
7 1/2"	2 1/2"	CW	1/2"	2500	FLAT	GALVANIZED	020491-59	
7 1/2"	2 1/2"	CCW	1/2"	2500	FLAT	GALVANIZED	020491-60	
7 1/2"	2 3/4"	CW	1/2"	2000	FLAT	GALVANIZED	020491-61	
7 1/2"	2 3/4"	CCW	1/2"	2000	FLAT	GALVANIZED	020491-62	
7 1/2"	2 29/32"	CW	1/2"	2500	FLAT	PLASTIC	053794-08	
7 1/2"	3 5/32"	CW	1/2"	1800	FLAT	GALVANIZED	020491-63	
7 1/2"	3 5/32"	CCW	1/2"	1800	FLAT	GALVANIZED	020491-64	
7 1/2"	3 1/2"	CW	1/2"	1800	FLAT	GALVANIZED	66-1-4879	
7 1/2"	4"	CW	1/2"	1650	FLAT	GALVANIZED	020491-65	
7 1/2"	4"	CCW	1/2"	1650	FLAT	GALVANIZED	020491-66	
7 1/2"	9"	CCW	1/2"	1600	FLAT	GALVANIZED	66-1-6887-R	
7 7/16"	2 1/4"	CW	1/2"	2500	FLAT	GALVANIZED	020491-15	
7 7/16"	2 1/4"	CCW	1/2"	2500	FLAT	GALVANIZED	020491-42	
7 7/16"	2 3/4"	CW	1/2"	1650	FLAT	GALVANIZED	020491-24	
7 7/16"	2 3/4"	CCW	1/2"	1650	FLAT	GALVANIZED	020491-25	
7 7/16"	3 1/4"	CW	1/2"	1650	FLAT	GALVANIZED	020491-37	
7 7/16"	3 1/4"	CCW	1/2"	1650	FLAT	GALVANIZED	020491-20	
7 31/64"	3 1/2"	CW	1/2"	1800	FLAT	GALVANIZED	1-6070	
7 31/64"	3 1/2"	CCW	1/2"	1800	FLAT	GALVANIZED	1-6071	
7 5/8"	3 21/32"	CW	1/2"	2000	FLAT	PLASTIC	053794-09	20
7 11/16"	4 1/4"	CCW	5/8"	3600	FLAT	STEEL	711164458	
7 25/32"	3 7/8"	CCW	1/2"	1800	FLAT	PLASTIC	053794-10	
8"	3 3/16"	CW	1/2"	1650	FLAT	GALVANIZED	020487-63	
8"	3 3/16"	CCW	1/2"	1650	FLAT	GALVANIZED	020487-64	
8"	3 1/2"	CW	1/2"	1850	FLAT	GALVANIZED	66-1-0464	

## SINGLE INLET BLOWER WHEELS

*rotation is illustrated on page 36*



DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	ORDER NO.	NOTES
8"	3 1/2"	CCW	1/2"	1850	FLAT	GALVANIZED	66-1-0203	
8"	4"	CW	1/2"	1650	FLAT	GALVANIZED	020487-65	
8"	4"	CCW	1/2"	1650	FLAT	GALVANIZED	020487-66	
8 1/16"	3 5/32"	CW	1/2"	1650	FLAT	PLASTIC	053794-11	
8 3/8"	3 5/32"	CW	1/2"	1650	FLAT	PLASTIC	053794-12	14
8 3/8"	3 5/32"	CCW	1/2"	1650	FLAT	PLASTIC	053794-13	14
8 3/8"	3 5/8"	CW	1/2"	1650	FLAT	PLASTIC	053794-14	
8 1/2"	3 3/16"	CW	1/2"	1650	FLAT	GALVANIZED	020487-67	
8 1/2"	3 3/16"	CCW	1/2"	1650	FLAT	GALVANIZED	020487-68	
8 1/2"	3 3/4"	CW	1/2"	1650	FLAT	GALVANIZED	020487-05	
8 1/2"	3 3/4"	CCW	1/2"	1650	FLAT	GALVANIZED	020487-06	
8 1/2"	4"	CW	1/2"	1650	FLAT	GALVANIZED	020487-69	
8 1/2"	4"	CCW	1/2"	1650	FLAT	GALVANIZED	020487-70	
8 1/2"	4 1/4"	CW	1/2"	1400	FLAT	GALVANIZED	020487-71	
8 1/2"	4 1/4"	CCW	1/2"	1750	FLAT	GALVANIZED	020487-72	
8 1/2"	4 1/4"	CW	1/2"	1750	FLAT	GALVANIZED	020487-38	
8 1/2"	4 1/4"	CCW	1/2"	1750	FLAT	GALVANIZED	020487-39	
8 35/64"	3"	CCW	1/2"	2050	FLAT	GALVANIZED	1-6077	
8 35/64"	3"	CW	1/2"	2050	FLAT	GALVANIZED	1-6076	
8 5/64"	4"	CW	1/2"	1650	FLAT	GALVANIZED	1-6006	
8 5/64"	4"	CCW	1/2"	1650	FLAT	GALVANIZED	1-6074	
9"	5"	CW	1/2"	1750	FLAT	GALVANIZED	020553-38	
9"	5"	CCW	1/2"	1750	FLAT	GALVANIZED	020553-39	
9 1/8"	4 1/4"	CW	1/2"	1475	FLAT	GALVANIZED	1-6007	
9 1/8"	4 1/4"	CCW	1/2"	1475	FLAT	GALVANIZED	1-6078	
9 1/8"	5"	CW	1/2"	1350	FLAT	GALVANIZED	1-6008	
9 1/8"	5"	CCW	1/2"	1350	FLAT	GALVANIZED	1-6009	
9 1/8"	3 3/4"	CW	1/2"	1750	FLAT	GALVANIZED	020553-01	
9 1/8"	3 3/4"	CCW	1/2"	1750	FLAT	GALVANIZED	020553-03	
9 1/8"	4 1/4"	CW	1/2"	1750	FLAT	GALVANIZED	020553-02	


# SINGLE INLET BLOWER WHEELS

*rotation is illustrated on page 36*



DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	ORDER NO.	NOTES
9 1/8"	4 1/4"	CCW	1/2"	1750	FLAT	GALVANIZED	020553-04	
9 1/8"	5"	CW	1/2"	1350	FLAT	GALVANIZED	66-1-4697	
9 1/8"	5"	CCW	1/2"	1350	FLAT	GALVANIZED	66-1-0242	
9 15/16"	6"	CCW	5/8"	1750	FLAT	GALVANIZED	013511-10	
9 31/32"	4"	CW	1/2"	1350	FLAT	GALVANIZED	1-6079	
9 31/32"	4"	CCW	1/2"	1350	FLAT	GALVANIZED	1-6080	
9 31/32"	6"	CW	1/2"	1100	FLAT	GALVANIZED	1-6027	
9 31/32"	6"	CCW	1/2"	1100	FLAT	GALVANIZED	1-6028	
10"	4"	CW	1/2"	1750	FLAT	GALVANIZED	020553-40	
10"	4"	CCW	1/2"	1750	FLAT	GALVANIZED	020553-41	
11 1/8"	6"	CW	3/4"	1650	FLAT	GALVANIZED	012398-57	
11 1/8"	6"	CCW	3/4"	1650	FLAT	GALVANIZED	012398-58	
13 3/16"	6"	CW	3/4"	1350	FLAT	GALVANIZED	014747-08	
13 3/16"	6"	CCW	3/4"	1350	FLAT	GALVANIZED	014747-09	
15 1/2"	6"	CW	1"	1200	FLAT	GALVANIZED	014528-01	
15 1/2"	6"	CCW	1"	1200	FLAT	GALVANIZED	014528-03	
15 1/2"	9 1/2"	CW	1"	1050	FLAT	GALVANIZED	020740-01	1
15 1/2"	9 1/2"	CCW	1"	1050	FLAT	GALVANIZED	020740-04	1
18 5/8"	9"	CW	1"	1050	FLAT	GALVANIZED	020202-03	1
18 5/8"	9"	CCW	1"	1050	FLAT	GALVANIZED	020202-04	1
18 5/8"	13 1/2"	CW	1"	960	FLAT	GALVANIZED	026186-01	1, 2, 3
18 5/8"	13 1/2"	CCW	1"	960	FLAT	GALVANIZED	026186-02	1, 2, 3
23 1/4"	11 1/4"	CW	13/16"	900	FLAT	GALVANIZED	019965-03	1, 2, 4
23 1/4"	11 1/4"	CCW	13/16"	900	FLAT	GALVANIZED	019965-06	1, 2, 4
26 1/4"	12 3/4"	CW	13/16"	750	FLAT	GALVANIZED	019966-05	1, 2, 4
16 1/4"	12 3/4"	CCW	13/16"	750	FLAT	GALVANIZED	019966-04	1, 2, 4
28 3/4"	13 15/16"	CW	17/16"	700	FLAT	GALVANIZED	021071-03	1, 2, 4
28 3/4"	13 15/16"	CCW	17/16"	700	FLAT	GALVANIZED	021071-04	1, 2, 4
31 1/4"	15 3/16"	CW	17/16"	625	FLAT	GALVANIZED	021072-03	
31 1/4"	15 3/16"	CCW	17/16"	625	FLAT	GALVANIZED	021072-04	

# BLOWER WHEEL INDENTATION TYPES



## SINGLE INLET ROTATION



VIEWING BACK PLATE

## DOUBLE INLET ROTATION



VIEWING HUB SIDE

## DOUBLE INLET BLOWER WHEELS

rotation is illustrated on page 36



DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	LAU NO.	NOTES
3 3/4"	3 7/16"	CCW	5/16"	5000	FLAT	GA LVANIZED	66-A8675	11
4 3/4"	5 1/8"	CW	1/2"	3450	FLAT	ALUMINUM	028958-08	
4 3/4"	5 1/8"	CCW	1/2"	3450	FLAT	ALUMINUM	028958-14	
4 3/4"	6 7/8"	CW	1/2"	3450	FLAT	ALUMINUM	028958-01	
4 3/4"	6 7/8"	CCW	1/2"	3450	FLAT	ALUMINUM	028958-15	
4 27/32"	7"	CW	1/2"	3600	FLAT	GA LVANIZED	2-6011	
4 27/32"	7"	CCW	1/2"	3600	FLAT	GA LVANIZED	2-6029	
5 1/4"	6 55/64"	CW	1/2"	3600	FLAT	GA LVANIZED	2-6030	
5 1/4"	5 7/8"	CW	1/2"	3450	FLAT	ALUMINUM	028958-02	
5 1/4"	5 7/8"	CCW	1/2"	3450	FLAT	ALUMINUM	028958-16	
5 1/4"	6 3/4"	CCW	1/2"	3450	FLAT	ALUMINUM	028958-17	
5 1/4"	6 3/4"	CW	1/2"	3450	FLAT	ALUMINUM	028958-18	
5 1/4"	6 7/8"	CW	1/2"	3450	FLAT	ALUMINUM	028958-03	
5 1/4"	6 7/8"	CCW	1/2"	3450	FLAT	ALUMINUM	028958-19	
5 19/64"	7"	CCW	1/2"	3600	FLAT	GA LVANIZED	2-6012	
5 13/32"	6 55/64"	CCW	3/8"	3600	FLAT	GA LVANIZED	2-6082	
5 9/16"	6 1/2"	CW	1/2"	2500	FLAT	GA LVANIZED	2-6013	
5 9/16"	6 1/2"	CCW	1/2"	2500	FLAT	GA LVANIZED	2-6014	
5 5/8"	3 1/2"	CCW	5/16"	3600	CONVEX	PLASTIC	PD523-349	9
5 45/64"	7 5/8"	CW	1/2"	3000	FLAT	GA LVANIZED	2-6031	
5 45/64"	7 5/8"	CCW	1/2"	3000	FLAT	GA LVANIZED	2-6032	
5 3/4"	7 5/8"	CW	1/2"	1700	FLAT	GA LVANIZED	2-6033	
5 3/4"	5 7/8"	CW	1/2"	3450	FLAT	ALUMINUM	028958-04	
5 3/4"	5 7/8"	CCW	1/2"	3450	FLAT	ALUMINUM	028958-20	
5 3/4"	6 7/8"	CW	1/2"	3450	FLAT	ALUMINUM	028958-05	
5 3/4"	6 7/8"	CCW	1/2"	3450	FLAT	ALUMINUM	028958-21	
5 3/4"	7 5/8"	CW	1/2"	1700	FLAT	ALUMINUM	2-6033	
5 3/4"	7 5/8"	CW	1/2"	3450	FLAT	ALUMINUM	028958-22	
5 3/4"	7 7/8"	CCW	1/2"	3450	FLAT	ALUMINUM	028958-23	
5 3/4"	8"	CW	1/2"	3450	FLAT	ALUMINUM	028958-24	
5 3/4"	8"	CCW	1/2"	3450	FLAT	ALUMINUM	028958-25	
5 3/4"	8 1/2"	CW	1/2"	3450	FLAT	ALUMINUM	028958-06	

## DOUBLE INLET BLOWER WHEELS

rotation is illustrated on page 36



DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	LAU NO.	NOTES
5 3/4"	8 1/2"	CCW	1/2"	3450	FLAT	ALUMINUM	028958-26	
6 3/16"	7 5/8"	CW	1/2"	3000	FLAT	GALVANIZED	2-6084	
6 3/16"	7 5/8"	CCW	1/2"	3000	FLAT	GALVANIZED	2-6085	
6 1/4"	7"	CW	1/2"	2050	FLAT	GALVANIZED	66-1-0439	
6 1/4"	7"	CCW	1/2"	2051	FLAT	GALVANIZED	66-1-0438	
6 5/16"	6 3/8"	CW	1/4"	3450	FLAT	ALUMINUM	028958-27	
6 5/16"	6 3/8"	CCW	1/4"	3450	FLAT	ALUMINUM	028958-28	
6 5/16"	7 5/8"	CW	1/4"	3450	FLAT	ALUMINUM	028958-07	
6 5/16"	7 5/8"	CCW	1/4"	3450	FLAT	ALUMINUM	028958-29	
6 25/64"	8"	CW	1/2"	1500	FLAT	ALUMINUM	2-6034	
6 25/64"	7"	CW	1/2"	2050	FLAT	GALVANIZED	2-6083	
6 25/64"	7"	CCW	1/2"	2050	FLAT	GALVANIZED	2-6015	
6 25/64"	8"	CW	1/2"	1500	FLAT	GALVANIZED	2-6034	
6 25/64"	6 1/4"	CCW	3/4"	2275	FLAT	GALVANIZED	2-6139	
7 1/8"	4"	CCW	1/2"	1500	FLAT	GALVANIZED	66-1-6005	
7 1/2"	4"	CW	1/4"	2500	FLAT	ALUMINUM	028958-32	
7 1/2"	4"	CCW	1/4"	2500	FLAT	ALUMINUM	028958-33	
7 1/2"	4"	CW	3/4"	2700	FLAT	GALVANIZED	2-6086	
7 1/2"	4"	CCW	3/4"	2700	FLAT	GALVANIZED	2-6087	
7 1/2"	4 1/2"	CW	3/4"	2400	FLAT	GALVANIZED	2-6035	
7 1/2"	4 1/2"	CCW	3/4"	2500	FLAT	GALVANIZED	66-1-8678	
7 1/2"	5"	CW	1/4"	2500	FLAT	ALUMINUM	028958-34	
7 1/2"	5"	CCW	1/4"	2500	FLAT	ALUMINUM	028958-35	
7 1/2"	5 1/2"	CCW	3/4"	2400	FLAT	GALVANIZED	2-6036	
7 1/2"	6"	CW	3/4"	1950	FLAT	GALVANIZED	2-6016	
7 1/2"	6"	CCW	3/4"	1950	FLAT	GALVANIZED	2-6017	
7 1/2"	6 11/32"	CW	1/4"	1800	FLAT	ALUMINUM	028958-36	
7 1/2"	6 11/32"	CCW	1/4"	1800	FLAT	ALUMINUM	028958-37	
7 1/2"	9"	CW	1/2"	1600	FLAT	GALVANIZED	2-6018	
9 1/2"	4"	CW	1/2"	2100	FLAT	GALVANIZED	66-1-9338	
9 1/2"	4 1/2"	CW	1/2"	1750	CONVEX	GALVANIZED	013334-01	9
9 1/2"	6"	CW	1/2"	1750	FLAT	GALVANIZED	2-6089	

## DOUBLE INLET BLOWER WHEELS

rotation is illustrated on page 36



DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	LAU NO.	NOTES
9 1/2"	6"	CW	1/2"	1750	CONVEX	GALVANIZED	013335-01	9
9 1/2"	6"	BOTH	3/4"	4000	BELT	GALVANIZED	008666-12	
9 1/2"	7"	CW	1/2"	1550	FLAT	GALVANIZED	2-6019	
9 1/2"	7 1/8"	CW	1/2"	1750	CONVEX	GALVANIZED	013336-02	9
9 1/2"	7 1/8"	CCW	1/2"	1750	CONVEX	GALVANIZED	013336-03	9
9 1/2"	7 1/8"	BOTH	3/4"	3300	BELT	GALVANIZED	008621-12	
9 1/2"	8"	CW	1/2"	1400	FLAT	GALVANIZED	2-6090	
9 1/2"	8"	CW	1/2"	1750	CONVEX	GALVANIZED	013337-01	9
9 1/2"	8"	CCW	1/2"	1750	CONVEX	GALVANIZED	013337-03	9
9 1/2"	9 1/4"	CW	1/2"	1300	FLAT	GALVANIZED	2-6020	
9 1/2"	9 1/2"	CW	1/2"	1750	CONCAVE	GALVANIZED	013332-01	
9 1/2"	9 1/2"	CCW	1/2"	1750	CONCAVE	GALVANIZED	013332-03	
9 1/2"	9 1/2"	BOTH	3/4"	2400	BELT	GALVANIZED	008519-12	
9 1/2"	9 1/2"	BOTH	1"	2400	BELT	GALVANIZED	008519-16	
9 13/16"	7 1/16"	CCW	1/2"	1500	CONVEX	ALUMINUM	83129	7
9 7/8"	5 3/8"	CW	1/2"	1500	CONVEX	GALVANIZED	53103	7, 14
10 5/8"	4 1/2"	BOTH	3/4"	3900	BELT	GALVANIZED	012237-12	
10 5/8"	6"	BOTH	5/8"	3000	BELT	GALVANIZED	53135	14
10 5/8"	6"	BOTH	3/4"	3900	BELT	GALVANIZED	008364-12	
10 5/8"	7 1/8"	BOTH	3/4"	3100	BELT	GALVANIZED	008363-12	
10 5/8"	8"	BOTH	3/4"	3000	BELT	GALVANIZED	008361-12	
10 5/8"	9 1/2"	BOTH	3/4"	2300	BELT	GALVANIZED	008362-12	
10 5/8"	10 5/8"	BOTH	3/4"	2100	BELT	GALVANIZED	008360-12	
10 5/8"	10 5/8"	BOTH	5/8"	2100	BELT	GALVANIZED	008360-10	
10 5/8"	10 5/8"	BOTH	1"	2100	BELT	GALVANIZED	008360-16	
10 3/4"	4 1/4"	CW	1/2"	1750	FLAT	GALVANIZED	66-1-1532	
10 3/4"	6"	CW	5/8"	1550	CONVEX	GALVANIZED	53135	7, 14
10 25/32"	6"	CW	1/2"	1550	FLAT	GALVANIZED	67-6092	
10 25/32"	7"	CW	1/2"	1350	FLAT	GALVANIZED	2-6093	
10 25/32"	7 3/4"	CW	1/2"	1250	FLAT	GALVANIZED	2-6021	
10 25/32"	9 1/4"	CW	1/2"	1200	FLAT	GALVANIZED	2-6037	
10 25/32"	10 1/2"	CW	1/2"	1150	FLAT	GALVANIZED	2-6022	



## DOUBLE INLET BLOWER WHEELS

*Rotation is illustrated on page 36*

DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	LAU NO.	NOTES
10 5/8"	4 1/2"	CW	1/2"	1750	CONVEX	GALVANIZED	013327-01	10
10 5/8"	6"	CW	1/2"	1750	CONVEX	GALVANIZED	013326-01	10
10 5/8"	6"	CCW	1/2"	1750	CONVEX	GALVANIZED	013326-02	9
10 5/8"	6"	CW	5/8"	1750	CONVEX	GALVANIZED	013326-14	10
10 5/8"	7 1/8"	CW	1/2"	1750	CONVEX	GALVANIZED	013325-01	10
10 5/8"	7 1/8"	CCW	1/2"	1750	CONVEX	GALVANIZED	027102-04	9
10 5/8"	8"	CW	1/2"	1750	CONVEX	GALVANIZED	013324-01	10
10 5/8"	8"	CCW	1/2"	1750	CONVEX	GALVANIZED	013324-02	10
10 5/8"	9 1/2"	CW	1/2"	1750	CONCAVE	GALVANIZED	013317-01	
10 5/8"	9 1/2"	CW	1/2"	1750	CONVEX	GALVANIZED	013323-01	9
10 5/8"	10 5/8"	CW	1/2"	1750	CONCAVE	GALVANIZED	013316-02	
10 5/8"	10 5/8"	CW	1/2"	1750	CONVEX	GALVANIZED	013322-03	9
10 5/8"	10 5/8"	CCW	1/2"	1750	CONCAVE	GALVANIZED	013316-06	
11 1/2"	9 1/2"	CCW	1/2"	1750	CONCAVE	GALVANIZED	013317-04	
12 1/4"	6"	CW	1/2"	1550	CONVEX	GALVANIZED	026940-03	10
12 1/4"	7 1/8"	CW	1/2"	1550	CONVEX	GALVANIZED	026940-05	10
12 1/4"	8"	CW	1/2"	1550	CONVEX	GALVANIZED	026940-07	10
12 1/4"	8"	CW	1/2"	1550	CONCAVE	GALVANIZED	026941-07	
12 1/4"	8"	CCW	1/2"	1550	CONVEX	GALVANIZED	026940-08	10
12 1/4"	9 1/2"	CW	1/2"	1550	CONVEX	GALVANIZED	026940-09	10
12 1/4"	9 1/2"	CCW	1/2"	1550	CONVEX	GALVANIZED	026940-10	10
12 1/4"	10 5/8"	CW	1/2"	1550	CONCAVE	GALVANIZED	026941-11	
12 1/4"	10 5/8"	CCW	1/2"	1550	CONCAVE	GALVANIZED	026941-12	
12 5/8"	6"	BOTH	1"	3800	BELT	GALVANIZED	008971-16	
13 3/16"	9 1/2"	CW	1/2"	1200	CONVEX	GALVANIZED	013693-25	10
13 3/16"	9 1/2"	CW	5/8"	1200	CONVEX	GALVANIZED	013693-15	10
13 3/16"	9 1/2"	BOTH	3/4"	2100	BELT	GALVANIZED	027575-15	
13 3/16"	9 1/2"	BOTH	1"	2500	BELT	GALVANIZED	008507-16	
13 3/16"	9 1/2"	BOTH	1 3/16"	2500	BELT	GALVANIZED	008507-58	
13 3/16"	9 1/2"	BOTH	1 7/16"	2500	BELT	GALVANIZED	008507-23	
13 3/16"	11 1/8"	BOTH	1"	2000	BELT	GALVANIZED	009867-16	
13 3/16"	12 5/8"	CW	1/2"	1200	CONCAVE	GALVANIZED	015565-07	

# DOUBLE INLET BLOWER WHEELS



Rotation is illustrated on page 36


DIA.	WIDTH	ROT.	BORE	RPM	INDENTATION	MATERIAL	LAU NO.	NOTES
13 3/16"	12 5/8"	CW	5/8"	1200	CONCAVE	GALVANIZED	015565-04	
13 3/16"	12 5/8"	BOTH	5/8"	1800	BELT	GALVANIZED	008403-10	
13 3/16"	12 5/8"	BOTH	3/4"	1800	BELT	GALVANIZED	008403-01	
13 3/16"	12 5/8"	BOTH	1"	1800	BELT	GALVANIZED	008403-16	
13 3/16"	12 5/8"	BOTH	1 3/16"	1800	BELT	GALVANIZED	008403-93	
13 3/16"	12 5/8"	BOTH	1 7/16"	1800	BELT	GALVANIZED	008403-79	
13 3/16"	15"	BOTH	1"	1100	BELT	GALVANIZED	008747-16	
15 1/2"	9 1/2"	BOTH	1"	2500	BELT	GALVANIZED	009548-16	
15 1/2"	9 1/2"	BOTH	1 3/16"	2500	BELT	GALVANIZED	009548-70	
15 1/2"	9 1/2"	BOTH	1 7/16"	2500	BELT	GALVANIZED	009548-23	
15 1/2"	11 1/8"	BOTH	1"	2100	BELT	GALVANIZED	008418-16	
15 1/2"	11 1/8"	BOTH	1 3/16"	2100	BELT	GALVANIZED	008418-77	
15 1/2"	11 1/8"	BOTH	1 7/16"	2100	BELT	GALVANIZED	008418-80	
15 1/2"	12 5/8"	BOTH	1"	1900	BELT	GALVANIZED	008746-16	
15 1/2"	13 3/16"	BOTH	1"	1550	BELT	GALVANIZED	60220	14
15 1/2"	15"	BOTH	1"	1550	BELT	GALVANIZED	008276-16	
15 1/2"	15"	BOTH	1 3/16"	1550	BELT	GALVANIZED	017671-37	
15 1/2"	15"	BOTH	1 7/16"	1550	BELT	GALVANIZED	008276-72	
18 5/8"	13 1/2"	BOTH	1"	1500	BELT	GALVANIZED	008659-16	
18 5/8"	13 1/2"	BOTH	1 7/16"	1500	BELT	GALVANIZED	008659-60	
18 5/8"	18"	BOTH	1"	1200	BELT	GALVANIZED	008658-16	
18 5/8"	18"	BOTH	1 3/16"	1200	BELT	GALVANIZED	008658-74	
18 5/8"	18"	BOTH	1 7/16"	1200	BELT	GALVANIZED	008658-87	
20 1/2"	13 1/2"	BOTH	1 7/16"	1300	BELT	GALVANIZED	025532-11	
20 1/2"	15"	BOTH	1 7/16"	1200	BELT	GALVANIZED	025532-07	
20 1/2"	18"	BOTH	1 3/16"	1100	BELT	GALVANIZED	019540-02	3
20 1/2"	18"	BOTH	1 7/16"	1100	BELT	GALVANIZED	019540-41	3
20 1/2"	18"	BOTH	1 11/16"	1100	BELT	GALVANIZED	019540-29	3
20 1/2"	18"	BOTH	2 15/16"	1100	BELT	GALVANIZED	019540-20	3
20 1/2"	18"	BOTH	CLAMPLOCK	1100	BELT	GALVANIZED	020439-07	3, 5
20 1/2"	18"	BOTH	CLAMPLOCK	1100	BELT	GALVANIZED	020439-20	3, 5



## BACKWARD INCLINE CENTRIFUGAL WHEELS

Rated 3450 RPM, riveted aluminum construction, replaces such roof-top ventilator brands as: Chelsea, Green Heck, Acorn and Penn Vent.

ORDER NO.	DIA. (A)	WIDTH (B)	BORE	HOLE SIZE (C)	RADIUS (R)	# OF BLADES	NOTES
714	7 11/16"	3 3/4"	1/2"	5 11/16"	7/8"	14	
812	8 3/8"	3 3/4"	1/2"	5 11/16"	7/8"	12	
915	9 3/16"	4 1/16"	1/2"	5 11/16"	3/4"	15	
915M	9 3/16"	4 1/16"	5/8"	5 11/16"	3/4"	15	1
1012	10"	4 13/16"	1/2"	6 11/16"	7/8"	12	
1012M	10"	4 13/16"	5/8"	6 11/16"	7/8"	12	1
1015	10 5/8"	4 13/16"	5/8"	7 5/16"	7/8"	15	1
1214	12 3/16"	4 15/16"	5/8"	8 1/8"	1"	14	1
1315	13 1/2"	5 3/4"	5/8"	9 1/4"	1 1/16"	15	1
1515	15"	5 7/8"	5/8"	10 5/16"	1 3/16"	15	1



Backward inclined wheels are *designed to pull* air into the opening (C) and discharge on all sides. With this in mind, we can often *replace a CW rotation* wheel with a CCW rotation wheel by simply reversing the motor rotation.



## INTERCHANGABLE HEX/ROUND HUBS

ORDER NO.	BORE SIZE	NOTES	LAU NO.
1/4" HUB	1/4"		60765801
5/16" HUB	5/16"		60765802
3/8" HUB	3/8"		60765803
1/2" HUB	1/2"		60765804
5/8" HUB	5/8"	1	60765805
3/4" K-HUB	3/4"	1	60765806



## SPLIT TAPERED BUSHINGS

L type is for 24-48" diameter propellers, P type is for 54-60" diameter propellers, metric bore sizes available for bushings, call for details

ORDER NO.	LAU NO.	BORE SIZE	TYPE	NOTES
L-1/2	---	1/2"	L	
L-9/16	---	9/16"	L	
L-5/8	---	5/8"	L	
L-11/16	---	11/16"	L	
L-3/4	---	3/4"	L	
LI-13/16	---	13/16"	L	
L-7/8	---	7/8"	L	
LII-15/16	---	15/16"	L	
L-1	---	1"	L	
LIII-1-1/16	---	1 1/16"	L	
L-1-1/8	---	1 1/8"	L	
L-1-3/16	---	1 3/16"	L	
L-1-1/4	---	1 1/4"	L	
L-1-5/16	---	1 5/16"	L	
L-1-3/8	---	1 3/8"	L	
L-1-7/16	---	1 7/16"	L	
L-1-1/2	---	1 1/2"	L	
PST 1	725138-08	1"	P	
PST 1-1/8	725138-09	1 1/8"	P	
PST 1-3/16	725138-12	1 3/16"	P	
PST 1-1/4	725138-10	1 1/4"	P	
PST 1-3/8	725138-11	1 3/8"	P	
PST 1-7/16	725138-15	1 7/16"	P	
PST 1-5/8	725138-13	1 5/8"	P	

## Balancing Clips For Fan Blades & Blower Wheels

ORDER NO.	WEIGHT			NOTES
	GRAINS	GRAMS	OUNCES	
017647-01	6.50	0.42	0.01	
017647-02	12.5	0.81	0.02	
017647-03	25.0	1.62	0.05	
006623-02	37.5	2.43	0.08	
006623-03	50.0	3.24	0.11	
006623-04	75.0	4.86	0.17	
006623-05	100.0	6.48	0.23	
012059-04	200.0	12.96	0.46	



## PITCH GAUGE LAU NO.

050998-01

The pitch gauge is an **IMPORTANT** accessory that allows **determine** the **PITCH & ROTATION** of almost **ANY** fan blade by simply setting the dial plate on the **FAN'S BLADE** and the **ARM BASE** on the **FAN'S CENTER**



## Cartridge type Sleeve Bearings



PEMS NO.	SHAFT DIA.	OUTSIDE DIA.	WIDTH	BRAND	PACK QTY.	NOTES
38-2091-01	3/4"	1 13/16"	1"	LAU	2	16
38-2272-01	3/4"	1 13/16"	1 7/8"	LAU	2	17
38-2090-01	1"	1 13/16"	1"	LAU	2	



**SLEEVE BEARINGS WITH INSULATOR & OILER**  
*self-aligning*

PEMS NO.	SHAFT DIA.	OUTSIDE DIA.	WIDTH	BRAND	PACK QTY.	NOTES
38-2404-01	5/8"	1 13/16"	1"	LAU	2	
03003	5/8"	1 13/16"	1 1/4"	REVCOR	2	14
38-2442-01	3/4"	1 13/16"	1"	LAU	2	
38-2442-02	1"	2 1/2"	1 3/8"	LAU	2	



**SEALED SLEEVE BEARINGS WITH INSULATOR**  
*self-aligning*

PEMS NO.	SHAFT DIA.	OUTSIDE DIA.	WIDTH	BRAND	PACK QTY.	NOTES
38-2443-01	5/8"	1 13/16"	1"	LAU	2	
03006	5/8"	1 13/16"	1 1/4"	REVCOR	2	14
38-2443-02	3/4"	1 13/16"	1"	LAU	2	
38-2443-03	1"	2 1/2"	1 3/8"	LAU	2	



**OIL BEARINGS WITH INSULATOR**  
*self-aligning, Randall*

PEMS NO.	SHAFT DIA.	OUTSIDE DIA.	WIDTH	BRAND	PACK QTY.	NOTES
T2450-1	3/4"	1 27/32"	1 1/4"	---	2	
T2449-1	3/4"	1 27/32"	1 1/4"	---	2	
L2094-1	1"	2 1/2"	1 1/2"	---	2	18



**PILLOW BLOCK SLEEVE BEARINGS**  
*self aligning*

PEMS NO.	SHAFT DIA.	SHAFT HEIGHT	WIDTH	PACK QTY.	NOTES
T2204-1	5/8"	1"	1 1/4"	2	
T2086-1	3/4"	1"	1 1/4"	2	
T2087-1	1"	1"	1 1/4"	2	
F2093-1	1"	1 3/16"	1 1/2"	2	18



**SEALED BALL BEARINGS WITH INSULATOR & THURST COLLAR**

PEMS NO.	SHAFT DIA.	OUTSIDE DIA.	WIDTH	BRAND	PACK QTY.	NOTES
38-2588-01	3/4"	1 13/16"	11/16"	LAU	2	
38-2590-01	1"	2 17/32"	7/8"	LAU	2	



**SEALED FLANGE BALL BEARINGS**

PEMS NO.	SHAFT DIA.	SPREAD	BRAND	PACK QTY.	NOTES
38-2565-01	3/4"	3 5/8"	LAU	2	
38-2565-02	1"	3 5/8"	LAU	2	
38-2566-01	1 3/16"	4 3/8"	LAU	2	



### Sealed Pillow Block Ball Bearings

PEMS NO.	SHAFT DIA.	SHAFT HEIGHT	SPREAD	BRAND	PACK QTY.	NOTES
38-2567-01	3/4"	1 5/16"	3 3/4"	LAU	2	
38-2568-01	1"	1 7/16"	4"	LAU	2	
38-2569-01	1 3/16"	1 11/16"	4 5/8"	LAU	2	
38-2570-01	1 7/16"	1 7/8"	4 7/8"	LAU	2	



### Brundage rePlacement Bearings

PEMS NO.	SHAFT DIA.	OUTSIDE DIA.	WIDTH	DESCRIPTION	PACK QTY.	NOTES
T2694-1	3/4"	2 1/16"	1 1/4"	SEALED	2	
T2696-1	3/4"	2 1/16"	1 1/4"	OILER	2	
T2695-1	1"	2 1/16"	1 1/4"	SEALED	2	
T2697-1	1"	2 1/16"	1 1/2"	OILER	2	



### Fan Blade & Blower Wheel Pullers

PEMS NO.	BRAND	DESCRIPTION	PACK QTY.	NOTES
UP-1	---	ALUMINUM PULLER	1	
053804-01	LAU	STEEL PULLER	1	



**THRUST SPACERS**  
*plastic*

PEMS NO.	SHAFT DIA.	DESCRIPTION	PACK QTY.	NOTES
T2491-1	5/8"	---	12	
T2491-2	3/4"	---	12	
T2491-3	1"	---	12	
T2203-1	3/4"	THRUST SLEEVE & SPACER KIT	8	



**THRUST COLLARS**  
*steel*

PEMS NO.	SHAFT DIA.	PACK QTY.	NOTES
T2431-1	5/8"	2	
F2206-1	3/4"	2	
F2207-1	1"	2	



**VIBRO-PADS**

PEMS NO.	BRAND	DESCRIPTION	PACK QTY.	NOTES
T2209-1	LAU	RUBBER, 7/8" DIA., 9/16" HIGH WITH 5/16" DIA. HOLE	12	



## MOTOR MOUNTING DEVICES

PEMS NO.	BRAND	DESCRIPTION	PACK QTY.	NOTES
38-2521-01	LAU	KIT FOR 9-15" BLOWERS	1	
38-2523-01	LAU	TAIL PIECE	1	
38-2525-01	LAU	GROMMETS FOR TAIL PIECE	6	



## 3-WING BELT DRIVE BRACKETS WITH BEARINGS *9-16" blowers*

PEMS NO.	BRAND	DESCRIPTION	PACK QTY.	NOTES
029175-01	LAU	WITH 3/4" SHAFT & MTG. PARTS	1	
029176-01	LAU	WITH 1" SHAFT & MTG. PARTS	1	



## 3-WING BELT DRIVE BEARING BRACKETS

PEMS NO.	BRAND	DESCRIPTION	PACK QTY.	NOTES
008960-04	LAU	FOR 18" BLOWER	1	
014431-02	LAU	FOR 15" BLOWER	1	
015730-01	LAU	FOR 12" BLOWER	1	
38-2699-01	LAU	KNOCK DOWN	3	

## SOLID SHAFTS



PEMS NO.	BRAND	DESCRIPTION	NOTES
T2205-1	LAU	5/8" DIA., 20" LONG	
67-61100	ROTOM	3/4" DIA., 11" LONG	19
67-61400	ROTOM	3/4" DIA., 14" LONG	19
67-61600	ROTOM	3/4" DIA., 16" LONG	19
67-61800	ROTOM	3/4" DIA., 18" LONG	19
67-62000	ROTOM	3/4" DIA., 20" LONG	19
F2096-1	LAU	3/4" DIA., 20" LONG	
67-62400	ROTOM	3/4" DIA., 24" LONG	19
38-2693-01	LAU	3/4" DIA., 35" LONG	
67-63600	ROTOM	3/4" DIA., 36" LONG	19
67-82000	ROTOM	1" DIA., 20" LONG	19
67-82400	ROTOM	1" DIA., 24" LONG	19
F2095-1	LAU	1" DIA., 25" LONG	
F2492-1	LAU	1" DIA., 35" LONG	
67-83600	ROTOM	1" DIA., 36" LONG	19

## DIRECT DRIVE MOTOR MOUNTING BRACKETS



PEMS NO.	BRAND	DESCRIPTION	PACK QTY.	NOTES
38-2514-01	LAU	FOR 9" BLOWER	2	
38-2515-01	LAU	FOR 10" BLOWER	2	
026126-01	LAU	FOR 12" BLOWER	2	

# FARM DUTY

**PEMS**  
PRECISION ELECTRIC MOTOR SALES



**Catalog 1407**

# CONTENTS

*Click on a section below to quickly navigate to that page*

Air Compressor Motors.....	01
Aeration Fan Motors.....	02
Auger Drive Feed Line Motors.....	03
Centrifugal Fan Motors.....	04
Cow Cooler Motors.....	05
Crop Dryer Motor	
Farm Building Belted Ventilation Motors.....	06
Farm Building Direct-Drive Ventilation Motors.....	07
Farm Duty High Torque Rigid Base Motors.....	08
Farm Duty Extra High Torque Rigid Base Motors.....	09
Farm Duty High Torque C-Face With Rigid Base Motors.....	10
Farm Duty Extra High Torque C-Face With Rigid Base Motors	
Grain Stirring Motors.....	11
Instant Reverse Motors	
Milk Pump Motors	
Pedestal Fan Motors.....	12
Poultry Duty Motors	
Pressure Washer Motors.....	13
Three Phase Premium Efficiency.....	13-14
Tractor Cab Pressurizer - 12 Volt DC.....	14
US Motors Vertical Hollowshaft - P Base - Premium Efficiency.....	15

# Air Compressor Motors

[Click to return to the Table of Contents](#)

## 1800 RPM, Single Phase, Capacitor Start, Rigid Base, ODP, No Thermal Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
2	115/230	23.2/11.6	182T	1 1/8" x 2 7/8"	US Motors	D2C2P18	
3	115/230	31.4/17.0	184T	1 1/8" x 2 3/4"	US Motors	D3C2P18	
3	115/230	16.9/8.5	184T	1 1/8" x 2 3/4"	Leeson	131534.00	Cap Start/Cap Run
5	230	23.5	184T	1 1/8" x 2 3/4"	US Motors	D5C2K	
7.5	230	36.0	215T	1 3/8" x 3 3/8"	US Motors	D7C2K21	
7.5	230	36.0	215T	1 3/8" x 3 3/8"	Leeson	140155.00	Cap Start/Cap Run
10	208-230	49.0-44.0	215T	1 3/8" x 3 3/8"	US Motors	D10C2K21	
10	230	43.0	215TZ	1 3/8" x 4 3/8"	Leeson	140311.00	Cap Start/Cap Run

## 3600 RPM, Single Phase, Capacitor Start/Capacitor Run, Rigid Base, ODP, Manual Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
3/4	115/230	12.5/6.75	56	5/8" x 1 7/8"	Century	CP1072L	Cap Start
1	115/230	12.0/6.0	56	5/8" x 1 7/8"	Century	CP1102L	Cap Start
1.5	115/230	12.5/6.3	56	5/8" x 1 7/8"	Century	CP1152L	
1.5	115/230	20/10	56	5/8" x 1 7/8"	Leeson	110161.00	
2 SPL	115/230	15.0/7.5	56	5/8" x 1 7/8"	Century	B381	CWOSE Only
2	115/230	15.0/7.5	56	5/8" x 1 7/8"	US Motors	3768	CWOSE Only
2	115/230	22/11	56	5/8" x 1 7/8"	Leeson	110232.00	
3 SPL	115/230	15.0/7.5	56	5/8" x 1 7/8"	Century	B383	CWOSE Only
3	208-230	13.1/12.3	56	5/8" x 1 7/8"	Century	CP1302L	
3	208-230	15.3/15.0	56	5/8" x 1 7/8"	US Motors	D3CPM1T	CWOSE Only
3	230	15.0	56Y	5/8" x 1 7/8"	Leeson	110222.00	2.31" BA Dim. for belt guard clearance
5 SPL	208-230	15.0	56	5/8" x 1 7/8"	Century	B385	CWOSE Only
5	208-230	15.0	56	5/8" x 1 7/8"	Leeson	116523.00	
5	230	20.8	56Y	5/8" x 1 7/8"	Leeson	111275.00	2.31" BA Dim. for belt guard clearance
5	230	19.7	56HZ	7/8" x 2 1/4"	Century	CP1502L	
5	208-230	22.0	56HZ	7/8" x 2 1/4"	Century	B386	CWOSE Only
5	208-230	22.0	56Y	7/8" x 2 1/4"	Century	B384	182T /184T Holes, 4.5" Shaft Height
5	208-230	24.0-22.0	184T	1 1/8" x 2 3/4"	Leeson	131616.00	Cap Start, No Thermal Overload
6	230	24.0	56Y	7/8" x 2 1/4"	Century	B387	182T and 184T Mounting Holes
7.5	230	30.0	184T	1 1/8" x 2 3/4"	US Motors	D7C1K	No Thermal Overload
7.5	208-230	34.0/31.0	184T	1 1/8" x 2 3/4"	Leeson	132044.00	TSTAT
7.5	208-230	32.5/29.5	213T	1 3/8" x 3 3/8"	Leeson	140680.00	No Thermal Overload
10	208-230	41.5/37.0	215T	1 3/8" x 3 3/8"	Leeson	140681.00	No Thermal Overload

# Aeration Fan Motors

3600 RPM, **Single Phase**, PSC, Rigid Base, TEAO, Reversible

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/2	115/230	5.8/2.9	56	5/8" x 1 7/8"	Century	B220	
1/2	115/208-230	8/3.8-4	56	5/8" x 1 7/8"	US Motors	T12CM1J	TEFC/Cap Start
3/4	115/230	8.0/4.0	56	5/8" x 1 7/8"	Century	B221	
3/4	115/230	9.8/4.9	56	5/8" x 2 1/4"	Marathon	C1467	
3/4	115/230	11.0/5.5	56	5/8" x 2 1/4"	US Motors	FD34CA1PZ	
1	115/208-230	12.0/6.2-6.0	56Z	5/8" x 1 7/8"	Leeson	111333.00	Cap Start/Cap Run
1	115/230	9.2/4.6	56	5/8" x 1 7/8"	Century	B222	
1	115/230	12.4/6.2	56	5/8" x 2 1/4"	US Motors	FD1CA1PZ	
1	115/230	13.0/6.5	56	5/8" x 2 1/4"	Marathon	C1468	
1 1/2	115/208-230	17.0/9.0-8.5	56Z	5/8" x 1 7/8"	Leeson	111949.00	Cap Start/Cap Run
1 1/2	115/230	17.4/8.7	143T	7/8" x 2 1/4"	US Motors	FD32CA1P14	
1 1/2	230	6.5	143T	7/8" x 2 1/4"	Century	K117	
2	115/230	22.2/11.1	145T	7/8" x 2 1/4"	US Motors	FD2CA1P14	
2	230	10.0	145TZ	7/8" x 2 1/4"	Leeson	120375.00	Cap Start/Cap Run
3	230	12.8	145T	7/8" x 2 1/4"	Leeson	120376.00	Cap Start/Cap Run
3	230	14.9	145T	7/8" x 2 1/4"	US Motors	FD3CA1K14	
3	230	15.4	145T	7/8" x 2 1/4"	Century	K116	TST W/ two leads
3-4	230	12.4-17.0	145T	7/8" x 2 1/4"	Century	K112	Cap Start/Cap Run, TST W/ Two Leads

3600 RPM, **Three Phase**, Rigid Base, TEAO

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
3/4	208-230/460	2.6-2.4/1.2	56	5/8" x 2 1/4"	Century	H041	
3/4	208-230/460	2.5-2.5/1.2	56	5/8" x 1 7/8"	US Motors	T34S1A	TEFC
1	208-230/460	2.8-2.7/1.35	56	5/8" x 2 1/4"	Century	H042	
1	208-230/460	3.4-3.2/1.6	56	5/8" x 1 7/8"	US Motors	T1PIA	TEFC
1 1/2	208-230/460	4.4-4.2/2.1	143TZ	7/8" x 2 1/4"	Leeson	120377.00	
1 1/2	208-230/460	4.4-4.2/2.1	143T	7/8" x 2 1/4"	Century	R180	TST W/ Two Leads
1 1/2	208-230/460	4.2-3.9/1.9	143T	7/8" x 2 3/8"	US Motors	U32PID	TEFC
3	230/460	8.4-7.6/3.8	145T	7/8" x 2 1/4"	Leeson	120379.00	
3	230/460	8.1-7.2/3.6	145T	7/8" x 2 3/8"	US Motors	U3PIDF	TEFC
3-4	230/460	8.4/4.2	145T	7/8" x 2 1/4"	Century	R155	TST W/ Two Leads

# Auger Drive Feed Line Motors

[Click to return to the Table of Contents](#)

## 1725 RPM, **Single Phase**, Capacitor Start, “N” Flange, TEFC, Manual Overload, Reversible

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/3	115/230	6.2/3.1	48Y	1/2" x 1 1/2"	Leeson	101159.00	
1/3	115/230	5.3/2.6	56YZ	1/2" x 1 3/4"	US Motors	FD13BM2PZYR	Split Phase
1/3	115/230	5.5/2.8	56N	1/2" x 1 3/4"	Century	C330	TENV
1/2	115/208-230	8.0/4.4-4.0	48Y	1/2" x 1 1/2"	Leeson	101120.00	
1/2	115/230	7.2/3.6	56N	1/2" x 1 3/4"	Century	C331V1	
1/2	115/230	8.6/4.3	56Y	1/2" x 1 3/4"	US Motors	FD12CM2PZYR	
3/4	115/208-230	10.8/5.3-5.4	48Y	1/2" x 1 1/2"	Leeson	101119.00	
3/4	230/115	5.2/10.4	56N	1/2" x 1 3/4"	Century	C332	
3/4	115/230	10.6/5.3	56Y	1/2" x 1 3/4"	US Motors	FD34CM2PZYR	
1	115/208-230	10.8/6.0-5.4	56N	5/8" x 2 1/4"	Marathon	C1294A	
1	230/115	6.0/12.0	56N	5/8" x 2 1/4"	Century	C333V1	
1	115/230	12.8/6.5	56Y	5/8" x 2"	US Motors	FD1CM2PZY	With Rigid Base
1	115/230	14.0/7.0	56YZ	5/8" x 2"	Leeson	112615.00	Cap Start/Cap Run
1 1/2	230/115	6.6/13.2	56N	5/8" x 2 1/4"	Century	C340	
1 1/2	115/208-230	14.5/7.1-7.3	56NY	5/8" x 1 7/8"	Leeson	117884	Cap Start
1 1/2	115/230	16.2/8.1	56HY	5/8" x 1 7/8"	US Motors	FD32CM2PHZY	With Rigid Base
1 1/2	115/208-230	17.2/8.8-8.6	56HZ	7/8" x 1 3/8"	Leeson	111330.00	Cap Start/Cap Run

## 1725 RPM, **Three Phase**, “N” Flange, TEFC, Manual Overload, Reversible

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/3	208-230/460	1.8-2.0/1.0	56N	1/2" x 1 3/4"	US Motors	FD13SM2DZYR	
1/2	208-230/460	2.0-2.0/1.0	56N	1/2" x 1 3/4"	US Motors	FD12SM2DZYR	
3/4	208-230/460	2.7-2.6/1.3	56N	1/2" x 1 3/4"	US Motors	FD34SM2DZYR	
1	208-230/460	1.8-2.0/1.0	56N	5/8" x 2 1/4"	US Motors	FD1PM2DZYR	
1	208-230/460	3.3-3.3/1.65	56N	5/8" x 1 15/16"	Century	C348ES	
1 1/2	208-230/460	4.8-4.5/2.3	56N	5/8" x 2 1/4"	US Motors	FD32PM2DZYR	

## Centrifugal Fan Motors

1725 RPM, **Single Phase**, Capacitor Start/Capacitor Run, Rigid Base, ODP, No Thermal Overload, Reversible

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
5	208-230	23.0-21.0	184T	1 1/8" x 2 3/4"	Leeson	131537.00	
5	230	23.5	184T	1 1/8" x 2 3/4"	US Motors	D5C2K	Cap Start
7 1/2	230	35.5	215T	1 3/8" x 3 3/8"	US Motors	D7C2K21	Cap Start
7 1/2	230	36.0	215T	1 3/8" x 3 3/8"	Leeson	140155.00	
10	230	42.2	215T	1 3/8" x 3 3/8"	US Motors	D10C2K21	Cap Start
10	230	39	215TZ	1 3/8" x 4 1/2"	Leeson	141430.00	Cap Start/Cap Run

1725 RPM, **Three Phase**, Rigid Base, ODP

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
3	208-230/460	8.4-8.4/4.0	182T	1 1/8" x 2 3/4"	Century	E217M2	
3	230/460	7.8/3.9	182T	1 1/8" x 2 3/4"	Marathon	GT0010	
3	208-230/460	8.3-7.6/3.8	182T	1 1/8" x 2 3/4"	US Motors	D3P2D	
5	208-230/460	13.6-12.6/6.8	184T	1 1/8" x 2 3/4"	Century	E219M2	
5	208-230/460	13.7-12.4/6.2	184T	1 1/8" x 2 3/4"	US Motors	D5P2D	
5	230/460	12.4/6.2	184T	1 1/8" x 2 3/4"	Marathon	GT0013	
7 1/2	208-230/460	20.2-18.5/9.3	213T	1 3/8" x 3 3/8"	US Motors	D7P2D	
7 1/2	230/460	19.4/9.7	213T	1 3/8" x 3 3/8"	Century	E317M2	
7 1/2	230/460	19.8/9.9	213T	1 3/8" x 3 3/8"	Marathon	GT0016	
10	208-230/460	26.3-23.8/11.9	215T	1 3/8" x 3 3/8"	US Motors	D10P2D	
10	230/460	25.2/12.6	215T	1 3/8" x 3 3/8"	Century	E397M2	
10	230/460	25.4/12.7	215T	1 3/8" x 3 3/8"	Marathon	GT0019	
15	208-230/460	40-36/18.2	254T	1 5/8" x 4"	US Motors	D15P2D	
15	230/460	37.8/18.9	254T	1 5/8" x 4"	Century	E451M2	
15	230/460	38.0/19.0	254T	1 5/8" x 4"	Marathon	GT0059	
20	208-230/460	54-49/24.4	256T	1 5/8" x 4"	US Motors	D20P2D	
20	230/460	48.5/24.3	256T	1 5/8" x 4"	Marathon	GT0062	
20	230/460	49/24.5	256T	1 5/8" x 4"	Century	E407M2	
25	208-230/460	64-58/29	284T	1 7/8" x 4 5/8"	US Motors	D25P2D	
25	230/460	61/30.5	284T	1 7/8" x 4 5/8"	Century	E514M2	
25	230/460	62/31	284T	1 7/8" x 4 5/8"	Marathon	GT0065	
30	208-230/460	77-69/34	286T	1 7/8" x 4 5/8"	US Motors	D30P2D	
30	230/460	72.5/36	286T	1 7/8" x 4 5/8"	Marathon	GT0067	
30	230/460	73.2/36.6	286T	1 7/8" x 4 5/8"	Century	E516M2	

# Cow Cooler Motors

[Click to return to the Table of Contents](#)

## 1725 RPM, Single Phase, Capacitor Start/Capacitor Run, Rigid Base, TEAO, Manual Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1	115/230	9.6/4.8	56H	5/8" x 1 7/8"	Century	C593	
1 1/2	115/230	17.0/8.5	56H	5/8" x 1 7/8"	Century	C594V1	

## 1725/1140 RPM, 2-Speed, Single Phase, Capacitor Start/Capacitor Run, Rigid Base, TEAO, Manual Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1.0-.29	115	11.4/6.4	56H	5/8" x 1 7/8"	Century	C596	Loose lead construction
1.0-.29	230	5.3/3.0	56H	5/8" x 1 7/8"	Century	C597	Loose lead construction
1.5-.44	230	7.4/4.4	56H	5/8" x 1 7/8"	Century	C598	Loose lead construction

# Crop Dryer Motor

## 1780 RPM, Single Phase, Rigid Base, ODP, Thermostat Protected

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
16	230	61.0	256TZ	1 5/8" x 5"	Marathon	Z319	Cap Start/Cap Run

## 3600 RPM, Single Phase, Rigid Base, ODP, Thermostat Protected

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
3.4-5	230	13.0	145TZ	7/8" x 3"	Marathon	Z304	Auto Protector, Cap Start/Cap Run
3.4-5	230	13-19	145TZ	7/8" x 3"	Leeson	LM24778	Auto Protector, Cap Start/Cap Run
5-7.5	230	21.0	184TZ	1 1/8" x 3 3/8"	US Motors	FD5CM1K18Z	Cap Start, TEAO
5-7.5	230	27.2	184TZ	1 1/8" x 3"	Leeson	131847.00	Auto Protector, Cap Start/Cap Run
5-7.5	230	27.2	184TZ	1 1/8" x 3"	Marathon	Z305A	Cap Start
7-9	230	30.0	184TZ	1 1/8" x 3 3/8"	US Motors	FD7CM1K18Z	Cap Start, TEAO
7-10	230	31-42	184TZ	1 1/8" x 3"	Leeson	LM24780	Auto Protector, Cap Start/Cap Run
7-10.5	200-230	48-41	184TZ	1 1/8" x 4 1/2"	Century	K221M2	PSC
7.5-10.5	200-230	43-38	215TZ	1 1/8" x 4 1/2"	Century	K320M2	PSC
10-12	230	40.0	215TZ	1 1/8" x 3 3/8"	US Motors	FD10CM1K21Z	Cap Start, TEAO
10-14	200-230	57-52	215TZ	1 1/8" x 4 1/2"	Century	K321M2	PSC
10-15	230	40-59	215TZ	1 1/8" x 3 3/4"	Leeson	141084.00	No Thermal Overload

## 3600 RPM, Three Phase, Rigid Base, ODP & TEAO, Thermostat Protected

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
5	230/460	12.6/6.3	182TZ	1 1/8" x 3 1/2"	Marathon	B131849	DPAO
10-15	208-220/440	28-26/13	215TZ	1 1/8" x 3 5/8"	Leeson	140641.00	ODP

## Farm Building Belted Ventilation Motors

1725 RPM, Single Phase, **Split Phase, Resilient Base**, TEAO, Auto Protected

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/3	115	6.2	48Z	1/2" x 2 1/4"	Marathon	X1904	
1/3	230/115	2.2/4.4	48Z	1/2" x 2"	Century	F500L	TENV
1/3	230/115	3.5/7.0	56Z	1/2" x 2"	Century	F501	
1/3	230/115	3.5/7.0	56	5/8" x 1 7/8"	Century	F502V1	

1725 RPM, Single Phase, **Capacitor Start/Capacitor Run, Rigid Base**, 56 Frame, TEAO, Auto Protected

HP	Volts	Amps	S.F.	Shaft Dim.	Brand	Item Number	Notes
1/2	115/230	4.6/2.3	1.0	5/8" x 1 7/8"	Marathon	X913	
1/2	115/230	5.4/2.7	1.25	5/8" x 1 7/8"	US Motors	FD12BA2P9	
1/2	115/230	6.4/3.2	1.0	5/8" x 1 7/8"	Century	C588V1	Resilient Base
1/2	115/230	6.4/3.2	1.0	5/8" x 1 7/8"	Century	C580	
1/2	115/230	8.0/4.0	1.25	5/8" x 1 7/8"	US Motors	FD12BA2P	Resilient Base
3/4	115/230	10.8/5.4	1.25	5/8" x 1 7/8"	US Motors	FD34BA2P	
1	115/230	9.2/4.6	1.0	5/8" x 1 7/8"	Marathon	X912	
1	115/230	8.6/4.3	1.4	5/8" x 1 7/8"	Century	C782RB	
1	115/208-230	9.0/4.5	1.4	5/8" x 1 7/8"	US Motors	FD1CPA2JH	
1 1/2	115/230	13.6/6.8	1.3	5/8" x 1 7/8"	US Motors	FD32CPA2P	

# Farm Building Direct-Drive Ventilation Motors

## 825 RPM, Single Phase, PSC, Resilient Base, TEAO, Auto Protected

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/2	115/230	7.1/3.6	48Z	1/2" x 2 1/2"	Century	C039A	Included: 5/8" Sleeve & Key
1/2	115/230	6.6/3.3	56Z	5/8" x 2 1/2"	Century	C048	
1	230	5.1	56CZ	5/8" x 3 1/4"	Century	C783	CCWLE Rotation Only; Rigid Base

## 1100 RPM, Single Phase, PSC, Resilient Base, TEAO, Auto Protected

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/4	115	3.4	48Z	1/2" x 3"	Century	C059A	Included: 5/8" Sleeve & Key
1/4	115/230	3.2/1.6	48Z	1/2" x 2 1/4"	Marathon	X027	
1/4	115/230	4.0/2.0	48Z	1/2" x 3 1/4"	Century	C045A	Included: 5/8" Sleeve & Key
1/3	115/230	4.2/2.1	48Z	1/2" x 2 1/4"	Marathon	X028	
1/3	115/230	4.5/2.3	48Z	1/2" x 3 1/4"	Century	C046A	Included: 5/8" Sleeve & Key
1/2	115/230	6.4/3.2	48Z	1/2" x 2 1/4"	Marathon	X029	
1/2	115/230	6.5/3.3	48Z	1/2" x 3 1/8"	Century	C047A	Included: 5/8" Sleeve & Key

## 1725 RPM, Single Phase, PSC, Resilient Base, TEAO, Auto Protected

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/4	115/230	3.6/1.8	48Y	1/2" x 2 7/8"	Marathon	X030	
1/4	115/230	3.2/1.6	48Z	1/2" x 2 1/4"	Marathon	X024	
1/4	115/230	3.4/1.7	48Z	1/2" x 3 1/8"	Century	C042A	Included: 5/8" Sleeve & Key
1/3	115/230	3.8/1.9	48Y	1/2" x 2 7/8"	Marathon	X030	
1/3	115/230	3.6/1.8	48Z	1/2" x 3 1/8"	Century	C043A	Included: 5/8" Sleeve & Key
1/3	115/230	4.4/2.2	48Z	1/2" x 2 1/4"	Marathon	X025	
1/2	115/230	4.4/2.2	56H	5/8" x 1 7/8"	Leeson	100768.00	
1/2	115/230	5.5/2.8	48Z	1/2" x 3"	Century	C044A	Included: 5/8" Sleeve & Key
1/2	115/230	6.0/3.0	48Z	1/2" x 2 1/4"	Marathon	X026	

# Farm Duty High Torque Rigid Base Motors

1800 RPM, Single Phase, Capacitor Start/Capacitor Run, Rigid Base, TEFC, Manual Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/3	115/230	5.2/2.6	56	5/8" x 1 7/8"	Century	C310V1	Cap Start, TENV
1/3	115/208-230	6.4/3.4-3.2	56	5/8" x 1 7/8"	Leeson	113256.00	Cap Start
1/3	115/230	6.6/3.3	56	5/8" x 1 7/8"	US Motors	FD13CM2P	Cap Start
1/3	115/230	8.5/4.25	56	5/8" x 1 7/8"	TECO	S0/34	Cap Start
1/2	115/230	7.2/3.6	56	5/8" x 1 7/8"	Century	C311V1	Cap Start
1/2	115/208-230	8.8/4.2-4.4	56	5/8" x 1 7/8"	Marathon	F102	Cap Start
1/2	115/208-230	8.8/4.2-4.4	56	5/8" x 1 7/8"	Leeson	110086.00	Cap Start
1/2	115/230	9.0/4.5	56	5/8" x 1 7/8"	US Motors	FD12CM2P	Cap Start
1/2	115/230	9.4/4.7	56	5/8" x 1 7/8"	TECO	S0/54	
3/4	230/115	5.2/10.4	56	5/8" x 1 7/8"	Century	C312	Cap Start
3/4	115/208-230	10.8/5.2-5.4	56	5/8" x 1 7/8"	Leeson	110087.00	Cap Start
3/4	115/208-230	11/5.4-5.5	56	5/8" x 1 7/8"	Marathon	F103	Cap Start
3/4	115/230	11.4/5.7	56	5/8" x 1 7/8"	US Motors	FD34CM2P	Cap Start
3/4	115/230	12.2/6.1	56	5/8" x 1 7/8"	TECO	S0/74	
1	230/115	6.0/12.0	56	5/8" x 1 7/8"	Century	C313	Cap Start
1	115/208-230	13.4/6.8-6.7	56	5/8" x 1 7/8"	Marathon	F104	Cap Start
1	115/208-230	14.0/7.1-7.0	56	5/8" x 1 7/8"	Leeson	110088.00	Cap Start
1	115/230	14.0/7.0	56	5/8" x 1 7/8"	TECO	S0014	
1	115/230	14.0/7.0	56H	5/8" x 1 7/8"	US Motors	FD1CM2PZ	Cap Start
1	115/230	19.2/10.1	143T	7/8" x 2 1/4"	US Motors	FD1CM2P14	Cap Start
1 1/2	230/115	7.5/15.0	56	5/8" x 1 7/8"	Century	C314	
1 1/2	115/230	16.2/8.1	56	5/8" x 1 7/8"	US Motors	FD32CM2PH	
1 1/2	115/208-230	15.2/8.2-7.6	56H	5/8" x 1 7/8"	Marathon	F105	
1 1/2	115/208-230	17.2/8.8-8.6	56H	5/8" x 1 7/8"	Leeson	110089.00	Cap Start
1 1/2	115/208-230	15.2/8.2-7.6	145T	7/8" x 2 1/4"	Marathon	Z118	
1 1/2	230/115	7.5/15.0	145T	7/8" x 2 1/4"	Century	K104V1	
1 1/2	115/230	16.2/8.1	145T	7/8" x 2 1/4"	US Motors	FD32CM2P14	
2	230	9.0	56HZ	7/8" x 2 1/4"	Century	C319V1	
2	230	9.2	56HZ	7/8" x 2 1/4"	Leeson	110090.00	
2	115/230	20.0/10.0	56HZ	7/8" x 2 1/4"	US Motors	FD2CM2PHZ	Cap Start
2	115/230	18.8/9.4	145T	7/8" x 2 1/4"	Marathon	Z128	
2	230/115	8.7/17.4	182TZ	7/8" x 2 3/4"	Century	K119	
2	115/230	23.6/11.8	182T	1 1/8" x 2 3/4"	US Motors	FD2CM2P18	Cap Start
2	115/208-230	24.8/13.0-12.4	182T	1 1/8" x 2 3/4"	Leeson	131541.00	

## Farm Duty High Torque Rigid Base Motors (Continued)

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
3	230	14.5	184T	1 1/8" x 2 3/4"	US Motors	FD3CM2K18	
3	230	19.0	184T	1 1/8" x 2 3/4"	Leeson	131542.00	
5	230	20.0	184T	1 1/8" x 2 3/4"	Century	K215M2	
5	230	20.5	184T	1 1/8" x 2 3/4"	Leeson	131543.00	
5	230	22.0	184T	1 1/8" x 2 3/4"	US Motors	FD5CM2K18	
5	230	23.0	213T	1 3/8" x 3 3/8"	US Motors	FD5CM2K21	
7 1/2	230	30.0	215T	1 3/8" x 3 3/8"	Marathon	Z122	
7 1/2	230	30.0	215T	1 3/8" x 3 3/8"	US Motors	FD7CM2K21	
7 1/2	230	32.0	215T	1 3/8" x 3 3/8"	Leeson	140707.00	
7 1/2	230	34.0	215T	1 3/8" x 3 3/8"	Century	K311M2	
10	230	38.0	215T	1 3/8" x 3 3/8"	US Motors	FD10CM2K21	
10	230	40.0	215T	1 3/8" x 3 3/8"	Leeson	140706.00	

## Farm Duty Extra High Torque Rigid Base Motors

1800 RPM, Single Phase, Capacitor Start/Capacitor Run, Rigid Base, TEFC, Manual Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1 1/2	115/230	16.2/8.1	145T	7/8" x 2 1/4"	Century	K103	
1 1/2	115/230	19.2/10.1	145T	7/8" x 2 1/4"	US Motors	FDU32CM2P14	
1 1/2	115/230	22.0/11.0	145T	7/8" x 2 1/4"	TECO	S1/54	
2	115/230	24.0/12.0	182TZ	7/8" x 2 3/4"	Century	K204M2	
2	115/230	24.0/12.0	182TZ	7/8" x 2 3/4"	Marathon	Z112A	
2	115/230	25.6/12.8	182TZ	7/8" x 2 3/4"	US Motors	FDU2CM2P18Z	
2	115/230	28.0/14.0	182T	1 1/8" x 2 3/4"	TECO	S0024	
3	230	17.0	184T	1 1/8" x 2 3/4"	US Motors	FDU3CM2K18	
3	230	21.0	184T	1 1/8" x 2 3/4"	TECO	S0034	
5	208-230	21.8-22.5	184T	1 1/8" x 2 3/4"	Leeson	LM24802	
5	230	24.0	184T	1 1/8" x 2 3/4"	US Motors	FDU5CM2K18	
5	230	30.0	184T	1 1/8" x 2 3/4"	TECO	S0054	
5	230	23.0	215TZ	1 1/8" x 3 1/2"	Marathon	Z117	
5	230	24.0	215TZ	1 1/8" x 3 1/2"	Leeson	141432.00	
5	230	29.0	215TZ	1 1/8" x 3 1/2"	US Motors	FDU5CM2K21Z	
7 1/2	230	30.0	215TZ	1 1/8" x 3 3/8"	US Motors	FDU7CM2K21Z	
7 1/2	230	33.6	215TZ	1 1/8" x 3 3/8"	Leeson	141427.00	
7 1/2	230	36.0	213T	1 3/8" x 3 3/8"	TECO	S7/54	
10	230	40.0	215T	1 3/8" x 3 3/8"	Leeson	140414.00	
10	230	41.0	215T	1 3/8" x 3 3/8"	US Motors	FDU10CM2K21	
10	230	48.0	215T	1 3/8" x 3 3/8"	TECO	S0104	

## Farm Duty High Torque C-Face With Rigid Base Motors

1800 RPM, Single Phase, Capacitor Start/Capacitor Run, TEFC, Manual Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/3	115/230	6.6/3.3	56C	5/8" x 1 7/8"	US Motors	FD13CM2PC	
1/3	115/208-230	6.6/3.1-3.3	56C	5/8" x 1 7/8"	Marathon	F131	
1/2	115/230	7.2/3.6	56C	5/8" x 1 7/8"	Century	C311CV1	
1/2	115/208-230	8.8/4.2-4.4	56C	5/8" x 1 7/8"	Leeson	116486.00	Cap Start
1/2	115/208-230	8.8/4.2-4.4	56C	5/8" x 1 7/8"	Marathon	F132	
3/4	230/115	5.2/10.4	56C	5/8" x 1 7/8"	Century	C312CV1	
3/4	115/208-230	10.8/5.2-5.4	56C	5/8" x 1 7/8"	Leeson	116487.00	Cap Start
3/4	115/208-230	11/5.4-5.5	56C	5/8" x 1 7/8"	Marathon	F133	
3/4	11/230	11.4/5.7	56C	5/8" x 1 7/8"	US Motors	FD34CM2PC	
1	230/115	6.0/12.0	56C	5/8" x 1 7/8"	Century	C313C	
1	115/208-230	13.4/6.8-6.7	56C	5/8" x 1 7/8"	Marathon	F134	
1	115/208-230	14/6.8-7.0	56C	5/8" x 1 7/8"	Leeson	116488.00	Cap Start
1 1/2	230/115	7.5/15.0	56C	5/8" x 1 7/8"	Century	C314C	
1 1/2	115/208-230	15.2/8.2-7.6	56C	5/8" x 1 7/8"	Marathon	F135	
1 1/2	115/208-230	17.2/8.4-8.6	56C	5/8" x 1 7/8"	Leeson	116489.00	
2	115/230	18.8/9.4	56HC	5/8" x 1 7/8"	Marathon	K319	
3	230	19.0	184TC	1 1/8" x 2 3/4"	Leeson	131994.00	Cap Start
5	230	20.5	184TC	1 1/8" x 2 3/4"	Leeson	131995.00	

## Farm Duty Extra High Torque C-Face With Rigid Base Motors

1800 RPM, Single Phase, Capacitor Start/Capacitor Run, TEFC, Manual Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1	115/230	14.6/7.3	143TC	7/8" x 2"	Century	K102C	
1 1/2	115/230	16.2/8.1	145TC	7/8" x 2 1/4"	Century	K103C	
1 1/2	115/230	22.0/11.0	145TC	7/8" x 2 1/4"	TECO	S1/54C	
2	115/230	28.0/14.0	182TC	1 1/8" x 2 3/4"	TECO	S0024	
3	230	13.7	184TC	1 1/8" x 2 3/4"	Century	K205CM2	
3	208-230	16.4-17.0	184TC	1 1/8" x 2 3/4"	US Motors	FDU3CM2K18C	
3	230	21.0	184TC	1 1/8" x 2 3/4"	TECO	S0034C	
5	208-230	22.2-24.0	184TC	1 1/8" x 2 3/4"	US Motors	FDU5CM2K18C	
5	230	30.0	184TC	1 1/8" x 2 3/4"	TECO	S0054C	
7 1/2	230	38.0	215TCZ	1 1/8" x 3 1/8"	Century	K301C	
7 1/2	230	30.0	215TC	1 3/8" x 3 1/8"	US Motors	FDU7CM2K21C	
7 1/2	230	36.0	213TC	1 3/8" x 3 1/8"	TECO	S7/54C	
10	230	41.2	215TC	1 3/8" x 3 1/8"	US Motors	FDU10CM2K21C	
10	230	48.0	215TC	1 3/8" x 3 1/8"	TECO	S0104C	

## Grain Stirring Motors

[Click to return to the Table of Contents](#)

1800 RPM, Single Phase, Capacitor Start/Capacitor Run, Rigid Base, TEFC, Manual Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1 1/2	115/208-230	12.0/6.2-6.0	56HZ	5/8" x 1 7/8"	Leeson	111333.00	
1 1/2	230	7.4	56Y	7/8" x 1 7/16"	Century	C317	

## Instant Reverse Motors

1800 RPM, Single Phase, Capacitor Start, Rigid Base, TEFC, Manual Overload, Solid State Reverse Switch

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/2	115/230	7.2/3.6	56	5/8" x 1 7/8"	Century	C337	
3/4	115/230	10.8/5.4	56	5/8" x 1 7/8"	Leeson	114932.00	

## Milk Pump Motors

3450 RPM, **Single Phase**, PSC, C-Face With Rigid Base, TENV, Fixed Rotation: CWOSE, Stainless Steel Shaft

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/2	208-230	2.8-2.7	56HCZ	Threaded	Century	B584	Acme Threads
3/4	208-230	4.0-3.8	56HCZ	Keyed	Century	B582	
3/4	208-230	4.0-3.8	56HCZ	Threaded	Century	B585	Acme Threads
3/4	208-230	4.0-3.8	56HCZ	Special	Century	B592	OEM Repl.: Babson Part #27732
1	115/230	12.0/6.0	56CZ	Threaded	Leeson	119229.00	Stainless, Cap Start/Cap Run
1	208-230	4.8-4.5	56HCZ	Keyed	Century	B583	
1	208-230	4.8-4.5	56HCZ	Threaded	Century	B586	Acme Threads

3450 RPM, **Three Phase**, C-Face With Rigid Base, TENV, Fixed Rotation: CWOSE, Stainless Steel Shaft

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
3/4	208-230/460	2.5-2.4/1.2	56HCZ	Special	Century	B597	
3/4	208-230	2.5-2.4	56HCZ	Keyed	Century	B598	
1	208-230/460	3.3-3.2/1.6	56HCZ	Keyed	Century	B595	
1	208-230/460	3.3-3.2/1.6	56HCZ	Threaded	Century	B599	

## Pedestal Fan Motors

### 840 RPM, Single Phase, PSC, Yoke Mount, TEAO, Auto Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/2	115	6.4	48Y	5/8" x 2"	US Motors	1940	Cord and Plug with Pull Chain
1/2	115/230	6.1-3.1	48Y	5/8" x 2 5/8"	Century	969A	CCWLE

### 1100 RPM, Single Phase, PSC, Yoke Mount, TEAO, Auto Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/4	115	3.2	48Y	1/2" x 3"	Century	486A	Cord and Plug with Pull Chain
1/4	115	3.2	48Y	1/2" x 2 1/2"	Marathon	X923	
1/3	115	4.7	48Y	1/2" x 3"	Century	647A	2-Speed, Cord and Plug with Pull Chain
1/3	115	5.3	48Y	1/2" x 2"	US Motors	1935	2 Speed
1/2	115	5.7	48Y	1/2" x 2 1/2"	Marathon	X925	
1/2	115	5.8	48Y	5/8" x 3"	US Motors	1838	Cord and Plug with Pull Chain
1/2	115	6.1	48Y	5/8" x 3"	Century	648A	Cord and Plug with Pull Chain

### 1725 RPM, Single Phase, PSC, Yoke Mount, TEAO, Auto Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/4	115/230	3.6/1.8	48YZ	1/2" x 3 1/4"	Century	9451A	CCWLE
1/4	115/230	3.6/1.8	48YZ	1/2" x 2 1/2"	Marathon	X920	1625 RPM
1/4	115/230	3.6/1.8	48YZ	1/2" x 2 1/2"	Leeson	103711.00	1625 RPM
1/4	115	4.2	48YZ	1/2" x 2"	Century	YA2020	
1/4	115	5.1	48YZ	1/2" x 2"	Century	914L	ODP
1/3	115/230	3.0/1.5	48Y	1/2" x 2 1/2"	Century	970A	2-Speed, CCWLE
1/3	115	4.8	48YZ	1/2" x 2"	US Motors	1928	
1/3	115	6.0	48YZ	1/2" x 2"	Century	YA2030	
1/2	115/230	5.4/2.7	48Y	1/2" x 2 1/2"	Leeson	103719.00	1625 RPM
1/2	115/230	4.5/2.3	48Y	5/8" x 2 1/2"	Century	9452A	1625 RPM, CCWLE
1/2	115	5.0	48YZ	5/8" x 2"	Century	YA2054	Energy Efficient Split Phase Start, Cap Run
1/2	115	6.9	48YZ	5/8" x 2"	Century	915L	ODP

## Poultry Duty Motors

### 1725 RPM, Single Phase, Capacitor Start/Capacitor Run, Resilient Base, TEAO, Auto Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1/2	115/208-230	4.8/2.4	56	5/8" x 1 7/8"	Century	PD1050AV1	
1	115/230	9.0/4.5	56	5/8" x 1 7/8"	Century	PD6104AV2	
1	115/230	9.0/4.5	56	5/8" x 1 7/8"	Century	PD6104AV3	Rigid Base

# Pressure Washer Motors

[Click to return to the Table of Contents](#)

## 1800 RPM, Single Phase, Capacitor Start/Capacitor Run, ODP, Manual Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1 1/2	115/208-230	14.4/7.7-7.2	56HC	5/8" x 1 7/8"	Leeson	113700.00	
1 1/2	115/230	15.0/7.5	56C	5/8" x 1 7/8"	Century	C777	TEFC
2	115/208-230	17.2/8.8-8.6	56HC	5/8" x 1 7/8"	Leeson	113281.00	
3	208-230	13.5	145T	7/8" x 2 1/4"	Century	C218	
3	208-230	15.4	184TC	1 1/8" x 2 3/4"	Leeson	131853.00	

## 3600 RPM, Single Phase, Capacitor Start/Capacitor Run, ODP, Manual Overload

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1 1/2	115/230	13.0-6.5	56	5/8" x 2"	Century	B176	
1 1/2	115/230	13.0-6.5	56C	5/8" x 2"	Century	B871	TEFC
2	115/230	15.0,7.5	56	5/8" x 1 7/8"	Marathon	9035	
2	115/208-230	17.2/9.2-8.6	56	5/8" x 1 7/8"	Century	B177L	
3	208-230	13.5-12.5	56H	5/8" x 1 7/8"	Century	B178	
3	230	12.0	56HC	5/8" x 2"	Century	B382	TEFC
3	208-230	14-13	56HC	5/8" x 1 7/8"	Leeson	115048	TEFC
3	208-230	13.5-12.5	56HCZ	3/4" x 1 3/4"	Century	B867	
5	230	20.8	56HC	5/8" x 1 7/8"	Leeson	116709.00	
5	208-230	22.0	56HZ	7/8" x 2 1/3"	Century	B179	CWLE
5	208-230	22.0	56Y	7/8" x 2 1/3"	Century	B180	CWLE, 182T/184T Holes, 4.5" Shaft H.
6	230	24.0	56Y	7/8" x 2 1/3"	Century	B869	CWLE, 182T/184T Holes, 4.5" Shaft H.

# Three Phase Premium Efficiency

## 1800 RPM, Rigid Base, TEFC

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
1	208-230/460	3.0-2.7/1.4	143T	7/8" x 2 1/4"	Century	TE102	
1	230/460	3.2/1.6	143T	7/8" x 2 1/4"	Marathon	E2101	
1	230/460	3/1.5	143T	7/8" x 2 1/4"	US Motors	HD1P2E	
1 1/2	230/460	4.8/2.4	145T	7/8" x 2 1/4"	Marathon	E2104	
1 1/2	230/460	4.1/2.1	145T	7/8" x 2 1/4"	US Motors	HD32P2E	
2	230/460	5.8/2.9	145T	7/8" x 2 1/4"	Marathon	E2107	
2	230/460	5.3/2.7	145T	7/8" x 2 1/4"	US Motors	HD2P2E	

## Three Phase Premium Efficiency (Continued)

1800 RPM, Rigid Base, TEFC

HP	Volts	Amps	Frame	Shaft Dim.	Brand	Item Number	Notes
3	230/460	7.8/3.9	182T	1 1/8" x 2 3/4"	Marathon	GT1010A	
3	230/460	7.8/3.9	182T	1 1/8" x 2 3/4"	US Motors	HD3P2E	
5	230/460	12.4/6.2	184T	1 1/8" x 2 3/4"	Marathon	GT1013A	
5	230/460	12.7/6.3	184T	1 1/8" x 2 3/4"	US Motors	HD5P2E	
7 1/2	230/460	18.6/9.3	213T	1 3/8" x 3 3/8"	Marathon	GT1016A	
7 1/2	230/460	19.1/9.6	213T	1 3/8" x 3 3/8"	US Motors	HD7P2E	
10	230/460	25/12.5	215T	1 3/8" x 3 3/8"	Marathon	GT1019A	
10	230/460	25.7/12.8	215T	1 3/8" x 3 3/8"	US Motors	HD10P2E	
15	230/460	37.5/18.5	254T	1 5/8" x 4"	Marathon	GT1022A	
15	230/460	36/18	254T	1 5/8" x 4"	US Motors	HD15P2E	
20	230/460	48/24	256T	1 5/8" x 4"	Marathon	GT1025A	
20	230/460	27/23.7	256T	1 5/8" x 4"	US Motors	HD20P2E	
25	230/460	62/31	284T	1 7/8" x 4 5/8"	Marathon	GT1028A	
25	230/460	58/29.2	284T	1 7/8" x 4 5/8"	US Motors	HD25P2E	
30	230/460	73/36.5	286T	1 7/8" x 4 5/8"	Marathon	GT1031A	
30	230/460	70/35	286T	1 7/8" x 4 5/8"	US Motors	HD30P2E	
40	230/460	95/47.5	324T	2 1/8" x 5 1/4"	Marathon	GT1034A	
40	230/460	92/46	324T	2 1/8" x 5 1/4"	US Motors	HD40P2E	
50	230/460	119/59.5	326T	2 1/8" x 5 1/4"	Marathon	GT1037A	
50	230/460	112/56	326T	2 1/8" x 5 1/4"	US Motors	HD50P2E	

## Tractor Cab Pressurizer - 12 Volt DC

12Volt DC, Double Shaft, Open

Volts	Speeds	Body Length	Shaft Dimensions	Bolt Circle	Item Number	Notes
12	3	3 1/2"	4 5/8" x 3/8" x 4 5/8"	4 1/8"	2224FB	

# US Motors Vertical Hollowshaft - P Base - Premium Efficiency

## 1200 RPM, Weather Protected Type 1 (WP1)

HP	Volts	Frame	Base Dia.	Coupling	Thrust	Item Number	Notes
7.5	230/460	254TPH	12	1"	3800	HO7P3BLF	
10	230/460	256TPH	12	1"	3800	HO10P3BLF	

## 1800 RPM, Weather Protected Type 1 (WP1)

HP	Volts	Frame	Base Dia.	Coupling	Thrust	Item Number	Notes
15	230/460	254TP	10	1"	3300	HO15P2BLE	
15	230/460	254TPA	16.5	1"	3300	HO15P2BLG	
20	230/460	256TPH	12	1"	3300	HO20P2BLF	
20	230/460	256TPA	16.5	1"	3300	HO20P2BLG	
25	230/460	284TPA	12	1"	3300	HO25P2BLF	
25	230/460	284TPH	16.5	1"	3300	HO25P2BLG	
30	230/460	286TPA	12	1"	3300	HO30P2BLF	
30	230/460	286TPH	16.5	1"	3300	HO30P2BLG	
40	230/460	324TPH	12	1 1/4"	5700	HO40P2BLF	
40	230/460	324TP	16.5	1 1/4"	5700	HO40P2BLG	Part Winding Start
40	460	324TP	16.5	1 1/4"	5700	HO40P2BLG	Part Winding Start
50	230/460	326TPH	12	1 1/4"	5700	HO50P2BLF	
50	230/460	326TP	16.5	1 1/4"	5700	HO50P2BLG	
50	460	326TP	16.5	1 1/4"	5700	HO50P2SLG	Part Winding Start
60	230/460	364TP	16.5	1 1/4"	5700	HO60P2BLG	
60	460	364TP	16.5	1 1/4"	5700	HO60P2SLG	Part Winding Start
75	230/460	365TP	16.5	1 1/4"	5700	HO75P2BLG	
75	460	365TP	16.5	1 1/4"	5700	HO75P2SLG	Part Winding Start
100	230/460	404TP	16.5	1 1/2"	6700	HO100P2BLG	
100	460	404TP	16.5	1 1/2"	6700	HO100P2SLG	Part Winding Start
100	460	404TP	16.5	1 1/2"	11725	HO100P2SLGX	Part Winding Start
125	460	405TP	16.5	1 1/2"	6700	HO125P2SLG	Part Winding Start
125	460	405TP	16.5	1 1/2"	11725	HO125P2SLGX	Part Winding Start
150	460	H444TP	16.5	1 11/16"	9800	HO150P2SLG	Part Winding Start
150	460	H444TP	16.5	1 11/16"	17150	HO150P2SLGX	Part Winding Start
150	460	H444TP	20	1 11/16"	9800	HO150P2SLH	Part Winding Start
200	460	H445TP	16.5	1 11/16"	9800	HO200P2SLG	Part Winding Start
200	460	H445TP	20	1 11/16"	17150	HO200P2SLHX	Part Winding Start

# US Motors Vertical Hollowshaft - P Base - Premium Efficiency (Continued)

**3600 RPM**, Weather Protected Type 1 (WP1)

HP	Volts	Frame	Base Dia.	Coupling	Thrust	Item Number	Notes
20	230/460	254TPH	12	1"	2600	HO20P1BLF	
25	230/460	256TPH	12	1"	2600	HO25P1BLF	
30	230/460	284TPA	12	1"	2600	HO30P1BLF	
40	230/460	286TPA	12	1"	2600	HO40P1BLF	

# FLUE EXHAUST

Catalog 106

**PEMS**  
PRECISION ELECTRIC MOTOR SALES



**Specialty Motors & Blowers**

# CONTENTS

Model Index.....	01
Cross Reference.....	03
Motors & Blowers.....	28

**NOTE:** When replacing a blower assembly made by Fasco, look for a second sticker on the blower housing. Fasco made a change to their OEM blower assemblies, with separate labels for motor and blower assembly. If there are two labels, use the number from the blower housing to find the proper replacement.

# MODEL INDEX

A051	28
A063	28
A064	28
A065	28
A066	28
A067	28
A068	28
A069	28
A070	29
A073	29
A074	29
A075	29
A076	29
A077	29
A078	29
A079	29
A080	29
A081	30
A083	30
A086	30
A087	30
A088	30
A090	30
A100	30
A118	30
A121	30
A122	31
A123	31
A124	31
A126	31
A128	31
A129	31
A130	31
A131	31
A132	31
A134	32
A135	32
A136	32
A137	32
A138	32
A139	32
A140	32
A141	32
A142	32
A143	33
A144	33
A145	33
A146	33
A148	33

A150	33
A151	33
A154	33
A155	33
A156	34
A157	34
A158	34
A159	34
A160	34
A161	34
A162	34
A163	34
A164	34
A165	35
A168	35
A169	35
A170	35
A171	35
A172	35
A173	35
A174	35
A175	35
A176	36
A177	36
A178	36
A179	36
A180	36
A181	36
A182	36
A184	36
A185	36
A188	37
A189	37
A191	37
A192	37
A193	37
A194	37
A195	37
A196	37
A197	37
A198	38
A200	38
A201	38
A202	38
A203	38
A204	38
A205	38
A206	38
A207	38

A208	39
A209	39
A210	39
A211	39
A213	39
A217	39
A218	39
A219	39
A221	39
A222	40
A223	40
A225	40
A226	40
A227	40
A228	40
A229	40
A230	40
A234	40
A235	41
A236	41
A238	41
A239	41
A240	41
A241	41
A242	41
A244	41
A245	41
A246	42
A247	42
A248	42
A249	42
A251	42
A252	42
A253	42
A260	42
A264	42
A267	43
A268	43
A269	43
A270	43
A271	43
A272	43
A273	43
A274	43
A276	43
A277	44
A280	44
A281	44
A282	44

A284	44
A285	44
A286	44
A287	44
A289	44
A290	45
A301	45
A302	45
A306	45
A307	45
A320	45
A322	45
A324	45
A325	45
A330	46
A331	46
A360	46
A361	46
A362	46
A368	46
A369	46
A370	46
A373	46
A977	47
A979	47
A980	47
A981	47
A983	47
A984	47
A985	47
A990	47
A992	47
A994	48
A996	48
B23617	48
B23618	48
D0960	48
D1167	48
D1171	48
D1174	48
D1178	48
D1179	49
D1180	49
D1190	49
D1191	49
D1192	49
D1198	49
D404	49
D405	49
D408	49
D456	50
D457	50
D459	50
D461	50
D653	50

D673	50
D9430	50
D959	50
D9619	50
D9620	51
FB-RFB101	51
FB-RFB107	51
FB-RFB127	51
FB-RFB139	51
FB-RFB145	51
FB-RFB156	51
FB-RFB17	51
FB-RFB181	51
FB-RFB189	52
FB-RFB200	52
FB-RFB203	52
FB-RFB212	52
FB-RFB231	52
FB-RFB241	52
FB-RFB250	52
FB-RFB276	52
FB-RFB296	52
FB-RFB310	53
FB-RFB330	53
FB-RFB337	53
FB-RFB350	53
FB-RFB356	53
FB-RFB383	53
FB-RFB401	53
FB-RFB405	53
FB-RFB425	53
FB-RFB433	54
FB-RFB483	54
FB-RFB501	54
FB-RFB52	54
FB-RFB547	54
FB-RFB598	54
FB-RFB599	54
FB-RFB654	54
FB-RFB655	54
FB-RFB676	55
FB-RFB68	55
FB-RFB701	55
FB-RFB756	55
FB-RFB757	55
FB-RFB758	55
FB-RFB810	55
FB-RFB824	55
FB-RFB825	55
FB-RFB859	56
FB-RFB9	56
FB-RFB902	56
FM-RFM12	56
FM-RFM462	56
FM-RFM78	56

FM-RFM890	56
FM-RFM9	56
HC21ZE121B	56
K628	57
K629	57
K674	57
N066	57
N143	57
N157	57
N164	57
N172	57
N173	57
N182	58
N200	58
N781	58
R06428D455	58
R7-RB33	58
W10	58
W11	58
W3	58
W4	58
W8	59
W9	59
335	59
349	59
148055	59
163891	59
214067	59
024-24115-018	59
373-10337-702	59
3H35058-1	60
3H37362-1	60
3H37362-2	60
5H73597-1	60
5H73598-1	60
5H73598-2	60
80C93	60
80M52	60

# CROSS REFERENCE

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
AA1E097	COLEMAN	349
AB1S029	CARRIER	D459
AB1S029	RHEEM-RUUD	D459
AB1S078	CARRIER	D459
AB1S078	RHEEM-RUUD	D459
AK4K84BX	FEDDERS	A159
AK4K84BX	TRANE	FB-RFB337
AP10983-4	RHEEM-RUUD	A139
AP13605-3	RHEEM-RUUD	A994
B18590-05	GOODMAN	A157
B18590-05	GOODMAN	N157
B1859000	JANITROL	A079
B1859005	GOODMAN	A157
B1859005	GOODMAN	N157
B18590505	GOODMAN	A282
B2833001	GOODMAN	A140
B2833001S	GOODMAN	A140
B2833002	GOODMAN	A285
B295900	GOODMAN	A162
B40590-00	GOODMAN	A182
B40590-00	GOODMAN	FB-RFB405
B40590-00	GOODMAN	N182
B40590-035	GOODMAN	A184
B40590-35	GOODMAN	A157
B4059000	GOODMAN	A182
B4059000	GOODMAN	FB-RFB405
B4059000	GOODMAN	N182
B4833000	GOODMAN	A188
B4833000(S)	GOODMAN	FB-RFB483
BDP200-400	MODINE	5H73598-1
BDP50-175	MODINE	5H73597-1
BLW000517	TRANE	A130
BLW01401	TRANE	A277
BLW473	TRANE	A143
BLW473	TRANE	A361
BLW473	TRANE	N143
BTS 150-250	MODINE	3H37362-2
BV175-400	MODINE	5H73598-1
BV50-145	MODINE	5H73597-1
C661452P01	TRANE	A150
C663946P01	TRANE	A369
C664099P01	TRANE	A370
C665662P01	TRANE	A373
CHU90-3	CONSOLIDATED	A130
CMP850U2-50U3	CARRIER	D1179
CMPA50U2A	YORK	A168
CMPA50U2A	CARRIER	D1179
D324094P03	TRANE	A195
D330757P01	TRANE	A276
D330757P02	TRANE	A196
D330757P03	TRANE	A195
D330757P035	TRANE	A130

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
D330787P01	TRANE	A143
D330787P01	TRANE	A361
D330787P01	TRANE	FB-RFB337
D330787P01	TRANE	N143
D330900P01	TRANE	A194
D340623P01	TRANE	A368
D341095P01	TRANE	A360
D341663P05	TRANE	A362
D342077P01	TRANE	A198
D342077P02	TRANE	A199
D342077P03	TRANE	A260
D342078P01	TRANE	A264
D342078P05	TRANE	A267
D342078P06	TRANE	A268
D342094P02	TRANE	A196
D342097P01	TRANE	A197
D345183P01	TRANE	A277
D3CG076NI05-25D	YORK	FB-RFB655
D69964-5	AMANA	A160
D6996405	GOODMAN	A281
D98686-14	AMANA	A158
D98686-5	AMANA	A158
D98686-5	GOODMAN	FB-RFB405
D98686-7	GOODMAN	A158
D9868614	GOODMAN	FB-RFB405
D9868620	GOODMAN	A189
D9868620	TRANE	FB-RFB337
D986868	AMANA	A280
D9886202	GOODMAN	A284
DFP200-400	MODINE	5H73598-1
DFP75-175	MODINE	5H73597-1
F33AA01A13N	REZNOR	163891
F33HXJBB3621	YORK	D1171
F33HXKDS-4369	GOODMAN	A157
F33HXKDS-4369	GOODMAN	N157
FM-RFM7	REZNOR	FM-RFM78
FM-RFM8	REZNOR	FM-RFM78
FP12927	MODINE	5H73597-1
FP12929	MODINE	5H73598-1
FP41503	MODINE	3H35058-1
FP51682	MODINE	3H37362-1
FP51683	MODINE	3H37362-2
HC21ZE114	CARRIER	K674
HC21ZE115	CARRIER	K674
HC21ZE117	CARRIER	K674
HC21ZE117-13	CARRIER	FB-RFB212
HC23UZ115	CARRIER	K674
HC23UZ120	CARRIER	K674
HC24AU231	CARRIER	D1178
HC24AU600	CARRIER	D456
HC24AU700	CARRIER	D457
HC24AU701	CARRIER	D456
HC24AU702	CARRIER	D456
HC24AU710	CARRIER	D457

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
HC24AU725	CARRIER	D459
HC27VE12	CARRIER	D1178
HC30GB460	CARRIER	FM-RFM462
HC30GU208A	CARRIER	D1178
HC30GU209A	CARRIER	D1178
HC34AU725	CARRIER	D1174
HC660-005	CARRIER	FB-RFB212
HC680001	CARRIER	D1178
HD100-125	MODINE	3H37362-2
HD30-75	MODINE	3H37362-1
HDB100-125	MODINE	3H37362-2
HDB60-75	MODINE	3H37362-1
HDC100-125	MODINE	3H37362-2
HDS100-125	MODINE	3H37362-2
HQ1005131EM	INTERCITY PRODUCTS	A173
HQ1005131EM	INTERCITY PRODUCTS	FB-RFB350
HQ1005131EM	INTERCITY PRODUCTS	N173
HQ1007360EM	INTERCITY PRODUCTS	A173
HQ1007360EM	INTERCITY PRODUCTS	FB-RFB350
HQ1007360EM	INTERCITY PRODUCTS	N173
HQ1050144	HEIL QUAKER/(ICP)	A151
HQ601073UN	HEIL QUAKER	A073
J238-075-7230	WHIRLPOOL	A980
J238-087-8171	LENNOX	A068
J238-087-8171	LENNOX	A164
J238-087-8171	LENNOX	N164
J238-087-8244	WHIRLPOOL	A981
J238-100-10108AT	CARRIER	HC21ZE121B
J238-112-11064	GOODMAN	A157
J238-112-11064	GOODMAN	N157
J238-112-11128	GOODMAN	A157
J238-112-11128	GOODMAN	FB-RFB859
J238-112-11128	GOODMAN	N157
J238-112-11195	GOODMAN	A182
J238-112-11195	GOODMAN	FB-RFB405
J238-112-11195	GOODMAN	N182
J238-138-1344	TRANE	A143
J238-138-1344	TRANE	A361
J238-138-1344	TRANE	FB-RFB337
J238-138-1344	TRANE	N143
J238-150-13933	INTERCITY PRODUCTS	A051
J238-150-13933	INTERCITY PRODUCTS	A172
J238-150-13933	INTERCITY PRODUCTS	FB-RFB383
J238-150-13933	INTERCITY PRODUCTS	N172
J238-150-15165	RHEEM-RUUD	A066
J238-150-15165	RHEEM-RUUD	FB-RFB241
J238-150-15165	RHEEM-RUUD	N066
J238-150-15278	LENNOX	80M52
J238-150-1533	RHEEM-RUUD	A066
J238-150-1533	RHEEM-RUUD	FB-RFB241
J238-150-1533	RHEEM-RUUD	N066
J238-150-1571	CARRIER	K674
J239-050-5043	LENNOX	80C93
JA1C113	SKYMARK	A073

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
JA1M086	CARRIER	D1179
JA1M102	RHEEM-RUUD	A090
JA1M106	JANITROL	A079
JA1M106	RHEEM-RUUD	A079
JA1M109	HEIL QUAKER/(ICP)	A151
JA1M137	JANITROL	A079
JA1M137	RHEEM-RUUD	A079
JA1M151	MILLER FURNACE	B23617
JA1M161	RHEEM-RUUD	FB-RFB189
JA1M203	CARRIER	D1179
JA1M213	REZNOR	148055
JA1N062	RHEEM-RUUD	A086
JA1N065	RHEEM-RUUD	A086
JA1N069	RHEEM-RUUD	A086
JA1N074	WEIL MCLAIN	D1190
JA1N107	CONSOLIDATED	D9619
JA1N110	ARMSTRONG	D9430
JA1N114	CONSOLIDATED	D9620
JA1P053	CARRIER	D1180
JA1P067	CARRIER	D1180
JA1P077	CARRIER	D1180
JA1P082	CONSOLIDATED	D959
JA1P084	CARRIER	D1180
JA1P085	CARRIER	D1180
JA1P090	CONSOLIDATED	D0960
JA1P092	EVCON	A156
JB1M053	ARMSTRONG-JOHNSON	A081
JB1N075	ARMSTRONG	D9430
JB1P044	CARRIER	D459
JB1P044	RHEEM-RUUD	D459
JB1P044N	CARRIER	D1174
JB1P044N	CARRIER	D459
JB1R039	CARRIER	D459
JB1R039	RHEEM-RUUD	D459
JB1R040	RHEEM-RUUD	D653
JB1R042	RHEEM-RUUD	D653
JE1D010	CARRIER	FB-RFB757
JE1D013	CARRIER	FB-RFB756
JE1D014	CARRIER	FB-RFB758
JE1E024	REZNOR	214067
JE1E040	REZNOR	214067
JE1F026	REZNOR	163891
JF1E021	LENNOX	A324
K37MYNW-344	INTERCITY PRODUCTS	A173
K37MYNW-344	INTERCITY PRODUCTS	FB-RFB350
K37MYNW-344	INTERCITY PRODUCTS	N173
MPG50B3	DUCANE-LENNOXAIR-FLO	A100
N064000	YORK	A154
P251-2307	CARRIER	D1180
P251-2916	CARRIER	D1179
P441-1146	CARRIER	D1180
PDP200-400	MODINE	5H73598-1
PDP30-175	MODINE	5H73597-1
PTS150-250	MODINE	3H37362-2

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
PV175-400	MODINE	5H73598-1
PV30-145	MODINE	5H73597-1
R0156744	AMANA	A158
R0156859	AMANA	A160
RZ214067	REZNOR	214067
S1-024-24115-018	YORK	024-24115-018
SP11608	RHEEM-RUUD	FB-RFB139
T6-2118	LENNOX	A205
T6-2118P	LENNOX	A205
V52	CLARE	FB-RFB52
VR125 HEATER	REZNOR	214067
VR150 HEATER	REZNOR	214067
VR50	REZNOR	148055
VR75	REZNOR	148055
X38010571010	TRANE	A197
X38020420017	TRANE	A194
X38040050010	TRANE	A193
X38040251017	TRANE	A191
X38040252-02	TRANE	A069
X38040252017	TRANE	A069
X38040253057	TRANE	A192
X38040276047	TRANE	A146
X38040305017	TRANE	A143
X38040305017	TRANE	A361
X38040305017	TRANE	N143
X38040310-01	TRANE	FB-RFB310
X38040313027	TRANE	A196
X38040313037	TRANE	A130
X38040313060	TRANE	A196
X38040313070	TRANE	A195
X38040363010	TRANE	A269
X38040369010	TRANE	A270
X38080029010	TRANE	A150
X89-520	WILLIAMSON FURNACE	A118
770	YORK	A083
3120	LENNOX	A164
10702	GOODMAN	A182
10705	INTERCITY PRODUCTS	A172
10707	LENNOX	A164
27612	OLSEN-AIRCO	FB-RFB200
48331	GOODMAN	FB-RFB483
66005	GOODMAN	A157
66833	INTERCITY PRODUCTS	A172
66838	RHEEM-RUUD	A066
66847	RHEEM-RUUD	A066
82171	YORK	D1171
131410	REZNOR	163891
200010	AMANA	A158
401570	CONSOLIDATED	D959
420950	CLARE	A140
618151	YORK	373-10337-702
1010238	INTERCITY PRODUCTS	A141
1010324	INTERCITY PRODUCTS	A172
1010324	INTERCITY PRODUCTS	FB-RFB383

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
1010526	INTERCITY PRODUCTS	A170
1010527	INTERCITY PRODUCTS	A145
1010928	INTERCITY PRODUCTS	A170
1013833	INTERCITY PRODUCTS	A051
1013833	INTERCITY PRODUCTS	A172
1013915	INTERCITY PRODUCTS	A067
1014341	INTERCITY PRODUCTS	FB-RFB824
1054268	HEIL QUAKER/(ICP)	A148
1172824	INTERCITY PRODUCTS	FB-RFB824
1172825	INTERCITY PRODUCTS	FB-RFB825
1708607	INTERCITY PRODUCTS	A172
65204100	LENNOX	A206
70582338	GOODMAN	A078
00-81R02QJAA	RHEEM-RUUD	A066
0131G00000PS	GOODMAN	A078
0131M00002P	GOODMAN	A065
0131M00002P	GOODMAN	FB-RFB276
0171M00001S	GOODMAN	A077
0171M00002	GOODMAN	A076
02-568	WILLIAMSON	A080
024-24115-004	YORK	D1171
024-24115-005	YORK	024-24115-018
024-24115-014	YORK	024-24115-018
024-24115-017	YORK	FB-RFB654
024-24115-020	YORK	FB-RFB654
024-24115-505	YORK	024-24115-018
024-24115-710	YORK	024-24115-018
024-24115-713	YORK	024-24115-018
024-24115-714	YORK	FB-RFB231
024-25007-000	YORK	A137
024-25007-700	YORK	A137
024-25057-000	YORK	A137
024-25960-000	YORK	A165
024-27519-000	YORK	A154
024-27641-000	YORK	A227
024-31953-000	YORK	A230
024-31957-000	YORK	A228
024-32052-000	YORK	A229
024-32085-000	YORK	A229
024-34490-000	YORK	A226
024-34558-000	YORK	A225
026-16323	YORK	A083
026-20224-700	YORK	A083
026-22234-700	YORK	A063
026-22239-700	YORK	A063
026-251200-000	YORK	A069
026-29599-700	YORK	A144
026-29600-000	YORK	FB-RFB296
026-30614-700	YORK	A221
026-32067-000	YORK	A222
026-32067-700	YORK	A222
026-33999-001	YORK	A223
026-39532-000	YORK	A234
0271F00119	GOODMAN	A076

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
0271F00119S	GOODMAN	A076
031-7059	FEDDERS	B23618
0717M00000	GOODMAN	A077
0717M00000S	GOODMAN	A077
09-189	RHEEM-RUUD	FB-RFB189
098862-1	AMANA	A129
1000814	INTERCITY PRODUCTS	FB-RFB350
1000814	INTERCITY PRODUCTS	A173
1000814	INTERCITY PRODUCTS	N173
1001371	INTERCITY PRODUCTS	FB-RFB350
1001371	INTERCITY PRODUCTS	A173
1001371	INTERCITY PRODUCTS	N173
1001609	INTERCITY PRODUCTS	FB-RFB350
1001609	INTERCITY PRODUCTS	A173
1001609	INTERCITY PRODUCTS	N173
1002543	INTERCITY PRODUCTS	FB-RFB350
1002543	INTERCITY PRODUCTS	A173
1002543	INTERCITY PRODUCTS	N173
1005131	INTERCITY PRODUCTS	FB-RFB350
1005131	INTERCITY PRODUCTS	A173
1005131	INTERCITY PRODUCTS	N173
1005150	INTERCITY PRODUCTS	FB-RFB350
1005150	INTERCITY PRODUCTS	A173
1005150	INTERCITY PRODUCTS	N173
1005568	INTERCITY PRODUCTS	FB-RFB350
1005568	INTERCITY PRODUCTS	A173
1005568	INTERCITY PRODUCTS	N173
1006168	KEEPRITE	FB-RFB68
1006168P	INTERCITY PRODUCTS	A179
100676-01	ARMSTRONG	FB-RFB676
1007360	INTERCITY PRODUCTS	FB-RFB350
1007360	INTERCITY PRODUCTS	A173
1007360	INTERCITY PRODUCTS	N173
1008416P	INTERCITY PRODUCTS	A307
1008695	INTERCITY PRODUCTS	A145
1008695P	INTERCITY PRODUCTS	A145
1009518	INTERCITY PRODUCTS	A145
1009518	ICP, KEEP RITE, HEIL, COMFORTMAKER	FB-RFB145
1009924	INTERCITY PRODUCTS	A145
1009924	ICP, KEEP RITE, HEIL, COMFORTMAKER	FB-RFB145
100B5	DUCANE-LENNOX AIR-FLO	A100
100U2A	DUCANE-LENNOX AIR-FLO	A168
1010236P	INTERCITY PRODUCTS	A172
1010236P	INTERCITY PRODUCTS	N172
1010238	INTERCITY PRODUCTS	A174
1010238	INTERCITY PRODUCTS	A302
1010238P	INTERCITY PRODUCTS	A134
1010238P	INTERCITY PRODUCTS	A172
1010238P	INTERCITY PRODUCTS	FB-RFB383
1010238P	INTERCITY PRODUCTS	N172
1010239P	INTERCITY PRODUCTS	A301
1010312	INTERCITY PRODUCTS	A170
1010324	INTERCITY PRODUCTS	A134
1010324	INTERCITY PRODUCTS	N172

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
1010324P	INTERCITY PRODUCTS	A302
1010491	INTERCITY PRODUCTS	A171
1010527	ICP, KEEP RITE, HEIL, COMFORTMAKER	FB-RFB145
1010527P	INTERCITY PRODUCTS	A171
101070	RHEEM-RUUD	FB-RFB107
1010975	INTERCITY PRODUCTS	A134
1010975	INTERCITY PRODUCTS	A172
1010975	INTERCITY PRODUCTS	N172
1010975P	INTERCITY PRODUCTS	A172
1011095	INTERCITY PRODUCTS	A170
1011096	INTERCITY PRODUCTS	A171
1011097	INTERCITY PRODUCTS	A170
1011350	KEEPRITE	A173
1011350	KEEPRITE	FB-RFB350
1011350	INTERCITY PRODUCTS	N173
1011404	ICP, KEEPRITE, HEIL, COMFORTMAKER	FB-RFB145
1011409	INTERCITY PRODUCTS	A170
1011410	INTERCITY PRODUCTS	A171
1011412	INTERCITY PRODUCTS	A145
1011412	INTERCITY PRODUCTS	A171
101154-01	LENNOX	A320
1011632	INTERCITY PRODUCTS	A177
1011899	INTERCITY PRODUCTS	A176
101202-01	LENNOX	A990
1013188	INTERCITY PRODUCTS	A178
1013833	INTERCITY PRODUCTS	FB-RFB383
1013833	INTERCITY PRODUCTS	N172
1013915	INTERCITY PRODUCTS	FB-RFB330
1014338	INTERCITY PRODUCTS	A067
1014433	INTERCITY PRODUCTS	A983
1014433	INTERCITY PRODUCTS	FB-RFB433
1014529	INTERCITY PRODUCTS	A983
1014529	INTERCITY PRODUCTS	FB-RFB433
101523-01	ARMSTRONG	R06428D455
102529	YORK	A234
102701-01	LENNOX	A253
103014-03	LENNOX	A248
103274-01	LENNOX	A252
103274-03	LENNOX	A252
103618-01	LENNOX	A249
103618-03	LENNOX	A249
1050144	HEIL QUAKER/(ICP)	A151
105854-04	GOODMAN-AMANA	A185
10585405	AMANA	A287
10702	GOODMAN	N182
10705	INTERCITY PRODUCTS	N172
10707	LENNOX	N164
1070770	KEEPRITE ICP	FB-RFB107
1070770	RHEEM-RUUD	FB-RFB107
107701	RHEEM-RUUD	FB-RFB107
108-5	CLARE CONSOLIDATED	A130
1085571P	INTERCITY PRODUCTS	A169
1094073	INTERCITY PRODUCTS	A141
1094073P	INTERCITY PRODUCTS	A141

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
1094704	INTERCITY PRODUCTS	A141
1097245	INTERCITY PRODUCTS	A306
1097245	KEEPRITE ICP	FB-RFB107
10K5101	LENNOX	A164
10K5101	LENNOX	N164
10K5101P	LENNOX	A164
10K5301	LENNOX	A164
10K5301	LENNOX	N164
10K5301P	LENNOX	A164
10K5301P	LENNOX	N164
11009001	AMANA	A129
11009001	GOODMAN	A129
11009002	AMANA	A129
11009002	GOODMAN	A129
11009003	GOODMAN	A129
11051403	OLSEN-AIRCO	FB-RFB200
11096904	AMANA	A286
1110008	INTERCITY PRODUCTS	A169
11429-32	SKYMARK	A073
1149097	INTERCITY PRODUCTS	A307
1150474	INTERCITY PRODUCTS	FB-RFB350
1150474	INTERCITY PRODUCTS	A173
1150474	INTERCITY PRODUCTS	N173
1164280	INTERCITY PRODUCTS	A145
1164280	INTERCITY PRODUCTS	A170
1164280	ICP, KEEPRITE, HEIL, COMFORTMAKER	FB-RFB145
117104-01	RHEEM-RUUD	A066
117104-01	RHEEM-RUUD	N066
117104-04	RHEEM-RUUD	A066
117104-05	RHEEM-RUUD	A066
117104-05	RHEEM-RUUD	N066
117524-00	BRADFORD WHITE	W3
117592-00	OLSEN-AIRCO	FB-RFB200
117847-00	RHEEM-RUUD	A066
117847-00	RHEEM-RUUD	N066
117847-07	RHEEM-RUUD	A066
117847-07	RHEEM-RUUD	N066
1183211	YORK	A235
119233-00	BRADFORD WHITE	W3
119243-00	RHEEM-RUUD	N066
119243-000	RHEEM-RUUD	A066
119255-00	INTERCITY PRODUCTS	A067
119276-00	GOODMAN	A065
119276-00SP	GOODMAN	FB-RFB276
119290-00	INTERCITY PRODUCTS	A983
119349-00	LENNOX	80M52
119351-00	GOODMAN	A979
119384-00	GOODMAN	FB-RFB501
119388-00	BRADFORD WHITE	A977
119449-00	CARRIER	A978
12400500	STATE INDUSTRIES	W9
12400540	STATE INDUSTRIES	W10
125B5	DUCANE-LENNOX AIR-FLO	A100
125U2A	DUCANE-LENNOX AIR-FLO	A168

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
126-5	CLARE CONSOLIDATED	A130
135327	LENNOX	FB-RFB101
148053	REZNOR	214067
1708-518	INTERCITY PRODUCTS	D1167
1708-600P	INTERCITY PRODUCTS	A175
1708-607P	INTERCITY PRODUCTS	A134
1708-607P	INTERCITY PRODUCTS	A172
1708-607P	INTERCITY PRODUCTS	N172
1708607	INTERCITY PRODUCTS	A134
1708607	INTERCITY PRODUCTS	FB-RFB383
1708607P	INTERCITY PRODUCTS	N172
17406	YORK	373-10337-702
17500	YORK	A226
17503	YORK	A225
183381-000	A.O. SMITH	W4
1898107	FEDDERS	A159
18L0401	LENNOX	A213
18M6701	LENNOX	A210
19J04	LENNOX	A205
19JU04	LENNOX	A135
200-44403	GOODMAN	A181
2000	YORK	A083
20000101	YORK	A168
20044401	AMANA	A160
20044401	GOODMAN	A160
20054001	DUCANE-LENNOX AIR-FLO	A168
20082	OLSEN-AIRCO	FB-RFB200
20093601	DUCANE-LENNOX AIR-FLO	A100
201-90601	GOODMAN-AMANA	A180
20190601	ARMSTRONG-JOHNSON	FB-RFB547
20245903	GOODMAN	A290
20282002	DUCANE-LENNOX AIR-FLO	A100
20351402	GOODMAN	A289
203884300	ARMSTRONG	FB-RFB203
203884B002	ARMSTRONG	FB-RFB203
2040001	NEWMAC	R7-RB33
20538701	LENNOX	80M52
20538702	LENNOX	80M52
20J8101	LENNOX	A138
20J8101P	LENNOX	A138
20J8901	LENNOX	A206
210330673	TRANE	A143
210330673	TRANE	N143
210340125	TRANE	A143
210340125	TRANE	N143
214067	REZNOR	214067
21D330673	TRANE	A361
21D330673	TRANE	FB-RFB337
21D340096P04	TRANE	A146
21D340125	TRANE	A361
21D340125	TRANE	FB-RFB337
21D340365P03	TRANE	A130
22307501	GOODMAN	FB-RFB501
239-39785-00	BRADFORD WHITE	W3

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
239-41605-00	BRADFORD WHITE	W3
239-45584-00	BRADFORD WHITE	W11
23G8101	LENNOX	FB-RFB101
251-2918	CARRIER	D1179
25J1201	LENNOX	D1198
25M5501	LENNOX	A217
265-45583-00	BRADFORD WHITE	A977
265-45584-00	BRADFORD WHITE	W11
2702-321	YORK	A156
2702-321	COLEMAN, EVCON	FB-RFB156
2702-321A	EVCON	A156
2702-321P	YORK	A156
27K5201	LENNOX	A164
27K5201	LENNOX	N164
27K5201P	LENNOX	A164
27K5201P	LENNOX	N164
28686	RHEEM-RUUD	A136
28G6601	LENNOX	A324
2940-391	YORK	A088
2940-391P	YORK	A088
2940391P	COLEMAN, DORN BACK	A088
301544	MILLER FURNACE	335
303875000	MILLER FURNACE	B23617
3120	LENNOX	N164
313L5501	LENNOX	A200
318984-753	CARRIER	FB-RFB212
31L5501	LENNOX	N200
320725-751	CARRIER	FB-RFB756
320725-752	CARRIER	FB-RFB756
320725-753	CARRIER	FB-RFB756
320725-756	CARRIER	FB-RFB756
324-25007-000	YORK	A137
325240-761	CARRIER	FB-RFB756
3255A	OLSEN	FB-RFB203
326-0296-700	YORK	FB-RFB296
326-25999-000	YORK	A144
326-29600-000	YORK	FB-RFB296
329148-701	INTERCITY PRODUCTS	A067
329148-701	INTERCITY PRODUCTS	FB-RFB330
330701-701	INTERCITY PRODUCTS	FB-RFB330
330701-701FA	INTERCITY PRODUCTS	A985
33J4104	LENNOX	A135
33J4104P	LENNOX	A135
341449	YORK	A235
341449	YORK	A984
348572	YORK	A238
352759	INTERCITY PRODUCTS	FB-RFB350
352759	INTERCITY PRODUCTS	A173
352759	INTERCITY PRODUCTS	N173
3575C	ARMSTRONG-JOHNSON	A081
35Z760	GOODMAN	A182
35Z760	GOODMAN	N182
367170004	ARMSTRONG-JOHNSON	FB-RFB547
373-10337-701	YORK	373-10337-702

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
38040252	TRANE	A069
38040308	TRANE	A271
38040309	TRANE	A272
38040310	TRANE	A273
38040311	TRANE	A274
38050005	TRANE	A075
381-356-499	WEIL MCLAIN	FB-RFB356
38M5001	LENNOX	A209
39L4201	LENNOX	A218
401450	CONSOLIDATED	D0960
40404-003G-004	ARMSTRONG-JOHNSON	FB-RFB547
40404-004	ARMSTRONG-JOHNSON	FB-RFB547
40425-002	LENNOX	A155
40425-002	ARMSTRONG-JOHNSON	FB-RFB425
40425-003	LENNOX	A155
40N238	LENNOX	A164
40N238	LENNOX	N164
41144-001/H	LENNOX	A201
41144-0015	LENNOX	A201
41H438	GOODMAN	A157
41H438	GOODMAN	N157
41H447	TRANE	A143
41H447	TRANE	N143
422030	CONSOLIDATED	D9620
42250-001	ARMSTRONG	D9430
42250-001	LENNOX	D9430
42250-001	ARMSTRONG	FB-RFB250
4246100	CLARE	A140
4246100	CONSOLIDATED	D9619
4246101	CONSOLIDATED	D9620
4246106	CLARE CONSOLIDATED	A130
43424	REZNOR	FM-RFM78
438144	YORK	A236
43846	REZNOR	FM-RFM78
43K41	LENNOX	A164
43K4101	LENNOX	A164
43K4101	LENNOX	N164
43K4101P	LENNOX	A164
43K4101P	LENNOX	N164
4429-32	TRANE	A069
4429-32	JANITROL	A083
44431-001	ARMSTRONG-JOHNSON	FB-RFB547
45037-001	LENNOX	A202
45037-1P	LENNOX	A202
45KC64	LENNOX	A164
45KC64	LENNOX	N164
45KC76	GOODMAN	A182
45KC76	GOODMAN	N182
45KC91	LENNOX	A200
45KC91	LENNOX	N200
46087-001	LENNOX	A202
46K4101	LENNOX	A164
46K4101	LENNOX	N164
48HWC181	MAGIC CHEF	A081

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
48HWC24A	MAGIC CHEF	A081
490950	CONSOLIDATED	D9619
49L5301	LENNOX	A203
4R06428D455	ARMSTRONG	R06428D455
501493	KEEPRITE	FM-RFM9
504015	KEEPRITE	K628
50415K	KEEPRITE	K628
50M69	LENNOX	80M52
51-21504-01	RHEEM-RUUD	D673
51-21964-01	RHEEM-RUUD	K628
510-312-273	WEIL MCLAIN	FB-RFB356
54-3	CLARE	A140
5426424	YORK	A239
5426425	YORK	A238
5426426	YORK	A239
5445639	YORK	A235
588-556	RHEEM-RUUD	D459
5C087	RHEEM-RUUD	A086
5C088	RHEEM-RUUD	A086
5C089	RHEEM-RUUD	A142
5H073598-001	MODINE	FB-RFB599
5H0757440001	MODINE	3H35058-1
5H0797950000	MODINE	3H37362-2
5H73598-2	MODINE	FB-RFB598
5H75038000	MODINE	3H37362-1
5H75744-1	MODINE	3H35058-1
5KSB46FG0001	GOODMAN	FB-RFB483
60J4201	LENNOX	A218
60M7901	LENNOX	A207
60M8101	LENNOX	A208
60M8101	LENNOX	FB-RFB810
610672	HEIL QUAKER	A064
610672	HEIL QUAKER	D673
621007	MILLER FURNACE	D1192
6212850	NORDYNE	A132
6216130	NORDYNE	A130
6216480	NORDYNE	A132
6217000	NORDYNE	A131
6217930	NORDYNE	A121
6219290	NORDYNE	A124
6219490	NORDYNE	A122
6219500	NORDYNE	A126
622065	MILLER FURNACE	D1192
622064	NORDYNE	A123
63172	GSW, JOHN WOODS	FB-RFB127
63172	GSW, JOHN WOODS	W8
63418	GSW, JOHN WOODS	FB-RFB127
66005	GOODMAN	N157
66590	GOODMAN	FB-RFB405
66833	INTERCITY PRODUCTS	FB-RFB383
66838	RHEEM-RUUD	N066
66847	RHEEM-RUUD	N066
67K0401	LENNOX	A163
67K0401P	LENNOX	A163

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
68K21	LENNOX	A163
68K21	LENNOX	FB-RFB547
69M3201	LENNOX	A331
69M3301	LENNOX	A330
6D1073	HEIL QUAKER	A073
70-100612-01	RHEEM-RUUD	A247
70-101087-01	RHEEM-RUUD	A066
70-101087-01	RHEEM-RUUD	N066
70-101087-81	RHEEM-RUUD	N781
70-104157-02	RHEEM-RUUD	A070
70-104157-03	RHEEM-RUUD	A074
70-21496-01	RHEEM-RUUD	A079
70-21496-01	RHEEM-RUUD	A090
70-21496-03	RHEEM-RUUD	A079
70-21496-83	RHEEM-RUUD	A079
70-21496-83	RHEEM-RUUD	A240
70-21501-04	RHEEM-RUUD	A079
70-21504-03	RHEEM-RUUD	A079
70-21876-01	RHEEM-RUUD	A086
70-22162-81	RHEEM-RUUD	A142
70-22165-81	RHEEM-RUUD	A142
70-22436-01	RHEEM-RUUD	A242
70-22838-02	RHEEM-RUUD	A066
70-22838-02	RHEEM-RUUD	A142
70-22838-02	RHEEM-RUUD	FB-RFB241
70-22838-02	RHEEM-RUUD	N066
70-22838-82	RHEEM-RUUD	A066
70-22838-82	RHEEM-RUUD	N066
70-23641-81	RHEEM-RUUD	A241
70-24033-01	RHEEM-RUUD	A136
70-24033-01-03	RHEEM-RUUD	A136
70-24121-03	RHEEM-RUUD	N066
70-241211-03	RHEEM-RUUD	A066
70-24149-01	RHEEM-RUUD	A142
70-24151-83	RHEEM-RUUD	A066
70-24151-83	RHEEM-RUUD	N066
70-24157-03	RHEEM-RUUD	A066
70-24157-03	RHEEM-RUUD	FB-RFB241
70-24157-03	RHEEM-RUUD	N066
70-24157-03	RHEEM-RUUD	N781
70-24175-01	RHEEM-RUUD	A066
70-24175-01	RHEEM-RUUD	N066
70-24175-81	RHEEM-RUUD	A066
70-24175-81	RHEEM-RUUD	N066
70-24178-01	RHEEM-RUUD	A066
70-24178-01	RHEEM-RUUD	N066
70-24206-01	RHEEM-RUUD	A246
70-24206-02	RHEEM-RUUD	A246
70-24206-1	RHEEM-RUUD	A142
70-42241-01	RHEEM-RUUD	A244
70-42278-02	RHEEM-RUUD	A245
7002-1891	INTERCITY PRODUCTS	A175
7002-2307	GOODMAN	A157
7002-2307	GOODMAN	N157

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
7002-2407	AMANA	A160
7002-2407	GOODMAN	A160
7002-2532	TRANE	A360
7002-2558	TRANE	A143
7002-2558	TRANE	A361
7002-2558	TRANE	N143
7002-2633	INTERCITY PRODUCTS	A172
7002-2771	GOODMAN	A157
7002-2771	GOODMAN	N157
7002-2792	INTERCITY PRODUCTS	A172
7002-2941	YORK	A228
7002-2946	INTERCITY PRODUCTS	A176
7002-2975	LENNOX	A200
7002-2975	LENNOX	N200
7002-3036	GOODMAN	A182
7002-3036	GOODMAN	FB-RFB405
7002-3036	GOODMAN	N182
7002-3158	NORDYNE	A126
7002-3162	GOODMAN	A157
7002-3162	GOODMAN	N157
7002-3219	GOODMAN	A157
7002-3219	GOODMAN	N157
7002-3273	TRANE	A143
7002-3273	TRANE	A362
7002-3273	TRANE	N143
7002-3285	YORK	A228
7002-3443	TRANE	A264
7002-3446	TRANE	A267
7002-3447	TRANE	A268
7002-3509	LENNOX	A200
7002-3509	LENNOX	N200
7021-10046	ARMSTRONG-JOHNSON	A155
7021-10046	LENNOX	A155
7021-10048	INTERCITY PRODUCTS	A169
7021-10055	LENNOX	A201
7021-10096	YORK	A223
7021-10108	LENNOX	A164
7021-10108	LENNOX	N164
7021-10126	ARMSTRONG	FB-RFB250
7021-10159	NORDYNE	A131
7021-10171	NORDYNE	A131
7021-10195	A.O. SMITH	W4
7021-10257	YORK	A063
7021-10259	TRANE	A069
7021-10262	JANITROL	A079
7021-10262	RHEEM-RUUD	A079
7021-10264	MAGIC CHEF	A081
7021-10265	YORK	A083
7021-10266	RHEEM-RUUD	A086
7021-10267	YORK	A088
7021-10268	RHEEM-RUUD	A090
7021-10271	CONSOLIDATED	A128
7021-10272	GOODMAN	A129
7021-10273	NORDYNE	A131

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
7021-10274	NORDYNE	A132
7021-10275	INTERCITY PRODUCTS	A134
7021-10275	INTERCITY PRODUCTS	A172
7021-10275	INTERCITY PRODUCTS	N172
7021-10276	LENNOX	A135
7021-10277	LENNOX	A138
7021-10278	RHEEM-RUUD	A139
7021-10279	GOODMAN	A140
7021-10280	INTERCITY PRODUCTS	A141
7021-10281	TRANE	A143
7021-10281	TRANE	A361
7021-10281	TRANE	FB-RFB337
7021-10282	YORK	A144
7021-10283	TRANE	A146
7021-10284	HEIL QUAKER/(ICP)	A148
7021-10286	TRANE	A150
7021-10287	HEIL QUAKER/(ICP)	A151
7021-10291	TRANE	A143
7021-10291	TRANE	A361
7021-10291	TRANE	FB-RFB337
7021-10299	INTERCITY PRODUCTS	A145
7021-10299	INTERCITY PRODUCTS	A170
7021-10299	ICP, KEEPRITE, HEIL, COMFORTMAKER	FB-RFB145
7021-10300	YORK	A154
7021-10302	LENNOX	A163
7021-10325	LENNOX	A155
7021-10325	ARMSTRONG-JOHNSON	FB-RFB425
7021-10363	INTERCITY PRODUCTS	A177
7021-10376	LENNOX	A213
7021-10381	NORDYNE	A121
7021-10410	WEIL MCLAIN	FB-RFB356
7021-10412	LENNOX	D9430
7021-10461	MODINE	3H37362-1
7021-10493	NORDYNE	A132
7021-10548	STATE INDUSTRIES	W9
7021-10580	INTERCITY PRODUCTS	A169
7021-10602	LENNOX	A202
7021-10676	LENNOX	A218
7021-10702	INTERCITY PRODUCTS	A170
7021-10721	LENNOX	A163
7021-10721	LENNOX	FB-RFB547
7021-10743	LENNOX	A201
7021-10841	LENNOX	A203
7021-10882	YORK	A156
7021-10910	A.O. SMITH	W4
7021-10928	INTERCITY PRODUCTS	A178
7021-10940	MODINE	3H35058-1
7021-10958	GOODMAN	A188
7021-10958	GOODMAN	FB-RFB483
7021-10979	RHEEM-RUUD	A994
7021-11042	LENNOX	A164
7021-11042	LENNOX	N164
7021-11054	TRANE	A269
7021-11062	LENNOX	A155

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
7021-11063	LENNOX	A210
7021-11086	STATE INDUSTRIES	W10
7021-11106	LENNOX	A202
7021-11174	LENNOX	A202
7021-11227	NORDYNE	A122
7021-11231	LENNOX	A217
7021-11306	TRANE	A195
7021-11379	NORDYNE	A124
7021-11385	NORDYNE	A123
7021-11406	LENNOX	A204
7021-11445	RHEEM-RUUD	A996
7021-11543	TRANE	A195
7021-11544	TRANE	A196
7021-11545	TRANE	A196
7021-11559	RHEEM-RUUD	A066
7021-11559	RHEEM-RUUD	FB-RFB241
7021-11559	RHEEM-RUUD	N066
7021-11559	RHEEM-RUUD	N781
7021-115775	YORK	A225
7021-11634	LENNOX	A211
7021-11634	LENNOX	A992
7021-11734	MODINE	3H37362-2
7021-11909	GOODMAN	FB-RFB483
7021-12065	A.O. SMITH	W4
7021-12106	ARMSTRONG	R06428D455
7021-12572	RHEEM-RUUD	A070
7021-12654	BRADFORD WHITE	W11
7021-12659	MODINE	5H73598-1
7021-12659	MODINE	FB-RFB599
7021-1373	YORK	A083
7021-1894	LENNOX	A164
7021-1894	LENNOX	N164
7021-2187	EVCON	K629
7021-4004	TRANE	A130
7021-4061	INTERCITY PRODUCTS	A145
7021-4061	INTERCITY PRODUCTS	A170
7021-4061	INTERCITY PRODUCTS	FB-RFB145
7021-4314	YORK	A063
7021-5043	HEIL QUAKER	A064
7021-5239	RHEEM-RUUD	A090
7021-5478	COLEMAN, DORNBACK	A088
7021-5478	YORK	A088
7021-5510	WILLIAMSON	A080
7021-5615	RHEEM-RUUD	A079
7021-5715	RHEEM-RUUD	A090
7021-5853	20TH CENTURY	A086
7021-5990	RHEEM-RUUD	A086
7021-6376	CONSOLIDATED	A128
7021-6682	TRANE	A069
7021-6683	TRANE	A191
7021-6691	YORK	A221
7021-6759	COLEMAN, DORNBACK	A088
7021-6770	YORK	A144
7021-6804	JANITROL	A079

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
7021-6967	RHEEM-RUUD	A244
7021-6999	WILLIAMSON	A118
7021-6999	WILLIAMSON FURNACE	A118
7021-7006	AMANA	A129
7021-7042	WILLIAMSON	A118
7021-7042	WILLIAMSON FURNACE	A118
7021-7102	HEIL QUAKER	A064
7021-7104	20TH CENTURY	A086
7021-7104	RHEEM-RUUD	A086
7021-7105	RHEEM-RUUD	A086
7021-7150	RHEEM-RUUD	A242
7021-7302	GOODMAN	A189
7021-7481	YORK	A222
7021-7490	RHEEM-RUUD	A245
7021-7577	RHEEM-RUUD	A139
7021-7617	HEIL QUAKER/(ICP)	A148
7021-7700	INTERCITY PRODUCTS	A134
7021-7700	INTERCITY PRODUCTS	A172
7021-7700	INTERCITY PRODUCTS	FB-RFB383
7021-7700	INTERCITY PRODUCTS	N172
7021-7794	AMANA	A280
7021-7833	TRANE	A150
7021-7975	NORDYNE	A132
7021-7986	TRANE	A143
7021-7986	TRANE	A146
7021-8013	TRANE	A143
7021-8013	TRANE	A361
7021-8013	TRANE	FB-RFB337
7021-8013	TRANE	N143
7021-8183	RHEEM-RUUD	A240
7021-8247	GSW, JOHN WOODS	FB-RFB127
7021-8252	AMANA	A160
7021-8252	GOODMAN	A281
7021-8317	YORK	A222
7021-8318	YORK	A221
7021-8382	LENNOX	A205
7021-8428	TRANE	A143
7021-8428	TRANE	FB-RFB337
7021-8428	TRANE	N143
7021-8448	GOODMAN	A282
7021-8473	LENNOX	A206
7021-8556	GOODMAN	A157
7021-8556	GOODMAN	N157
7021-8569	TRANE	A192
7021-8591	TRANE	A193
7021-8629	YORK	A088
7021-8656	GOODMAN	A162
7021-8657	LENNOX	A135
7021-8657	LENNOX	A138
7021-8693	INTERCITY PRODUCTS	A179
7021-8735	INTERCITY PRODUCTS	A134
7021-8735	INTERCITY PRODUCTS	A172
7021-8735	INTERCITY PRODUCTS	FB-RFB383
7021-8735	INTERCITY PRODUCTS	N172

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
7021-8736	INTERCITY PRODUCTS	A134
7021-8736	INTERCITY PRODUCTS	A172
7021-8736	INTERCITY PRODUCTS	FB-RFB383
7021-8736	INTERCITY PRODUCTS	N172
7021-8741	INTERCITY PRODUCTS	A141
7021-8742	INTERCITY PRODUCTS	A141
7021-8812	LENNOX	A135
7021-8819	LENNOX	A135
7021-8825	LENNOX	A138
7021-8918	INTERCITY PRODUCTS	A170
7021-8924	TRANE	A143
7021-8924	TRANE	A361
7021-8924	TRANE	N143
7021-8925	TRANE	A146
7021-8928	TRANE	A150
7021-8935	EVCON	A156
7021-8935	YORK	A156
7021-8959	LENNOX	A218
7021-8983	LENNOX	A206
7021-9000	CLARE	A140
7021-9000	GOODMAN	A140
7021-9001	LENNOX	A205
7021-9010	TRANE	A196
7021-9011	TRANE	A276
7021-9044	MODINE	5H73597-1
7021-9045	MODINE	5H73598-1
7021-9045	MODINE	FB-RFB599
7021-9055	TRANE	A143
7021-9055	TRANE	A361
7021-9055	TRANE	FB-RFB337
7021-9055	TRANE	N143
7021-9064	AMANA	A129
7021-9064	GOODMAN	A129
7021-9065	TRANE	A196
7021-9087	CLARE	A140
7021-9087	GOODMAN	A140
7021-9115	MODINE	5H73598-2
7021-9132	NORDYNE	A131
7021-9136	SKYMARK	A251
7021-9188	INTERCITY PRODUCTS	A141
7021-9188	INTERCITY PRODUCTS	A174
7021-9227	GOODMAN	A284
7021-9236	GOODMAN	A285
7021-9237	HEIL QUAKER/(ICP)	A148
7021-9242	LENNOX	A164
7021-9242	LENNOX	N164
7021-9259	GOODMAN	A129
7021-9262	LENNOX	A219
7021-9277	INTERCITY PRODUCTS	A302
7021-9311	LENNOX	A164
7021-9311	LENNOX	N164
7021-9316	GOODMAN-AMANA	A185
7021-9335	INTERCITY PRODUCTS	A134
7021-9335	INTERCITY PRODUCTS	A172

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
7021-9335	INTERCITY PRODUCTS	FB-RFB383
7021-9335	INTERCITY PRODUCTS	N172
7021-9362	INTERCITY PRODUCTS	A145
7021-9362	INTERCITY PRODUCTS	A170
7021-9362	INTERCITY PRODUCTS	FB-RFB145
7021-9396	TRANE	A373
7021-9398	AMANA	A286
7021-9404	CONSOLIDATED	A128
7021-9404	COLEMAN, EVCON	FB-RFB156
7021-9414	TRANE	A143
7021-9414	TRANE	FB-RFB337
7021-9414	TRANE	N143
7021-9428	YORK	A154
7021-9450	LENNOX	A163
7021-9450	LENNOX	FB-RFB547
7021-9455	LENNOX	A164
7021-9455	LENNOX	N164
7021-9466	LENNOX	A320
7021-9477	INTERCITY PRODUCTS	A134
7021-9477	INTERCITY PRODUCTS	A172
7021-9477	INTERCITY PRODUCTS	FB-RFB383
7021-9477	INTERCITY PRODUCTS	N172
7021-9498	INTERCITY PRODUCTS	A141
7021-9498	INTERCITY PRODUCTS	A301
7021-9499	INTERCITY PRODUCTS	A134
7021-9499	INTERCITY PRODUCTS	A172
7021-9499	INTERCITY PRODUCTS	A302
7021-9499	INTERCITY PRODUCTS	N172
7021-9511	TRANE	A194
7021-9529	AMANA	A129
7021-9561	TRANE	A194
7021-9565	GOODMAN	A140
7021-9567	RHEEM-RUUD	A241
7021-9574	GOODMAN	A129
7021-9593	LENNOX	A164
7021-9593	LENNOX	N164
7021-9594	INTERCITY PRODUCTS	A170
7021-9625	LENNOX	A163
7021-9625	GOODMAN-AMANA	A180
7021-9625	ARMSTRONG-JOHNSON	FB-RFB547
7021-9625	LENNOX	FB-RFB547
7021-9639	TRANE	A143
7021-9639	TRANE	FB-RFB337
7021-9639	TRANE	N143
7021-9640	LENNOX	A164
7021-9640	LENNOX	N164
7021-9646	LENNOX	A320
7021-9655	AMANA	A287
7021-9656	YORK	A223
7021-9657	LENNOX	A164
7021-9657	LENNOX	N164
7021-9661	NORDYNE	A131
7021-9756	GSW, JOHN WOODS	W8
7021-9844	LENNOX	A322

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
7021-9908	YORK	A088
7021-9912	YORK	A144
7021-9913	TRANE	A143
7021-9913	TRANE	FB-RFB337
7021-9913	TRANE	N143
7021-9914	INTERCITY PRODUCTS	A141
7021-9915	GOODMAN	A140
7021-9917	LENNOX	A135
7021-9917	LENNOX	A138
7021-9918	INTERCITY PRODUCTS	A134
7021-9918	INTERCITY PRODUCTS	A172
7021-9918	INTERCITY PRODUCTS	FB-RFB383
7021-9918	INTERCITY PRODUCTS	N172
7021-9924	GOODMAN	A129
7021-9935	INTERCITY PRODUCTS	A145
7021-9935	INTERCITY PRODUCTS	A170
7021-9935	INTERCITY PRODUCTS	FB-RFB145
7021-9936	INTERCITY PRODUCTS	A145
7021-9936	INTERCITY PRODUCTS	A170
7021-9936	INTERCITY PRODUCTS	FB-RFB145
7021-9969	RHEEM-RUUD	A139
702112686	LENNOX	A249
702113118	LENNOX	A249
7058-0081	GOODMAN	A289
7058-0136	GOODMAN	A181
7058-0217	LENNOX	A207
7058-0229	GOODMAN	A157
7058-0229	GOODMAN	A184
7058-0229	GOODMAN	N157
7058-0259	TRANE	A198
7058-0260	TRANE	A199
7058-0261	TRANE	A260
7058-0266	YORK	A226
7058-0266S	YORK	A226
7058-0267	YORK	A229
7058-0267S	YORK	A229
7058-0280	EXCEL	A100
7058-0322	LENNOX	A208
7058-0322	LENNOX	FB-RFB810
7058-0351	MODINE	3H37362-1
7058-0464	LENNOX	A990
7058-1023	YORK	A984
7058-1124	INTERCITY PRODUCTS	A985
7058-1227	GOODMAN	A157
7058-1227	GOODMAN	N157
7058-1311	LENNOX	A200
7058-1311	LENNOX	N200
7058-1392	GOODMAN	A065
7058-1401	GOODMAN	A182
7058-1401	GOODMAN	N182
7058-1404	INTERCITY PRODUCTS	A067
7058-1404	INTERCITY PRODUCTS	FB-RFB330
7058-1405	LENNOX	A068
7058-1406	RHEEM-RUUD	A066

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
7058-1406	RHEEM-RUUD	FB-RFB241
7058-1406	RHEEM-RUUD	N066
7058-2094	LENNOX	80C93
70581002	YORK	A239
70581018	YORK	A238
70581023	YORK	A235
70581846	LENNOX	A248
70581847	LENNOX	A248
70581848	LENNOX	A248
70582108	GOODMAN	A077
70582690	GOODMAN	A077
70582743	YORK	A235
7062-1881	RHEEM-RUUD	A142
7062-1909	LENNOX	A324
7062-2442	YORK	A137
7062-2513	PMI-VALCUN HART	A142
7062-2615	RHEEM-RUUD	A142
7062-2845	LENNOX	A325
7062-2845	LENNOX	FB-RFB701
7062-3151	AMANA	A158
7062-3151	GOODMAN	A158
7062-3342	YORK	A137
7062-3484	YORK	A137
7062-3496	AIR PLUS/SCHERBA INDUSTRIES	A087
7062-3616	TRANE	A130
7062-3782	TRANE	A368
7062-3793	INTERCITY PRODUCTS	A145
7062-3794	INTERCITY PRODUCTS	A307
7062-3861	RHEEM-RUUD	A136
7062-3891	INTERCITY PRODUCTS	A145
7062-3891	INTERCITY PRODUCTS	A170
7062-3891	INTERCITY PRODUCTS	FB-RFB145
7062-3915	TRANE	A369
7062-3918	TRANE	A370
7062-3925S	RHEEM-RUUD	A246
7062-3956	TRANE	A130
7062-3958	YORK	A137
7062-3958	YORK	A165
7062-3969	TRANE	A271
7062-3971	TRANE	A272
7062-3972	TRANE	A273
7062-3972	TRANE	FB-RFB310
7062-3973	TRANE	A274
7062-4004	TRANE	A130
7062-4051	LENNOX	A331
7062-4061	INTERCITY PRODUCTS	A145
7062-4061	ICP, KEEPRITE, HEIL, COMFORTMAKER	FB-RFB145
7062-4083	LENNOX	A330
7062-4097	AIR PLUS/SCHERBA INDUSTRIES	A087
7062-4159	NORDYNE	A130
7062-4201	INTERCITY PRODUCTS	A171
7062-4236	YORK	A137
7062-4274	INTERCITY PRODUCTS	A171
7062-4417	YORK	A137

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
7062-4517	LENNOX	A330
7062-4518	LENNOX	A331
7062-4532	INTERCITY PRODUCTS	A306
7062-4534	RHEEM-RUUD	A142
7062-4536	YORK	A137
7062-4537	RHEEM-RUUD	A136
7062-4538	NORDYNE	A130
7062-4538	TRANE	A130
7062-4549	INTERCITY PRODUCTS	A171
7062-4578	INTERCITY PRODUCTS	FB-RFB350
7062-4578	INTERCITY PRODUCTS	A173
7062-4578	INTERCITY PRODUCTS	N173
7062-4608	LENNOX	A330
7062-4639	NORDYNE	A130
7062-4698	NORDYNE	A130
7062-4698	TRANE	A130
7062-4699	RHEEM-RUUD	A136
7062-4701	YORK	A137
7062-4702	RHEEM-RUUD	A142
7062-4703	INTERCITY PRODUCTS	A145
7062-4705	INTERCITY PRODUCTS	A171
7062-4708	YORK	A227
7062-4708S	YORK	A227
7062-4751	LENNOX	A325
7062-4751	LENNOX	FB-RFB701
7062-4774	GOODMAN	A158
7062-4783	INTERCITY PRODUCTS	A171
7062-4832	INTERCITY PRODUCTS	FB-RFB350
7062-4832	INTERCITY PRODUCTS	A173
7062-4832	INTERCITY PRODUCTS	N173
7062-4841	RHEEM-RUUD	A136
7062-5015	GOODMAN	A290
7062-5019	YORK	A168
7062-5033	TRANE	A270
7062-5094	YORK	A230
7062-5094S	YORK	A230
7062-5155	YORK	A234
7062-5165	INTERCITY PRODUCTS	A307
7062-5177	RHEEM-RUUD	A136
7062-5247	TRANE	A130
7062-5267	YORK	A234
7062-5275	RHEEM-RUUD	A246
7062-5441	LENNOX	A209
7062-5519S	RHEEM-RUUD	A247
7062-5546	LENNOX	A330
7062-5554	LENNOX	A331
7062-5664	INTERCITY PRODUCTS	FB-RFB350
7062-5664	INTERCITY PRODUCTS	A173
7062-5664	INTERCITY PRODUCTS	N173
7062-5720	ARMSTRONG	FB-RFB676
7062-6158	INTERCITY PRODUCTS	FB-RFB825
7062-6337	RHEEM-RUUD	A074
7062-6350	ARMSTRONG	FB-RFB676
7062-7572	RHEEM-RUUD	FB-RFB139

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
7062-9064	CLARE CONSOLIDATED	A130
70625985	LENNOX	A252
70626007	YORK	A236
70626177	LENNOX	A253
70626201	GOODMAN	A076
70626400	TRANE	A277
70626420	GOODMAN	A076
70626863	LENNOX	A252
7063-3342	YORK	A137
7073-0565	FEDDERS	A159
7092-0238S	TRANE	A197
7102-0628	RHEEM-RUUD	K628
7121-10621	YORK	O24-24115-018
7121-11404	CLARE	FM-RFM12
7121-12796	REZNOR	148055
7121-5750	WEIL MCLAIN	D1190
7121-5854	INTERCITY PRODUCTS	D1167
7121-5854	INTERCITY PRODUCTS	D1167
7121-5906	COLEMAN	349
7121-5906	COLEMAN	D408
7121-6805	CARRIER	D1179
7121-7091	LENNOX	FM-RFM890
7121-7255	YORK	D1191
7121-8612	YORK	373-10337-702
7121-8774	LENNOX	D1198
7121-8812	LENNOX	A135
7121-8812	LENNOX	A138
7121-9044	MODINE	5H73597-1
7121-9045	MODINE	5H73598-1
7121-9971	YORK	O24-24115-018
7130-0029	CLARE	FM-RFM12
7158-1033	KEEPRITE	K628
7158-1445	MODINE	3H37362-1
7162-0224	REZNOR	D405
7162-0293	REZNOR	D404
7162-0396	REZNOR	D461
7162-2782	INTERCITY PRODUCTS	FB-RFB350
7162-2782	INTERCITY PRODUCTS	A173
7162-2782	INTERCITY PRODUCTS	N173
7162-3829	CARRIER	D1178
7162-4547	YORK	FB-RFB654
7162-6477	REZNOR	214067
7314249-70	YORK	A137
73K4101	LENNOX	N164
74-70-21496-01-06	RHEEM-RUUD	A090
74K7701	ARMSTRONG	D9430
74K7701	LENNOX	D9430
75U2A	DUCANE-LENNOX AIR-FLO	A168
787P01	TRANE	A143
787P01	TRANE	A361
787P01	TRANE	FB-RFB337
787P01	TRANE	N143
7995-316	COLEMAN	349
7995-316	COLEMAN	D408

OEM MODEL NUMBER	OEM NAME	CROSS REFERENCE MODEL NUMBER
80270	FEDDERS	B23618
80280	JOHNSON FURNACE	A081
809P01	TRANE	A143
809P01	TRANE	A361
809P01	TRANE	FB-RFB337
809P01	TRANE	N143
80C9301	LENNOX	80C93
81M1601	LENNOX	A211
81M1601	LENNOX	A992
82252	TRANE	A069
8251510360	CARRIER	D1179
8251560133	JANITROL	A073
825160133	SKYMARK	A073
82932	SKYMARK	A073
829932	JANITROL	A073
8303972	WHIRLPOOL	A981
8351520243	JANITROL	A073
8353920103	FEDDERS	A161
83L4101	LENNOX	A204
83L8201	LENNOX	A322
88J3901	LENNOX	A219
88K8401	LENNOX	A068
88K8401	LENNOX	A164
88K8401	LENNOX	FB-RFB401
88K8401	LENNOX	N164
89732	JOHNSON FURNACE	A081
8973C	JOHNSON FURNACE	A081
902977	NORDYNE, FRIGIDAIRE, MILLER	FB-RFB902
903111	NORDYNE	A131
904478	MILLER FURNACE	D1192
97J8101	LENNOX	A331
98G8701	LENNOX	A325
98G8701	LENNOX	FB-RFB701
98G8901	LENNOX	FM-RFM890

# MOTORS & BLOWERS



## **A051 ALTERNATE A134, A172, FB-RFB383, N172**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.64 AMPS, 3000 RPM, BALL, 1/60 HP



## **A063**

**OEM NAME: YORK**

208-230 VOLTS, SP, 0.6 AMPS, 3000 RPM, BALL, 1/56 HP



## **A064**

**OEM NAME: HEIL QUAKER**

115 VOLTS, SP, 0.65 AMPS, 3150 RPM, SLEEVE, 1/55 HP



## **A065 ALTERNATE FB-RFB276**

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.22 AMPS, 3000 RPM, BALL, 1/50 HP



## **A066 ALTERNATE FB-RFB241, N066**

**OEM NAME: RHEEM-RUUD**

115 VOLTS, SP, 1.27 AMPS, 3000 RPM, SLEEVE, 1/30 HP



## **A067 ALTERNATE FB-RFB330**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 2.4 AMPS, 3000 RPM, BALL, 1/20 HP



## **A068 ALTERNATE A164, FB-RFB401, N164**

**OEM NAME: LENNOX**

120 VOLTS, SP, 1.15 AMPS, 3000 RPM, BALL, 1/60 HP



## **A069**

**OEM NAME: TRANE**

208/240 VOLTS, SP, 0.45 AMPS, 3000 RPM, SLEEVE, 1/70 HP



### A070

**OEM NAME: RHEEM-RUUD**

115 VOLTS, SP, 2.35 AMPS, 3400 RPM, BALL

*Notes: 3.3 motor diameter*



### A073

**OEM NAME: HEIL QUAKER, JANITROL, SKYMARK, YORK**

115/230 VOLTS, SP, 0.80/0.48 AMPS, 3000 RPM, BALL, 1/40 HP



### A074

**OEM NAME: RHEEM-RUUD**

115 VOLTS, PSC, 0.5 AMPS, 3300/2500 RPM, 2 SPEED, BALL

*Notes: 3.3 motor diameter*



### A075

**OEM NAME: TRANE**

230 VOLTS, SP, 0.4 AMPS, 3000 RPM, BALL, 1/40 HP



### A076

**OEM NAME: GOODMAN**

115 VOLTS, PSC, 0.5 AMPS, 3200/2000 RPM, 2 SPEED, BALL



### A077

**OEM NAME: GOODMAN**

120 VOLTS, SP, 2.8 AMPS, 3000 RPM, BALL, 1/16 HP

*Notes: C-Frame*



### A078

**OEM NAME: GOODMAN**

230 VOLTS, SP, 1.4 AMPS, 3000 RPM, BALL

*Notes: C-Frame*



### A079 ALTERNATE A240

**OEM NAME: JANITROL, RHEEM-RUUD**

115 VOLTS, SP, 1.1 AMPS, 3000 RPM, SLEEVE, 1/50 HP



### A080

**OEM NAME: WILLIAMSON**

115 VOLTS, SP, 1.1 AMPS, 3000 RPM, SLEEVE, 1/15 HP



### A081

**OEM NAME: ARMSTRONG-JOHNSON, JOHNSON FURNACE, MAGIC CHEF**  
230 VOLTS, SP, 0.5 AMPS, 3000 RPM, BALL



### A083

**OEM NAME: YORK**  
230 VOLTS, SP, 0.8 AMPS, 3000 RPM, BALL, 1/60 HP



### A086

**OEM NAME: YORK, RHEEM-RUUD**  
115 VOLTS, SP, 1.3 AMPS, 3200 RPM, SLEEVE, 1/50 HP  
*Notes: gasket included*



### A087

**OEM NAME: AIR PLUS/SCHERBA INDUSTRIES**  
115/230 VOLTS, PSC, 2.8/1.1 AMPS, 2400 RPM, SLEEVE



### A088

**OEM NAME: COLEMAN, DORNBACK, YORK**  
115VOLTS, SP, 1.3 AMPS, 3200 RPM, SLEEVE



### A090 ALTERNATE D673

**OEM NAME: RHEEM-RUUD**  
115 VOLTS, SP, 1.1 AMPS, 3000 RPM, SLEEVE



### A100

**OEM NAME: EXCEL**  
115 VOLTS, SP, 1.3 AMPS, 3000 RPM, BALL  
*Notes: C-Frame*



### A118

**OEM NAME: WILLIAMSON**  
115 VOLTS, SP, 1.8 AMPS, 3000 RPM, SLEEVE



### A121

**OEM NAME: NORDYNE**  
240 VOLTS, SP, 0.51 AMPS, 3000 RPM, SLEEVE, 1/45 HP



### A122

OEM NAME: NORDYNE

115 VOLTS, SP, 1.75 AMPS, 3450 RPM, BALL



### A123

OEM NAME: NORDYNE

115 VOLTS, SP, 1.95 AMPS, 3300 RPM, BALL



### A124

OEM NAME: NORDYNE

115 VOLTS, SP, 1.75 AMPS, 3450 RPM, SLEEVE, 1/15 HP



### A126

OEM NAME: NORDYNE

115 VOLTS, SP, 1.71 AMPS, 3000 RPM, BALL



### A128

OEM NAME: CONSOLIDATED

120 VOLTS, SP, 0.9 AMPS, 3000 RPM, SLEEVE, 1/50 HP



### A129

OEM NAME: AMANA, GOODMAN

115 VOLTS, SP, 1.95 AMPS, 3250 RPM, SLEEVE, 1/20 HP



### A130

OEM NAME: CONSOLIDATED, NORDYNE, TRANE

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, SLEEVE

Notes: capacitor included



### A131

OEM NAME: NORDYNE

115 VOLTS, SP, 1.1 AMPS, 3000 RPM, SLEEVE, 1/50 HP



### A132

OEM NAME: NORDYNE

115 VOLTS, SP, 1.1 AMPS, 3000 RPM, SLEEVE, 1/50 HP



### **A134 ALTERNATE A051, A172, FB-RFB383, N172**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.5 AMPS, 3060 RPM, BALL, 1/25 HP



### **A135**

**OEM NAME: LENNOX**

120 VOLTS, SP, 0.7 AMPS, 3000 RPM, SLEEVE, 1/70 HP



### **A136**

**OEM NAME: RHEEM-RUUD**

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, BALL

*Notes: capacitor not included, 4 MFD @ 250 V rating*



### **A137**

**OEM NAME: YORK**

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, SLEEVE

*Notes: capacitor included*



### **A138**

**OEM NAME: LENNOX**

120 VOLTS, SP, 0.7 AMPS, 3000 RPM, SLEEVE, 1/70 HP



### **A139**

**OEM NAME: RHEEM-RUUD**

115 VOLTS, SP, 0.95 AMPS, 2970 RPM, SLEEVE



### **A140**

**OEM NAME: CLARE, GOODMAN**

115 VOLTS, SP, 1.4 AMPS, 3400 RPM, SLEEVE, 1/50 HP



### **A141**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1 AMPS, 2800 RPM, BALL, 1/60 HP



### **A142**

**OEM NAME: PMI-VULCAN HART, RHEEM-RUUD**

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, BALL, 1/20 HP

*Notes: capacitor included*



### **A143 ALTERNATE A361, FB-RFB337, N143**

**OEM NAME: TRANE**

120 VOLTS, SP, 0.95 AMPS, 3000 RPM, BALL, 1/50 HP



### **A144**

**OEM NAME: YORK**

208-230 VOLTS, SP, 0.5 AMPS, 3000 RPM, SLEEVE, 1/40 HP

*Notes: with proving switch*



### **A145 ALTERNATE A171, FB-RFB145**

**OEM NAME: INTERCITY PRODUCTS, KEEPRITE, HEIL, COMFORTMAKER**

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, BALL, 1/25 HP

*Notes: capacitor included*



### **A146**

**OEM NAME: TRANE**

115 VOLTS, SP, 1.0/0.35 AMPS, 3000 RPM, 2 SPEED, SLEEVE, 1/100 HP



### **A148**

**OEM NAME: HEIL QUAKER, INTERCITY PRODUCTS**

208-230 VOLTS, SP, 0.5 AMPS, 3000 RPM, SLEEVE, 1/50 HP



### **A150**

**OEM NAME: TRANE**

208-230 VOLTS, SP, 0.5 AMPS, 3480 RPM, BALL, 1/35 HP



### **A151**

**OEM NAME: HEIL QUAKER, INTERCITY PRODUCTS**

230 VOLTS, SP, 0.3 AMPS, 2800 RPM, SLEEVE



### **A154**

**OEM NAME: YORK**

115 VOLTS, SP, 1.2 AMPS, 3000 RPM, SLEEVE, 1/30 HP

*Notes: capacitor included*



### **A155**

**OEM NAME: ARMSTRONG-JOHNSON**

115 VOLTS, SP, 1.4 AMPS, 3000 RPM, BALL

*Notes: includes gaskets*



### **A156 ALTERNATE FB-RFB156**

**OEM NAME: EVCON, YORK**

115 VOLTS, SP, 1.1 AMPS, 3000 RPM, SLEEVE, 1/35 HP



### **A157 ALTERNATE A184, FB-RFB859, N157**

**OEM NAME: ARMSTRONG-JOHNSON**

115 VOLTS, SP, 1.3 AMPS, 3000 RPM, BALL, 1/35 HP

*Notes: C-Frame*



### **A158**

**OEM NAME: AMANA, GOODMAN**

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, SLEEVE

*Notes: capacitor included*



### **A159**

**OEM NAME: FEDDERS**

230 VOLTS, SP, 0.45 AMPS, 1550 RPM, BALL, 1/40 HP

*Notes: with proving switch*



### **A160**

**OEM NAME: AMANA, GOODMAN**

115 VOLTS, SP, 1.33 AMPS, 3000 RPM, BALL, 1/25 HP

*Notes: C-Frame*



### **A161**

**OEM NAME: FEDDERS**

230 VOLTS, SP, 0.55 AMPS, 3000 RPM, BALL

*Notes: with proving switch*



### **A162**

**OEM NAME: GOODMAN**

208-230 VOLTS, SP, 0.5 AMPS, 3000 RPM, SLEEVE

*Notes: with proving switch*



### **A163 ALTERNATE FB-RFB547**

**OEM NAME: LENNOX**

115 VOLTS, SP, 1.8 AMPS, 3400 RPM, BALL, 1/20 HP



### **A164 ALTERNATE A068, FB-RFB401, N164**

**OEM NAME: LENNOX**

120 VOLTS, SP, 1.4 AMPS, 3000 RPM, SLEEVE, 1/50 HP



### A165

**OEM NAME: YORK**

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, BALL, 1/25 HP

*Notes: capacitor included*



### A168

**OEM NAME: YORK**

115 VOLTS, PSC, 0.7 AMPS, 3300 RPM, BALL, 1/20 HP

*Notes: capacitor included*



### A169

**OEM NAME: INTERCITY PRODUCTS**

230 VOLTS, SP, 0.75 AMPS, 3060 RPM, SLEEVE, 1/25 HP



### A170

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 2.3 AMPS, 3400 RPM, BALL, 1/25 HP



### A171 ALTERNATE A145, FB-RFB145

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, BALL, 1/25 HP



### A172 ALTERNATE A051, A134, FB-RFB383, N172

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.6 AMPS, 3000 RPM, BALL, 1/35 HP



### A173 ALTERNATE FB-RFB350, N173

**OEM NAME: INTERCITY PRODUCTS, KEEPRITE**

115 VOLTS, PSC, 0.8 AMPS, 3450 RPM, BALL

*Notes: capacitor included*



### A174

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 0.8 AMPS, 2350 RPM, SLEEVE, 1/100 HP



### A175

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.3 AMPS, 3300 RPM, SLEEVE, 1/40 HP

*Notes: with proving switch*



**A176**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.85 AMPS, 3000 RPM, BALL, 1/20 HP



**A177**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.4 AMPS, 3000 RPM, 2 SPEED, BALL, 1/35 HP



**A178**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.8 AMPS, 3400 RPM, BALL, 1/30 HP



**A179**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 0.9 AMPS, 3300 RPM, SLEEVE



**A180**

**OEM NAME: AMANA**


115 VOLTS, SP, 1.8 AMPS, 3400 RPM, BALL, 1/30 HP



**A181**

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.5 AMPS, 3000 RPM, BALL



**A182 ALTERNATE FB-RFB405, N182**

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.71 AMPS, 3000 RPM, SLEEVE, 1/35 HP



**A184 ALTERNATE A157, FB-RFB859, N157**

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.41 AMPS, 3125 RPM, BALL, 1/35 HP

*Notes: includes gasket*



**A185**

**OEM NAME: AMANA**

115 VOLTS, SP, 1.15 AMPS, 3000 RPM, SLEEVE, 1/30 HP



### **A188 ALTERNATE FB-RFB483**

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.6 AMPS, 3250 RPM, SLEEVE, 1/19 HP



### **A189**

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.5 AMPS, 3000 RPM, SLEEVE, 1/24 HP



### **A191**

**OEM NAME: TRANE**

208-240 VOLTS, SP, 0.8 AMPS, 3000 RPM, SLEEVE, 1/15 HP



### **A192**

**OEM NAME: TRANE**

115 VOLTS, SP, 1 AMP, 3000 RPM, BALL, 1/40 HP



### **A193**

**OEM NAME: TRANE**

208/240 VOLTS, SP, 1.75 AMPS, 3480 RPM, BALL, 1/35 HP



### **A194**

**OEM NAME: TRANE**

115 VOLTS, SP, 1.00/0.5 AMPS, 3000 RPM, 2 SPEED, SLEEVE, 1/80 HP



### **A195**

**OEM NAME: TRANE**

115 VOLTS, SP, 1.75 AMPS, 3400 RPM, BALL, 1/15 HP



### **A196**

**OEM NAME: TRANE**

115 VOLTS, SP, 1.35 AMPS, 3200 RPM, SLEEVE, 1/25 HP



### **A197**

**OEM NAME: TRANE**

33-110 VOLTS, 3 PHASE, 1 AMP, 1500-4700 RPM, BALL



### A198

OEM NAME: TRANE

115 VOLTS, SP, 1.45 AMPS, 3000 RPM, BALL



### A200 ALTERNATE N200

OEM NAME: LENNOX

115 VOLTS, SP, 1.35 AMPS, 3000 RPM, SLEEVE, 1/30 HP



### A201

OEM NAME: LENNOX

208-230 VOLTS, SP, 0.65 AMPS, 3000 RPM, BALL, 1/30 HP



### A202

OEM NAME: LENNOX

115 VOLTS, SP, 1.8 AMPS, 3400 RPM, BALL, 1/30 HP



### A203

OEM NAME: LENNOX

115 VOLTS, SP, 1.8 AMPS, 3400 RPM, BALL, 1/20 HP



### A204

OEM NAME: LENNOX

115 VOLTS, SP, 1.8 AMPS, 3400 RPM, BALL, 1/20 HP



### A205

OEM NAME: LENNOX

120 VOLTS, SP, 0.7 AMPS, 3000 RPM, SLEEVE, 1/20 HP

Notes: 36" power cord



### A206

OEM NAME: LENNOX

115 VOLTS, SP, 1.3 AMPS, 3000 RPM, SLEEVE



### A207

OEM NAME: LENNOX

115 VOLTS, SP, 1.6 AMPS, 3000 RPM, BALL, 1/30 HP



### A208 ALTERNATE FB-RFB810

OEM NAME: LENNOX

115 VOLTS, SP, 1.6 AMPS, 3000 RPM, BALL, 1/30 HP



### A209

OEM NAME: LENNOX

115 VOLTS, PSC, 0.8 AMPS, 3200/2800 RPM, 2 SPEED, BALL, 1/20 HP



### A210

OEM NAME: LENNOX

115 VOLTS, SP, 1.7 AMPS, 3000 RPM, 2 SPEED, BALL, 1/30 HP



### A211

OEM NAME: LENNOX

115 VOLTS, SP, 2.35 AMPS, 3400 RPM, BALL, 1/15 HP



### A213

OEM NAME: LENNOX

115 VOLTS, SP, 2.1 AMPS, 3200 RPM, BALL



### A217

OEM NAME: LENNOX

230 VOLTS, SP, 0.83 AMPS, 3000 RPM, BALL



### A218

OEM NAME: LENNOX

220-240 VOLTS, SP, 0.60-0.52 AMPS, 3000 RPM



### A219

OEM NAME: LENNOX

120 VOLTS, SP, 0.7 AMPS, 3000 RPM, SLEEVE



### A221

OEM NAME: YORK

208-230 VOLTS, SP, 0.55 AMPS, 3000 RPM, SLEEVE

Notes: with proving switch



### **A222**

**OEM NAME: YORK**

115 VOLTS, SP, 1.05 AMPS, 3000 RPM, BALL



### **A223**

**OEM NAME: YORK**

208-230 VOLTS, SP, 0.64 AMPS, 3200 RPM, SLEEVE



### **A225**

**OEM NAME: YORK**

115 VOLTS, SP, 2.25 AMPS, 3200 RPM, BALL



### **A226**

**OEM NAME: YORK**

115 VOLTS, SP, 1.43 AMPS, 3000 RPM, BALL



### **A227**

**OEM NAME: YORK**

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, SLEEVE

*Notes: capacitor included*



### **A228**

**OEM NAME: YORK**

115 VOLTS, SP, 2.24 AMPS, 3000 RPM, BALL



### **A229**

**OEM NAME: YORK**

115 VOLTS, SP, 2.23 AMPS, 3000 RPM, BALL



### **A230**

**OEM NAME: YORK**

115 VOLTS, PSC, 0.8 AMPS, 3450 RPM, SLEEVE

*Notes: capacitor included*



### **A234**

**OEM NAME: YORK**

208-230 VOLTS, PSC, 0.5 AMPS, 3200 RPM, BALL

*Notes: capacitor included*



### A235 ALTERNATE A984

OEM NAME: YORK

115 VOLTS, SP, 2.63 AMPS, 3000 RPM, SLEEVE

Notes: C-Frame



### A236

OEM NAME: YORK

115 VOLTS, PSC, 0.58/0.27 AMPS, 3300 RPM, BALL



### A238

OEM NAME: YORK

115 VOLTS, SP, 1.2 AMPS, 2750 RPM, SLEEVE

Notes: C-Frame



### A239

OEM NAME: YORK

115 VOLTS, SP, 0.75 AMPS, 2750 RPM, SLEEVE

Notes: C-Frame



### A240 ALTERNATE A079

OEM NAME: RHEEM-RUUD

115 VOLTS, SP, 1.1 AMPS, 3000 RPM, SLEEVE



### A241

OEM NAME: RHEEM-RUUD

208-230 VOLTS, SP, 0.56/0.65 AMPS, 3200 RPM, BALL



### A242

OEM NAME: RHEEM-RUUD

115 VOLTS, SP, 1.36 AMPS, 3400 RPM, SLEEVE



### A244

OEM NAME: RHEEM-RUUD

208-230 VOLTS, SP, 0.85 AMPS, 3300 RPM, BALL

Notes: with proving switch



### A245

OEM NAME: RHEEM-RUUD

208-230 VOLTS, SP, 1.85 AMPS, 3000 RPM, BALL

Notes: with proving switch



### A246

**OEM NAME: RHEEM-RUUD**

115 VOLTS, PSC, 0.85 AMPS, 3400 RPM, BALL

*Notes: capacitor included*



### A247

**OEM NAME: RHEEM-RUUD**

115 VOLTS, PSC, 0.9 AMPS, 3250 RPM, SLEEVE

*Notes: capacitor included*



### A248

**OEM NAME: LENNOX**

120 VOLTS, SP, 1.2 AMPS, 3250 RPM, SLEEVE

*Notes: C-Frame*



### A249

**OEM NAME: LENNOX**

115 VOLTS, SP, 2.35 AMPS, 3400 RPM, BALL

*Notes: 3.3 diameter*



### A251

**OEM NAME: RHEEM-RUUD**

208-230 VOLTS, SP, 0.56 AMPS, 3000 RPM, SLEEVE



### A252

**OEM NAME: LENNOX**

115 VOLTS, PSC, 0.65/0.30 AMPS, 3200/2800 RPM, 2 SPEED, BALL

*Notes: 3.3 diameter, capacitor included*



### A253

**OEM NAME: LENNOX**

120 VOLTS, PSC, 0.24/0.13 AMPS, 3300/2200 RPM, 2 SPEED, BALL

*Notes: 3.3 diameter, capacitor included*



### A260

**OEM NAME: TRANE**

115 VOLTS, SP, 1.23 AMPS, 3000 RPM, BALL

*Notes: C-Frame*



### A264

**OEM NAME: TRANE**

115 VOLTS, SP, 0.75 AMPS, 3000 RPM, 2 SPEED, BALL

*Notes: C-Frame*



### **A267**

**OEM NAME: TRANE**

115 VOLTS, SP, 1.4 AMPS, 3000 RPM, 2 SPEED, BALL

*Notes: C-Frame*



### **A268**

**OEM NAME: TRANE**

115 VOLTS, SP, 1.4 AMPS, 3000 RPM, 2 SPEED, BALL

*Notes: C-Frame*



### **A269**

**OEM NAME: TRANE**

208-230 VOLTS, SP, 0.58/0.60 AMPS, 3000 RPM, BALL



### **A270**

**OEM NAME: TRANE**

208-230 VOLTS, PSC, 0.42-0.50 AMPS, 3350 RPM, 2 SPEED, BALL

*Notes: capacitor included*



### **A271**

**OEM NAME: TRANE**

208-230 VOLTS, PSC, 0.62 AMPS, 3500 RPM, 2 SPEED, BALL

*Notes: capacitor included*



### **A272**

**OEM NAME: TRANE**

208-230 VOLTS, PSC, 0.65 AMPS, 3500 RPM, 2 SPEED, BALL

*Notes: capacitor included*



### **A273 ALTERNATE FB-RFB310**

**OEM NAME: TRANE**

208-230 VOLTS, PSC, 0.62 AMPS, 3500 RPM, 2 SPEED, BALL

*Notes: capacitor included*



### **A274**

**OEM NAME: TRANE**

208-230 VOLTS, PSC, 0.34 AMPS, 3500 RPM, BALL, 1/25 HP

*Notes: gasket included*



### **A276**

**OEM NAME: TRANE**

115 VOLTS, SP, 1 AMP, 3000 RPM, BALL, 1/55 HP



### A277

**OEM NAME: TRANE**

120 VOLTS, PSC, 0.60/0.36 AMPS, 3300/2600 RPM, BALL

*Notes: 3.3 motor diameter*



### A280

**OEM NAME: AMANA**

115 VOLTS, SP, 1.5 AMPS, 3000 RPM, SLEEVE, 1/25 HP



### A281

**OEM NAME: GOODMAN**

115 VOLTS, SP, 0.9 AMPS, 3000 RPM, SLEEVE, 1/40 HP



### A282

**OEM NAME: GOODMAN**

220 VOLTS, SP, 0.45 AMPS, 2600 RPM, SLEEVE, 1/60 HP



### A284

**OEM NAME: GOODMAN**

208/240 VOLTS, SP, 0.59/0.50 AMPS, 3000 RPM, 2 SPEED, SLEEVE, 1/30 HP



### A285

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.4 AMPS, 3250 RPM, 2 SPEED, SLEEVE, 1/40 HP



### A286

**OEM NAME: AMANA**

208-230 VOLTS, SP, 0.6 AMPS, 3125 RPM, SLEEVE, 1/35 HP



### A287

**OEM NAME: AMANA**

115 VOLTS, SP, 1.15 AMPS, 3000 RPM, SLEEVE, 1/25 HP



### A289

**OEM NAME: GOODMAN**

208-230 VOLTS, SP, 0.75 AMPS, 3125 RPM, 2 SPEED, BALL

*Notes: limited stock available*



### A290

**OEM NAME: GOODMAN**

115 VOLTS, PSC, 0.7 AMPS, 3200/2400 RPM, 2 SPEED, BALL, 1/20 HP



### A301

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 0.8 AMPS, 2350 RPM, SLEEVE, 1/100 HP



### A302

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.5 AMPS, 3060 RPM, SLEEVE, 1/25 HP



### A306

**OEM NAME: INTERCITY PRODUCTS**

208-230 VOLTS, PSC, 0.3 AMPS, 3350/2900 RPM, 2 SPEED, SLEEVE, 1/30 HP



### A307

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, SLEEVE, 1/24 HP



### A320

**OEM NAME: LENNOX**

120 VOLTS, SP, 0.8 AMPS, 3000 RPM, SLEEVE, 1/60 HP



### A322

**OEM NAME: LENNOX**

120 VOLTS, SP, 1.1 AMPS, 3000 RPM, SLEEVE, 1/70 HP



### A324

**OEM NAME: LENNOX**

208-230 VOLTS, PSC, 0.5 AMPS, 3200 RPM, BALL, 1/12 HP

*Notes: with proving switch*



### A325

**OEM NAME: LENNOX**

208-230 VOLTS, PSC, 0.6 AMPS, 3200 RPM, BALL, 1/10 HP



### A330

**OEM NAME: LENNOX**

208-230 VOLTS, PSC, 0.55 AMPS, 3200 RPM, BALL, 1/12 HP



### A331

**OEM NAME: LENNOX**

460 VOLTS, PSC, 0.38/0.33 AMPS, 3200 RPM, BALL, 1/10 HP



### A360

**OEM NAME: TRANE**

115 VOLTS, SP, 0.85 AMPS, 3000 RPM, 2 SPEED, BALL



### A361 ALTERNATE A143, FB-RFB337, N143

**OEM NAME: TRANE**

115 VOLTS, SP, 1.23 AMPS, 3000 RPM, BALL, 1/36 HP



### A362

**OEM NAME: TRANE**

115 VOLTS, SP, 1.6 AMPS, 3000 RPM, BALL, 1/42 HP



### A368

**OEM NAME: TRANE**

115 VOLTS, PSC, 0.88 AMPS, 3200/2900 RPM, 2 SPEED, BALL, 1/20 HP



### A369

**OEM NAME: TRANE**

208-230 VOLTS, PSC, 0.34 AMPS, 2800/1500 RPM, 2 SPEED, BALL, 1/45 HP



### A370

**OEM NAME: TRANE**

208-230 VOLTS, PSC, 0.18 AMPS, 2920/1530 RPM, 2 SPEED, BALL, 1/100 HP



### A373

**OEM NAME: TRANE**

208-230 VOLTS, SP, 0.6 AMPS, 3000 RPM, BALL, 1/35 HP



### **A977**

**OEM NAME: BRADFORD WHITE**

120 VOLTS, SP, 3.1 AMPS, 3000 RPM, BALL

*Notes: includes press switch, thermal switch, power cord*



### **A979**

**OEM NAME: GOODMAN**

120 VOLTS, SP, 3.5 AMPS, 3000 RPM, 2 SPEED, BALL



### **A980**

**OEM NAME: WHIRLPOOL**

120 VOLTS, SP, 0.65 AMPS, 2250 RPM, SLEEVE, 1/125

*Notes: Transflo Blower*



### **A981**

**OEM NAME: WHIRLPOOL**

120 VOLTS, SP, 0.59 AMPS, 1400 RPM, SLEEVE

*Notes: Transflo Blower*



### **A983**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.5 AMPS, 3000 RPM, BALL



### **A984 ALTERNATE A235**

**OEM NAME: YORK**

115 VOLTS, SP, 2.63 AMPS, 3000 RPM, BALL



### **A985**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 2.4 AMPS, 3300 RPM, BALL

*Notes: includes installation hardware, and coupler*



### **A990**

**OEM NAME: LENNOX**

115 VOLTS, SP, 1.54 AMPS, 3000 RPM, BALL

*Notes: includes gasket*



### **A992**

**OEM NAME: LENNOX**

115 VOLTS, SP, 2.35 AMPS, 3400 RPM, BALL



### A994

**OEM NAME: RHEEM-RUUD**

120 VOLTS, SP, 2.1 AMPS, 3000 RPM, BALL

*Notes: includes vac switch, thermal switch, control board, and power cord*



### A996

**OEM NAME: RHEEM-RUUD**

120 VOLTS, SP, 2.1 AMPS, 3000 RPM

*Notes: includes vac switch, thermal switch, control board, and power cord*



### B23617

**OEM NAME: MILLAR FURNACE**

115/230 VOLTS, SP, 0.90/0.45 AMPS, 3000 RPM, BALL, 1/50 HP

*Notes: with proving switch*



### B23618

**OEM NAME: FEDDERS**

115/230 VOLTS, SP, 0.95/0.49 AMPS, 3100 RPM, BALL

*Notes: with proving switch*



### D0960

**OEM NAME: CONSOLIDATED**

115 VOLTS, SP, 1.5 AMPS, 3000 RPM, SLEEVE



### D1167

**OEM NAME: INTERCITY PRODUCTS**

208-230 VOLTS, SP, 0.55 AMPS, 3000 RPM, CCWSE, SLEEVE, 1/40 HP

*Notes: with proving switch*



### D1171

**OEM NAME: YORK**

460 VOLTS, SP, 0.6 AMPS, 3000 RPM, CCWSE, BALL, 1/12 HP

*Notes: with proving switch*



### D1174

**OEM NAME: CARRIER**

460 VOLTS, SP, 0.6 AMPS, 3000 RPM, CWSE, BALL, 1/12 HP

*Notes: with proving switch*



### D1178

**OEM NAME: CARRIER**

208-230 VOLTS, PSC, 0.5 AMPS, 3450 RPM, CWSE, BALL, 1/15 HP

*Notes: with proving switch, includes 4 MFD @ 370 capacitor*



### D1179

**OEM NAME: CARRIER**

115 VOLTS, SP, 1.5 AMPS, 3000 RPM, CWSE, SLEEVE, 1/30 HP



### D1180

**OEM NAME: CARRIER**

115 VOLTS, SP, 1.5 AMPS, 3300 RPM, CWSE, SLEEVE, 1/20 HP



### D1190

**OEM NAME: WEIL MCLAIN**

115 VOLTS, SP, 1.55 AMPS, 3300 RPM, CWSE, SLEEVE, 1/30 HP



### D1191

**OEM NAME: YORK**

460 VOLTS, SP, 0.37 AMPS, 3200 RPM, CCWSE, BALL, 1/40 HP



### D1192 ALTERNATE 335

**OEM NAME: MILLER FURNACE, INTERTHERM**

115 VOLTS, 0.7 AMPS, 3000 RPM, CCWSE, SLEEVE, 1/40 HP

*Notes: with proving switch*



### D1198

**OEM NAME: LENNOX**

115 VOLTS, SP, 1.5 AMPS, 3000 RPM, CCWSE, SLEEVE, 1/30 HP



### D404

**OEM NAME: REZNOR**

208-230 VOLTS, PSC, 0.8 AMPS, 3200 RPM, REVERSE, BALL, 1/10 HP

*Notes: capacitor included*



### D405

**OEM NAME: REZNOR**

115 VOLTS, PSC, 1.4 AMPS, 3200 RPM, REVERSE, BALL, 1/10 HP

*Notes: capacitor included*



### D408 ALTERNATE 349

**OEM NAME: COLEMAN**

115 VOLTS, 0.5 AMPS, 3000 RPM, CWSE, SLEEVE, 1/150 HP

*Notes: with proving switch*



### D456

**OEM NAME: CARRIER**

115/230 VOLTS, SP, 2.0/1.0 AMPS, 3000 RPM, CWSE, SLEEVE, 1/15 HP

*Notes: with proving switch*



### D457

**OEM NAME: CARRIER**

115/230 VOLTS, SP, 2.0/1.0 AMPS, 3000 RPM, CCWSE, BALL, 1/15 HP

*Notes: with proving switch*



### D459

**OEM NAME: CARRIER, RHEEM-RUUD**

230/460 VOLTS, SP, 1.2/0.60 AMPS, 3000 RPM, CWSE, BALL, 1/15 HP

*Notes: with proving switch*



### D461

**OEM NAME: REZNOR**

480 VOLTS, PSC, 0.4 AMPS, 3200 RPM, CCWSE, BALL, 1/8 HP

*Notes: capacitor included*



### D653

**OEM NAME: REZNOR**

230/460 VOLTS, SP, 1.1/0.44 AMPS, 3000 RPM, CCWSE, BALL, 1/20 HP



### D673 ALTERNATE A090

**OEM NAME: RHEEM-RUUD**

115 VOLTS, SP, 0.95 AMPS, 3000 RPM, SLEEVE, 1/55 HP



### D9430

**OEM NAME: ARMSTRONG, LENNOX**

208-230 VOLTS, SP, 0.65-0.75 AMPS, 3000 RPM, BALL



### D959

**OEM NAME: CONSOLIDATED**

15 VOLTS, SP, 1.05 AMPS, 3300 RPM, SLEEVE



### D9619

**OEM NAME: CONSOLIDATED**


115 VOLTS, SP, 1.5 AMPS, 3000 RPM, SLEEVE, 1/20 HP



### D9620

**OEM NAME: CONSOLIDATED**

115 VOLTS, SP, 1.6 AMPS, 3000 RPM, SLEEVE



### FB-RFB101

**OEM NAME: LENNOX**

208-230 VOLTS, PSC, 0.5 AMPS, 3200 RPM, BALL, 1/30 HP

*Notes: capacitor included*



### FB-RFB107

**OEM NAME: INTERCITY PRODUCTS, KEEPRITE, RHEEM-RUUD**

230 VOLTS, PSC, 0.3 AMPS, 3350 RPM, 2 SPEED, SLEEVE, 1/30 HP

*Notes: 3-370V not included, gasket included*



### FB-RFB127

**OEM NAME: GSW JOHN WOODS**

115 VOLTS, SP, 1.3 AMPS, 3200 RPM, SLEEVE



### FB-RFB139

**OEM NAME: RHEEM-RUUD**

115 VOLTS, SP, 0.95 AMPS, 2970 RPM, SLEEVE



### FB-RFB145 ALTERNATE A145, A171

**OEM NAME: INTERCITY PRODUCTS, KEEPRITE, RHEEM-RUUD**

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, BALL

*Notes: gasket included*



### FB-RFB156 ALTERNATE A156

**OEM NAME: COLEMAN, EVCON**

115 VOLTS, SP, 1.1 AMPS, 3000 RPM, SLEEVE



### FB-RFB17

**OEM NAME: CLARE**

115 VOLTS, SP, 2 AMPS, 3000 RPM, SLEEVE



### FB-RFB181

**OEM NAME: OLSEN-AIRCO**

115 VOLTS, SP, 1.2 AMPS, 3200 RPM, BALL

*Notes: gasket included*



**FB-RFB189**

**OEM NAME: RHEEM-RUUD**

115 VOLTS, SP, 1 AMP, 3000 RPM, SLEEVE, 1/40 HP

*Notes: limited stock available*



**FB-RFB200**

**OEM NAME: OLSEN-AIRCO**

115 VOLTS, SP, 1.2 AMPS, 3200 RPM, BALL



**FB-RFB203**

**OEM NAME: ARMSTRONG, OLSEN**

230 VOLTS, SP, 0.9 AMP, 3000 RPM, BALL, 1/30 HP

*Notes: limited stock available, capacitor included*



**FB-RFB212**

**OEM NAME: CARRIER**

115 VOLTS, SP, 1.6 AMPS, 3000 RPM, BALL, 1/20 HP



**FB-RFB231**

**OEM NAME: YORK**

230 VOLTS, PSC, 0.6 AMPS, 3200 RPM, REVERSE, BALL, 1/12 HP

*Notes: capacitor included*



**FB-RFB241 ALTERNATE A066, N066**

**OEM NAME: RHEEM-RUUD**

120 VOLTS, SP, 1.6 AMPS, 3000 RPM, SLEEVE, 1/20 HP



**FB-RFB250**

**OEM NAME: ARMSTRONG**

208-230 VOLTS, SP, 0.7 AMPS, 3000 RPM, SLEEVE, 1/30 HP



**FB-RFB276 ALTERNATE A065**

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.4 AMPS, 3000 RPM, BALL, 1/30 HP

*Notes: C-Frame*



**FB-RFB296**

**OEM NAME: YORK**

460 VOLTS, SP, 0.3 AMPS, 3000 RPM, SLEEVE, 1/40 HP

*Notes: limited stock available*



**FB-RFB310 ALTERNATE A273**

**OEM NAME: TRANE**

208-230 VOLTS, PSC, 0.62 AMPS, 3500 RPM, 1/8 HP

*Notes: capacitor and gaskets included*



**FB-RFB330 ALTERNATE A067**

**OEM NAME: CARRIER, INTERCITY PRODUCTS**

115 VOLTS, SP, 2.4 AMPS, 3000 RPM, BALL, 1/25 HP



**FB-RFB337 ALTERNATE A143, A361, N143**

**OEM NAME: TRANE**

115 VOLTS, SP, 1.3 AMPS, 3100 RPM, BALL, 1/30 HP



**FB-RFB350 ALTERNATE A173, N173**

**OEM NAME: INTERCITY PRODUCTS, KEEPRITE**

115 VOLTS, PSC, 0.8 AMPS, 3450 RPM, BALL, 1/25 HP



**FB-RFB356**

**OEM NAME: WEIL MCLAIN**

115 VOLTS, SP, 2.8 AMPS, 3250 RPM, SLEEVE, 1/12 HP



**FB-RFB383 ALTERNATE A051, A134, A172, N172**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.6 AMPS, 3000 RPM, BALL, 1/26 HP



**FB-RFB401 ALTERNATE A068, A164, N164**

**OEM NAME: LENNOX**

115 VOLTS, SP, 1.3 AMPS, 2800 RPM, BALL, 1/60 HP



**FB-RFB405 ALTERNATE A182, N182**

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.5 AMPS, 3000 RPM, BALL, 1/33 HP

*Notes: gasket included*



**FB-RFB425**

**OEM NAME: ARMSTRONG-JOHNSON**

115 VOLTS, SP, 1.4 AMPS, 3000 RPM, SLEEVE



### FB-RFB433

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.5 AMPS, 3000 RPM, BALL, 1/35 HP

*Notes: gasket included*



### FB-RFB483 ALTERNATE A188

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.8 AMPS, 3200 RPM, BALL

*Notes: thermal limit switch and gasket included*



### FB-RFB501

**OEM NAME: AMANA, GOODMAN, JANITROL**

115 VOLTS, SP, 2.8 AMPS, 3000 RPM, BALL, 1/16 HP



### FB-RFB52

**OEM NAME: CLARE**

115 VOLTS, PSC, 0.85 AMPS, 3450 RPM, BALL, 1/20 HP

*Notes: capacitor included*



### FB-RFB547 ALTERNATE A163

**OEM NAME: ARMSTRONG-JOHNSON**

115 VOLTS, SP, 1.8 AMPS, 3400 RPM, BALL, 1/20 HP

*Notes: gasket included*



### FB-RFB598 ALTERNATE 5H73598-2

**OEM NAME: MODINE**

200/230 VOLTS, SP, 0.95/1.10 AMPS, 3000 RPM, SLEEVE, 1/18 HP



### FB-RFB599 ALTERNATE 5H73598-1

**OEM NAME: MODINE**

115 VOLTS, SP, 2.4 AMPS, 3000 RPM, SLEEVE, 1/15 HP



### FB-RFB654 ALTERNATE 024-24115-018

**OEM NAME: YORK**

230/460 VOLTS, SP, 1.01/0.51 AMPS, 3430 RPM, CCWSE, BALL, 1/20 HP

*Notes: with proving switch*



### FB-RFB655

**OEM NAME: YORK**

230/460 VOLTS, SP, 0.4 AMPS, 3450 RPM, CCWSE, BALL, 1/20 HP

*Notes: with proving switch*



### **FB-RFB676**

**OEM NAME: ARMSTRONG**

115 VOLTS, PSC, 0.57 AMPS, 3300/2800 RPM, 2 SPEED, BALL, 1/20 HP

*Notes: capacitor included*



### **FB-RFB68**

**OEM NAME: KEEPRITE**

115 VOLTS, SP, 0.9 AMPS, 3000 RPM, BALL, 1/50 HP

*Notes: gasket included*



### **FB-RFB701**

**OEM NAME: LENNOX**

208-230 VOLTS, PSC, 0.6 AMPS, 3200 RPM, BALL, 1/10 HP



### **FB-RFB756**

**OEM NAME: CARRIER**

115 VOLTS, PSC, 1.02 AMPS, 3190 RPM, BALL, 1/16 HP

*Notes: capacitor included*



### **FB-RFB757**

**OEM NAME: CARRIER**

115 VOLTS, PSC, 1.16 AMPS, 3026 RPM, BALL, 1/16 HP

*Notes: capacitor included*



### **FB-RFB758**

**OEM NAME: CARRIER**

115 VOLTS, PSC, 1.45 AMPS, 3222 RPM, BALL, 1/15 HP

*Notes: capacitor included*



### **FB-RFB810 ALTERNATE A208**

**OEM NAME: LENNOX**

115 VOLTS, SP, 2 AMPS, 3000 RPM, BALL, 1/30 HP



### **FB-RFB824**

**OEM NAME: HEIL, INTERCITY PRODUCTS, TEMPSTAR**

115 VOLTS, SP, 2.6 AMPS, 3000 RPM, BALL, 1/15 HP



### **FB-RFB825**

**OEM NAME: HEIL, INTERCITY PRODUCTS, TEMPSTAR**

115 VOLTS, PSC, 0.75/0.44 AMPS, 3000/2000 RPM, 2 SPEED, BALL, 1/20 HP



### **FB-RFB859 ALTERNATE A157, A184, N157**

**OEM NAME: GOODMAN, JANITROL**

115 VOLTS, SP, 1.6 AMPS, 3000 RPM, BALL, 1/48 HP

*Notes: gasket included*



### **FB-RFB9**

**OEM NAME: INTERCITY PRODUCTS, KEEPRITE**

208-230 VOLTS, SP, 1.1 AMPS, 3000 RPM, CWSE, BALL, 1/12 HP



### **FB-RFB902**

**OEM NAME: FRIGIDAIRE, MILLER, NORDYNE**

115 VOLTS, PSC, 0.7 AMPS, 3450 RPM, BALL, 1/20 HP



### **FM-RFM12**

**OEM NAME: CLARE**

115 VOLTS, SP, 2 AMPS, 3100 RPM, CWSE, BALL, 1/15 HP

*Notes: wheel/housing not included, limited stock available*



### **FM-RFM462**

**OEM NAME: CARRIER**

460 VOLTS, PSC, 0.25 AMPS, 3450 RPM, CCWSE, BALL, 1/16 HP



### **FM-RFM78**

**OEM NAME: REZNOR**

115/230 VOLTS, PSC, 1.27 AMPS, 3200 RPM, REVERSE, BALL, 1/10 HP

*Notes: capacitor included*



### **FM-RFM890**

**OEM NAME: LENNOX**

208-230 VOLTS, SP, 0.7 AMPS, 3200 RPM, CWSE, BALL, 1/25 HP

*Notes: motor only*



### **FM-RFM9**

**OEM NAME: KEEPRITE**

208-230 VOLTS, SP, 1.1 AMPS, 3000 RPM, CWSE, BALL, 1/12 HP

*Notes: with proving switch*



### **HC21ZE121B**

**OEM NAME: CARRIER**

115 VOLTS, SP, 0.81 AMPS, 3000 RPM, CWSE, BALL



### **K628**

**OEM NAME: KEEPRITE**

208-230 VOLTS, SP, 0.25 AMPS, 3000 RPM, CWSE, SLEEVE, 1/200 HP

*Notes: with proving switch*




### **K629**

**OEM NAME: EVCON**

115 VOLTS, SP, 0.55 AMPS, 2950 RPM, SLEEVE, 1/85 HP

*Notes: with proving switch*



### **K674**

**OEM NAME: CARRIER**

115 VOLTS, SP, 2 AMPS, 3000 RPM, BALL, 1/22 HP



### **N066 ALTERNATE A066, FB-RFB241**

**OEM NAME: RHEEM-RUUD**

115 VOLTS, SP, 1.6 AMPS, 3000 RPM, BALL, 1/30 HP



### **N143 ALTERNATE A143, A361, FB-RFB337**

**OEM NAME: TRANE**

115 VOLTS, SP, 1.3 AMPS, 3000 RPM, BALL, 1/30 HP



### **N157 ALTERNATE A157, A184, FB-RFB859**

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.6 AMPS, 3000 RPM, SLEEVE, 1/30 HP



### **N164 ALTERNATE A068, A164, FB-RFB401**

**OEM NAME: LENNOX**

115 VOLTS, SP, 1.4 AMPS, 2800 RPM, BALL, 1/60 HP



### **N172 ALTERNATE A051, A134, A172, FB-RFB383**

**OEM NAME: INTERCITY PRODUCTS**

115 VOLTS, SP, 1.5 AMPS, 3000 RPM, BALL, 1/35 HP



### **N173 ALTERNATE A173, FB-RFB350**

**OEM NAME: HEIL, INTERCITY PRODUCTS, TEMPSTAR**

115 VOLTS, PSC, 0.92 AMPS, 3350 RPM, BALL, 1/25 HP



### **N182 ALTERNATE A182, FB-RFB405**

**OEM NAME: GOODMAN**

115 VOLTS, SP, 1.5 AMPS, 3000 RPM, SLEEVE, 1/30 HP



### **N200 ALTERNATE A200**

**OEM NAME: LENNOX**

115 VOLTS, SP, 1.2 AMPS, 3000 RPM, BALL, 1/30 HP



### **N781**

**OEM NAME: RHEEM-RUUD**

115 VOLTS, PSC, 0.6 AMPS, 3000 RPM, BALL, 1/50 HP



### **R06428D455**

**OEM NAME: ARMSTRONG**

115 VOLTS, SP, 1.4 AMPS, 3000 RPM, BALL, 1/30 HP

*Notes: press switch and gasket included*



### **R7-RB33**

**OEM NAME: NEWMAC**

115 VOLTS, SP, 0.6 AMPS, 2800 RPM, BALL, 1/25 HP

*Notes: with variable speed control and power cord*



### **W10**

**OEM NAME: STATE INDUSTRIES**

115 VOLTS, SP, 0.8 AMPS, 3400 RPM, SLEEVE, 1/20 HP



### **W11**

**OEM NAME: BRADFORD WHITE**

120 VOLTS, SP, 3.1 AMPS, 3000 RPM, BALL, 1/12 HP



### **W3**

**OEM NAME: BRADFORD WHITE**

115 VOLTS, SP, 1.7 AMPS, 3000 RPM, BALL, 1/17 HP



### **W4**

**OEM NAME: AO SMITH**

115 VOLTS, SP, 1.8 AMPS, 3400 RPM, SLEEVE, 1/20 HP

*Notes: 6 pin wiring harness*



### W8

**OEM NAME: GSW JOHN WOODS**

115 VOLTS, SP, 1.3 AMPS, 3200 RPM, SLEEVE, 1/25 HP



### W9

**OEM NAME: STATE INDUSTRIES**

115 VOLTS, SP, 0.95 AMPS, 3000 RPM, SLEEVE, 1/60 HP



### 335 ALTERNATE D1192

**OEM NAME: MILLER FURNACE**

115 VOLTS, SP, 0.83 AMPS, 3000 RPM, CCWSE, SLEEVE, 1/40 HP

*Notes: with proving switch*



### 349 ALTERNATE D408

**OEM NAME: COLEMAN**

115 VOLTS, SP, 0.46 AMPS, 3000 RPM, CWSE, SLEEVE, 1/25 HP

*Notes: with proving switch*



### 148055

**OEM NAME: REZNOR**

115 VOLTS, SP, 1.25 AMPS, 3000 RPM, CWSE, SLEEVE, 1/33 HP



### 163891

**OEM NAME: REZNOR**

115 VOLTS, PSC, 1.6 AMPS, 3000 RPM, CCWSE, SLEEVE, 1/9 HP

*Notes: capacitor included*



### 214067

**OEM NAME: REZNOR**

115 VOLTS, PSC, 0.8 AMPS, 3300 RPM, CWSE, 1/20 HP

*Notes: capacitor included*



### 024-24115-018 ALTERNATE FB-RFB654

**OEM NAME: YORK**

208-230 VOLTS, SP, 0.78 AMPS, 3200 RPM, CCWSE, 1/30 HP

*Notes: wheel included*



### 373-10337-702

**OEM NAME: YORK**

115 VOLTS, SP, 1.2 AMPS, 3000 RPM, BALL, 1/50 HP

*Notes: includes gasket*



### **3H35058-1**

**OEM NAME: MODINE**

115 VOLTS, SP, 1.4 AMPS, 3000 RPM



### **3H37362-1**

**OEM NAME: MODINE**

115 VOLTS, SP, 1.45 AMPS, 3000 RPM

*Notes: includes gasket*



### **3H37362-2**

**OEM NAME: MODINE**

115 VOLTS, SP, 2.2 AMPS, 3000 RPM, BALL

*Notes: includes gasket*



### **5H73597-1**

**OEM NAME: MODINE**

115 VOLTS, SP, 1.4 AMPS, 2700 RPM



### **5H73598-1 ALTERNATE FB-RFB599**

**OEM NAME: MODINE**

115 VOLTS, SP, 2 AMPS, 3000 RPM, 1/15 HP



### **5H73598-2 ALTERNATE FB-RFB598**

**OEM NAME: MODINE**

200/230 VOLTS, SP, 0.95/1.1 AMPS, 3000 RPM, SLEEVE, 1/18 HP



### **80C93**

**OEM NAME: LENNOX**

120 VOLTS, SP, 0.58 AMPS, 3000 RPM, SLEEVE



### **80M52**

**OEM NAME: LENNOX**

115 VOLTS, SP, 2.7 AMPS, 3200 RPM

*Notes: includes blower, limit switch, and mounting hardware*



**PEMS**  
PRECISION ELECTRIC MOTOR SALES

# HVAC

Catalog



06.03.21

## Table of Contents

<b>Direct Drive Blower Motors</b>	2 - 11
5.0" Shaded Pole 115V	2
5.0" Shaded Pole 230V	2
5.0" PSC 115V	3
5.0" PSC 230V	3
5.6" PSC 115V	4 - 5
5.6" PSC 115V - Multi-Horsepower	6
5.6" PSC 208-230V	7 - 8
5.6" PSC 460V	8
5.6" PSC 208-230V - Multi-Horsepower	9
5.6" ECM	10 - 11
<b>Belt Drive Blower Motors</b>	12
<b>Oil Burner Motors</b>	12
<b>Unit Heater Motors</b>	13
<b>Condenser Motors</b>	14 - 21
5.0" PSC 208-230V	14
5.6" PSC 208-230V Ball Bearing	15
5.6" PSC 208-230V Sleeve Bearing	16
5.6" PSC 208-230V Ball Bearing - Multi-Horsepower	17
5.6" PSC 460V Ball Bearing	18
5.6" PSC 460V Ball Bearing - Multi-Horsepower	18
5.6" ECM	18
48 Frame Fan Canopy PSC	19
48 Frame Fan Canopy 3 Phase	19
56 Frame Commercial Condenser 3 Phase	19
56 Frame Commercial Condenser PSC	20 - 21

## Direct Drive Blower Motors, 5.0" Diameter, Shaded Pole, 115V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Brand	Item Number	Notes
1/15	1050	2	3.0	CWSE	3/8 x 2 3/8	Century	96	
1/8	1050	2	4.5	CWSE	1/2 x 4	Fasco	D178	While Supplies Last
1/8	1050	2	4.8	CWSE	1/2 x 4 1/2	Century	346	
1/8	1050	1	5.5	CWSE	1/2 x 5	US Motors	1337	
1/6	1050	4	6.5	CWSE	1/2 x 4 1/2	Fasco	D164	While Supplies Last
1/6	1050	1	6.6	CWSE	1/2 x 3 7/8	Fasco	D156	While Supplies Last
1/6	1050	1	7.0	CWSE	1/2 x 3 3/4	Century	345	
1/6	1050	2	7.2	CWSE	1/2 x 3 1/2	Fasco	D166	While Supplies Last
1/5	1050	3	6.8	CWSE	1/2 x 3 7/8	Century	385	
1/5	1050	3	6.7	CWSE	1/2 x 4 1/8	Fasco	D158	While Supplies Last
1/5	1050	1	7.1	CWSE	1/2 x 2 1/4	US Motors	1340	
1/5	1050	4	7.9	CWSE	1/2 x 4	Century	559	
1/4	1050	1	8.9	CWSE	1/2 x 2 5/8	US Motors	1341	
1/50	1050	3	1.1	Double Shaft	7.6 x 3/8 x 7.6	Fasco	D249	
1/25	1050	3	1.5	Double Shaft	7.5 x 1/2 x 7.5	Fasco	D255	
1/20	1050	3	2.2	Double Shaft	7.5 x 1/2 x 7.5	Fasco	D253	While Supplies Last
1/20	1050	3	2.6	Double Shaft	7.3 x 3/8 x 7.3	Century	9615	
1/15	1050	3	2.1	Double Shaft	8 x 3/8 x 8	Fasco	D254	While Supplies Last
1/10	1050	3	3.4	Double Shaft	8 x 1/2 x 8	Fasco	D256	
1/10	1050	5	3.5	Double Shaft	10.25 x 1/2 x 10.38	Century	DBL6409NB	
1/10	1050	5	3.6	Double Shaft	10.75 x 3/8 x 10.75	Fasco	D293	Base Included, While Supplies Last
1/10	1050	5	3.6	Double Shaft	10.75 x 1/2 x 10.75	Fasco	D289	Base Included, While Supplies Last
1/10	1550	3	3.5	Double Shaft	7.3 x 1/2 x 7.3	Century	DCL4421	
1/8	1550	3	5.5	Double Shaft	8.3 x 1/2 x 8.3	Century	9671	
1/8	1550	4	3.3	Double Shaft	9.9 x 1/2 x 9.9	Century	347	
1/8	1550	4	3.3	Double Shaft	9.9 x 1/2 x 9.9	Century	9675	Base Included
1/6	1550	4	4.0	Double Shaft	7.2 x 1/2 x 7.2	Century	DCL4422	While Supplies Last
1/6	1550	4	5.0	Double Shaft	7.6 x 1/2 x 7.6	Century	745	

## Direct Drive Blower Motors, 5.0" Diameter, Shaded Pole, 208-230V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Brand	Item Number	Notes
1/8	1050	1	1.9	CWSE	1/2 x 3	Century	598	230V Only
1/8	1050	2	2.1	CWSE	1/2 x 3 7/8	Fasco	D316	While Supplies Last, 230V
1/5	1050	3	3.2	CWSE	1/2 x 5 1/2	Century	B6415	
1/5	1050	4	4	CWSE	1/2 x 5 1/4	Fasco	D658	While Supplies Last
1/6	1550	1	3.2	CCWSE	1/2 x 3 1/4	Century	593	Base Included
1/15	1050	3	1.3	Double Shaft	8.9 x 1/2 x 8.9	Century	320	Base Included
1/15	1050	3	1.3	Double Shaft	3.75 x 1/2 x 4.75	Century	9670	No Base
1/10	1050	5	2.3	Double Shaft	9.3 x 1/2 x 9.3	Century	DB6407	Base Included
1/10	1000	5	2.3	Double Shaft	11 x 1/2 x 11	Century	9689	No Base
1/6	1050	3	2.9	Double Shaft	8.5 x 1/2 x 8.5	Century	348	No Base
1/6	1050	3	3.2	Double Shaft	10 x 1/2 x 10	Fasco	D224	230V Only, No Base

## Direct Drive Blower Motors, 5.0" Diameter, PSC, 115V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/5	1050	3	3.2	Reversible	1/2 x 5 1/2	7.5	Century	<b>BL6505</b>	
1/5	1050	4	3.4	Reversible	1/2 x 3.5	4	US Motors	<b>1268</b>	
1/5	1050	3	3.5	Reversible	1/2 x 4	5	Genteq	<b>2825</b>	Base Included
1/4	1050	3	2.8	Reversible	1/2 x 4	7.5	US Motors	<b>1390</b>	
1/4	1050	3	3.6	Reversible	1/2 x 6	7.5	Century	<b>390</b>	
1/4	1050	3	4.7	Reversible	1/2 x 6	5	Fasco	<b>D150</b>	
1/4	1050	3	4.8	Reversible	1/2 x 4	5	Genteq	<b>2827</b>	
1/3	1050	3	3.8	Reversible	1/2 x 4	15	US Motors	<b>8955</b>	
1/3	1050	3	5.8	Reversible	1/2 x 4	15	Genteq	<b>2829</b>	
1/20	1050	4	.9	Double Shaft	10.1 x 1/2 x 10.1	Included	US Motors	1270	Base Included, Ball Brg
1/15	1050	4	1.4	Double Shaft	10.5 x 1/2 x 10.5	5	Genteq	<b>2830</b>	Base Included
1/15	1050	3	.8	Double Shaft	9.7 x 1/2 x 10.8	5	US Motors	<b>1090</b>	Base Included
1/10	1050	5	1.3	Double Shaft	10.75 x 3/8 x 10.75	Included	Fasco	<b>D294</b>	Base Included
1/10	1050	4	1.9	Double Shaft	8 x 1/2 x 8	5	Genteq	<b>2831</b>	Base Included
1/10	1050	4	2.2	Double Shaft	10.75 x 1/2 x 10.75	Included	Fasco	<b>D291</b>	Base Included
1/10	1050	5	2.5	Double Shaft	10 x 1/2 x 10	Included	US Motors	<b>2832</b>	Base Included
1/8	1050	4	2.7	Double Shaft	10 x 1/2 x 10	5	Genteq	<b>2832</b>	Base Included
1/6	1050	3	2.8	Double Shaft	8.5 x 1/2 x 8.5	4	Fasco	<b>D354</b>	
1/4	1050	4	4.7	Double Shaft	8 x 1/2 x 8	5	Genteq	<b>2833</b>	Base Included
1/25	1550	3	.6	Double Shaft	6.9 x 1/2 x 6.9	5	Fasco	<b>D382</b>	
1/8	1550	4	2.3	Double Shaft	10.5 x 1/2 x 10.5	4	Fasco	<b>D347</b>	
1/6	1550	4	3.2	Double Shaft	8 x 1/2 x 8	4	Fasco	<b>D221</b>	
1/6	1550	4	2.1	Double Shaft	8 x 1/2 x 8	5	Genteq	<b>2837</b>	Base Incl., 1625 RPM
1/6	1550	3	2.5	Double Shaft	8.3 x 1/2 x 8.3	7.5	US Motors	<b>1257</b>	Base Incl., 1425 RPM

## Direct Drive Blower Motors, 5.0" Diameter, PSC, 208-230V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/5	1050	3	1.3	Reversible	1/2 x 5 1/2	7.5	Century	<b>B6507</b>	
1/5	1050	3	1.6	Reversible	1/2 x 4	5	US Motors	<b>8952</b>	
1/5	1050	3	1.7	Reversible	1/2 x 4	5	Genteq	<b>2826</b>	
1/4	1050	3	1.5	Reversible	1/2 x 6	7.5	Century	<b>391</b>	
1/4	1050	3	1.5	Reversible	1/2 x 4	7.5	US Motors	<b>1391</b>	
1/4	1050	3	2.0	Reversible	1/2 x 6	5	Fasco	<b>D151</b>	230V Only
1/4	1050	3	2.2	Reversible	1/2 x 4	5	Genteq	<b>2828</b>	
1/15	1050	3	.5	Double Shaft	8.3 x 1/2 x 8.3	Included	US Motors	1261	Base Included
1/10	1050	4	1	Double Shaft	10.75 x 1/2 x 10.75	Included	Fasco	<b>D292</b>	Base Included
1/5	1075	1	1.3	Double Shaft	5.5 x 1/2 x 5.5	Included	US Motors	<b>1124</b>	No Base
1/3	1050	2	2.9	Double Shaft	8 x 1/2 x 8	4	Fasco	<b>D245</b>	230V Only
1/6	1550	3	1.0	Double Shaft	8 x 1/2 x 8	4	Fasco	<b>D247</b>	230V Only
1/5	1550	2	2.8	Double Shaft	8 x 1/2 x 8	5	Fasco	<b>D258</b>	
1/3	1550	1	2.3	Double Shaft	7.1 x 1/2 x 7.1	5	Fasco	<b>D1025</b>	
1/4	1550	3	1.6	Double Shaft	8 x 1/2 x 8	Included	US Motors	<b>1221P</b>	Base Included
1/4	1550	2	1.4	Double Shaft	9 x 1/2 x 9	5	US Motors	<b>1279</b>	Base Included

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 115V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/6	1075	3	2.5	Reversible	1/2 x 6 1/2	7.5	Century	<b>FDL1016</b>	
1/4	1075	3	3.4	Reversible	1/2 x 4	7.5	Marathon	<b>X000</b>	Ball Bearing
1/4	1075	3	3.5	Reversible	1/2 x 5	7.5	US Motors	<b>1863</b>	
1/4	1075	3	3.5	Reversible	1/2 x 4 1/2	5	Century	<b>DL1026</b>	
1/4	1075	3	4.2	Reversible	1/2 x 4	5	Economaster	<b>EM3583</b>	Ball Bearing
1/4	1075	3	4.2	Reversible	1/2 x 4	5	Genteq	<b>3583</b>	
1/4	1075	3	4.8	Reversible	1/2 x 6	5	Fasco	<b>D721</b>	
1/3	1075	3	4.6	Reversible	1/2 x 4	7.5	Marathon	<b>X002</b>	Ball Bearing
1/3	1075	3	4.9	Reversible	1/2 x 4 1/2	7.5	Century	<b>DL1036</b>	
1/3	1075	3	5.0	Reversible	1/2 x 5	7.5	US Motors	<b>1864</b>	
1/3	1075	3	5.5	Reversible	1/2 x 4	7.5	Economaster	<b>EM3585</b>	Ball Bearing
1/3	1075	3	5.9	Reversible	1/2 x 6	5	Fasco	<b>D727</b>	
1/3	1075	3	6.1	Reversible	1/2 x 4	5	Genteq	<b>3585</b>	
1/2	1075	3	6.2	Reversible	1/2 x 4	10	Marathon	<b>X004</b>	Ball Bearing
1/2	1075	3	6.5	Reversible	1/2 x 5	10	US Motors	<b>1865</b>	
1/2	1075	3	6.5	Reversible	1/2 x 4 1/2	10	Century	<b>DL1056</b>	
1/2	1075	3	7.5	Reversible	1/2 x 4	10	Economaster	<b>EM3587</b>	Ball Bearing
1/2	1075	4	7.7	Reversible	1/2 x 5 1/2	10	Fasco	<b>D701</b>	
1/2	1075	3	9.0	Reversible	1/2 x 4	5	Genteq	<b>3587</b>	
3/4	1075	3	8.9	Reversible	1/2 x 4 1/2	15	Century	<b>DL1076</b>	
3/4	1075	3	9.5	Reversible	1/2 x 5	15	US Motors	<b>8904</b>	
3/4	1075	3	10.2	Reversible	1/2 x 4	15	Economaster	<b>EM3589</b>	Ball Bearing
3/4	1075	3	10.2	Reversible	1/2 x 4	15	Marathon	<b>X009</b>	Ball Bearing
3/4	1075	3	10.5	Reversible	1/2 x 6	10	Fasco	<b>D728</b>	
3/4	1075	3	11.2	Reversible	1/2 x 4	15	Genteq	<b>3589</b>	
1	1075	3	11.8	Reversible	1/2 x 4	20	Genteq	<b>3595</b>	Ball Bearing
1	1075	3	12.1	Reversible	1/2 x 5	20	US Motors	<b>8904</b>	
1	1075	3	12.3	Reversible	1/2 x 6 1/2	20	Century	<b>BDL1106</b>	Ball Bearing
1/6	1075	3	2.5	Reversible	1/2 x 5	5	Genteq	<b>3782</b>	Flex Mount
1/4	1075	4	3.3	Reversible	1/2 x 6	5	Marathon	<b>X034</b>	Flex Mount, Ball Bearing
1/4	1075	3	3.5	Reversible	1/2 x 6	7.5	Century	<b>FML1026</b>	Flex Mount
1/4	1075	3	3.7	Reversible	1/2 x 5	7.5	Genteq	<b>3783</b>	Flex Mount
1/4	1075	3	3.8	Reversible	1/2 x 5	5	US Motors	<b>3783</b>	Flex Mount
1/3	1075	4	4.5	Reversible	1/2 x 6	10	Marathon	<b>X035</b>	Flex Mount, Ball Bearing
1/3	1075	3	4.9	Reversible	1/2 x 5	7.5	Genteq	<b>3785</b>	Flex Mount
1/3	1075	3	5.0	Reversible	1/2 x 5	7.5	US Motors	<b>3785</b>	Flex Mount
1/3	1075	3	6.0	Reversible	1/2 x 6	10	Century	<b>FML1036</b>	Flex Mount
1/2	1075	4	6	Reversible	1/2 x 6	15	Marathon	<b>X036</b>	Flex Mount, Ball Bearing
1/2	1075	3	7.3	Reversible	1/2 x 5	10	Genteq	<b>3787</b>	Flex Mount
1/2	1075	3	7.4	Reversible	1/2 x 5	10	US Motors	<b>3787</b>	Flex Mount
1/2	1075	3	8.0	Reversible	1/2 x 6	10	Century	<b>FML1056</b>	Flex Mount
3/4	1075	3	10.3	Reversible	1/2 x 5	15	Genteq	<b>3789</b>	Flex Mount
3/4	1075	3	10.9	Reversible	1/2 x 6	15	Century	<b>FML1076</b>	Flex Mount

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 115V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/8	1075	3	2	Double Shaft	7 1/2 x 1/2 x 9	5	Century	<b>RAL1006</b>	
1/8	1075	3	2.1	Double Shaft	6 x 1/2 x 6	5	US Motors	<b>1186</b>	TEAO
1/6	1075	3	2.2	Double Shaft	9 x 1/2 x 7 1/2	5	Century	<b>RAL1016</b>	
1/6	1075	3	2.4	Double Shaft	7 x 1/2 x 8 3/4	5	Genteq	<b>3651</b>	
1/6	1075	3	2.9	Double Shaft	7 x 1/2 x 7	5	US Motors	<b>1240</b>	Cap Included
1/4	1075	3	3.4	Double Shaft	7 3/4 x 1/2 x 8	5	Century	<b>RAL1026</b>	
1/4	1075	3	3.7	Double Shaft	7 1/2 x 1/2 x 8	5	Genteq	<b>3671</b>	
1/4	1075	3	4.4	Double Shaft	7 x 1/2 x 7	5	US Motors	<b>1244</b>	
1/3	1075	3	5.0	Double Shaft	6 3/4 x 1/2 x 7	5	Century	<b>RAL1036</b>	
1/3	1075	3	5.1	Double Shaft	7 1/2 x 1/2 x 7 1/2	5	Genteq	<b>3681</b>	
1/2	1075	3	5.2	Double Shaft	7 1/4 x 1/2 x 7 1/4	10	Century	<b>RAL1056</b>	
1/2	1075	3	7.3	Double Shaft	7 1/2 x 1/2 x 7 1/2	10	Genteq	<b>3691</b>	
1/2	1075	3	7.3	Double Shaft	8 x 1/2 x 8	5	Century	<b>594</b>	
3/4	1075	3	8.2	Double Shaft	7 1/4 x 1/2 x 7 1/4	15	Century	<b>RAL1076</b>	
3/4	1075	3	12.6	Double Shaft	8 x 1/2 x 8	10	Century	<b>9600A</b>	
1/4	1625	3	2.7	Reversible	1/2 x 6	10	US Motors	<b>1690</b>	
1/4	1625	3	2.7	Reversible	1/2 x 4	10	Genteq	<b>3992</b>	
1/4	1625	3	2.9	Reversible	1/2 x 4	7.5	Marathon	<b>X013</b>	Ball Bearing
1/4	1625	3	3.0	Reversible	1/2 x 6 1/2	10	Century	<b>FDL1024</b>	
1/3	1625	3	3.7	Reversible	1/2 x 6	15	US Motors	<b>1692</b>	
1/3	1625	3	3.9	Reversible	1/2 x 4	15	Genteq	<b>3994</b>	
1/3	1625	3	4.0	Reversible	1/2 x 6 1/2	15	Century	<b>FDL1034</b>	
1/3	1625	3	4	Reversible	1/2 x 4	7.5	Marathon	<b>X015</b>	Ball Bearing
1/2	1625	3	5	Reversible	1/2 x 4	15	Marathon	<b>X016</b>	Ball Bearing
1/2	1625	3	5.5	Reversible	1/2 x 5	20	US Motors	<b>1694</b>	
1/2	1625	3	6.0	Reversible	1/2 x 4	15	Genteq	<b>3996</b>	
1/2	1625	3	7.6	Reversible	1/2 x 6 1/2	15	Century	<b>FDL1054</b>	
3/4	1625	3	8.4	Reversible	1/2 x 6 1/2	15	Century	<b>FDL1074</b>	
3/4	1625	3	8.6	Reversible	1/2 x 6	20	US Motors	<b>1696</b>	
1	1625	3	11.1	Reversible	1/2 x 6	20	US Motors	<b>1699</b>	
1/6	1625	3	1.9	Double Shaft	8 1/2 x 1/2 x 8 1/2	5	Century	<b>9635A</b>	
1/6	1625	3	2.0	Double Shaft	7 x 1/2 x 8 3/4	5	Genteq	<b>3851</b>	
1/4	1625	3	2.9	Double Shaft	7 1/2 x 1/2 x 7 1/2	5	Genteq	<b>3871</b>	
1/4	1625	3	3.4	Double Shaft	7 5/8 x 1/2 x 8 1/2	5	Century	<b>RAL1024</b>	
1/4	1625	3	3.6	Double Shaft	7 x 1/2 x 7	3	US Motors	<b>1242</b>	
1/3	1625	3	4.0	Double Shaft	7 3/8 x 1/2 x 8 1/2	5	Century	<b>RAL1034</b>	
1/3	1625	3	4.1	Double Shaft	6 1/2 x 1/2 x 8 1/4	5	Genteq	<b>3881</b>	
1/2	1625	3	6.0	Double Shaft	7 5/8 x 1/2 x 7 1/4	5	Century	<b>RAL1054</b>	
1/2	1625	3	6.4	Double Shaft	7 1/2 x 1/2 x 7 1/2	5	Genteq	<b>3891</b>	

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 115V, Open, Sleeve, Multi-Horsepower

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/2			6.2			15			
1/3			6.1			7.5			
1/4	1075	4	4	Reversible	1/2 x 5	7.5	Genteq	<b>3463</b>	
1/5			2.9			7.5			
1/6			2.2			7.5			
1/2			7.0			10			
1/3			6.7			7.5			
1/4	1075	4	4.4	Reversible	1/2 x 5	7.5	CENTURY	<b>FDL6001</b>	
1/5			3.2			7.5			
1/6			2.4			7.5			
1/2			7.0			10			
1/3						7.5			
1/4	1075	4		Reversible	1/2 x 4 1/2	7.5	Economaster	<b>EM3463</b>	Ball Bearing
1/5						7.5			
1/6						7.5			
1/2			7.3			10			
1/3			6.9			7.5			
1/4	1075	4	5.5	Reversible	1/2 x 5	7.5	US Motors	<b>5460</b>	
1/5			3.6			7.5			
1/6			2.8			7.5			
1/2			7.3			12.5			
1/3						7.5			
1/4	1075	4		Reversible	1/2 x 5 1/2		US Motors	<b>US5460</b>	<b>Made in the USA</b> 2 Year Warranty
1/5									
1/6									
3/4			8.5			20			
1/2			8.3			10			
1/3	1075	4	4.6	Reversible	1/2 x 5	10	Genteq	<b>3466</b>	
1/4			3.4			10			
1/5			2.7			10			
3/4			9.1			10			
1/2			6.8			10			
1/3	1075	4	5.5	Reversible	1/2 x 5	7.5	CENTURY	<b>FDL6002</b>	
1/4			3.0			7.5			
1/5			2.3			7.5			
3/4			9.1			10			
1/2						7.5			
1/3	1075	4		Reversible	1/2 x 4 1/2	7.5	Economaster	<b>EM3466</b>	Ball Bearing
1/4						7.5			
1/5						7.5			
3/4			8.1			20			
1/2			6.6			10			
1/3	1075	4	4.6	Reversible	1/2 x 5	10	US Motors	<b>5470</b>	
1/4			3.8			10			
1/5			3.1			10			

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 208-230V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/4	1075	3	1.5	Reversible	1/2 x 5	7.5	US Motors	1971	
1/4	1075	3	1.5	Reversible	1/2 x 4	5	Marathon	X001	Ball Bearing
1/4	1075	3	1.8	Reversible	1/2 x 4 1/2	5	Century	D1026	
1/4	1075	3	2.0	Reversible	1/2 x 4	5	Economaster	EM3584	Ball Bearing
1/4	1075	3	2.0	Reversible	1/2 x 4	5	Genteq	3584	
1/4	1075	3	2.2	Reversible	1/2 x 6	5	Fasco	D725	
1/3	1075	3	1.9	Reversible	1/2 x 5	7.5	US Motors	1972	
1/3	1075	3	2.6	Reversible	1/2 x 4 1/2	5	Century	D1036	
1/3	1075	3	2.7	Reversible	1/2 x 4	5	Genteq	3586	
1/3	1075	3	2.8	Reversible	1/2 x 4	5	Economaster	EM3586	Ball Bearing
1/3	1075	3	2.9	Reversible	1/2 x 6	5	Fasco	D923	
1/3	1075	3	3.3	Reversible	1/2 x 4	5	Marathon	X003	Ball Bearing
1/2	1075	3	2.7	Reversible	1/2 x 4	7.5	Marathon	X005	Ball Bearing
1/2	1075	3	2.9	Reversible	1/2 x 5	10	US Motors	1973	
1/2	1075	3	3.2	Reversible	1/2 x 4 1/2	7.5	Century	D1056	
1/2	1075	3	3.6	Reversible	1/2 x 4	10	Economaster	EM3588	Ball Bearing
1/2	1075	3	4.0	Reversible	1/2 x 6	7.5	Fasco	D703	
1/2	1075	3	4.3	Reversible	1/2 x 4	5	Genteq	3588	
3/4	1075	3	4.0	Reversible	1/2 x 5	15	US Motors	8905	
3/4	1075	3	4.0	Reversible	1/2 x 4 1/2	10	Century	D1076	
3/4	1075	3	5.0	Reversible	1/2 x 4	10	Genteq	3590	
3/4	1075	3	5.4	Reversible	1/2 x 6	10	Fasco	D729	
3/4	1075	3	5.5	Reversible	1/2 x 4	10	Economaster	EM3590	Ball Bearing
3/4	1075	3	5.6	Reversible	1/2 x 4	10	Marathon	X010	Ball Bearing
1	1075	3	5.1	Reversible	1/2 x 4 1/2	20	Century	BD1106	Ball Bearing
1	1075	3	5.3	Reversible	1/2 x 5	15	Marathon	X023	230V, Ball Bearing
1	1075	3	5.6	Reversible	1/2 x 5	20	US Motors	8907	Ball Bearing
1	1075	3	5.6	Reversible	1/2 x 4	15	Genteq	3596	Ball Bearing
1/4	1075	3	1.4	Reversible	1/2 x 6	5	Century	FM1026	Flex Mount
1/4	1075	3	1.7	Reversible	1/2 x 5	5	Genteq	3784	Flex Mount
1/3	1075	3	2.7	Reversible	1/2 x 6	7.5	Century	FM1036	Flex Mount
1/3	1075	3	2.5	Reversible	1/2 x 5	5	Genteq	3786	Flex Mount
1/2	1075	3	3.4	Reversible	1/2 x 6	10	Century	FM1056	Flex Mount
1/2	1075	3	3.5	Reversible	1/2 x 5	7.5	Genteq	3788	Flex Mount
3/4	1075	3	4.9	Reversible	1/2 x 6	10	Century	FM1076	Flex Mount
3/4	1075	3	4.8	Reversible	1/2 x 5	10	Genteq	3790	Flex Mount
1/8	1075	3	0.75	Double Shaft	7 1/2 x 1/2 x 9	5	Century	RA1006	
1/8	1075	3	.8	Double Shaft	7 x 1/2 x 7	5	Genteq	3642	
1/6	1075	3	0.96	Double Shaft	8 1/4 x 1/2 x 8	5	Century	RA1016	
1/6	1075	3	1	Double Shaft	7 x 1/2 x 8 3/4	5	Genteq	3652	
1/4	1075	3	1.5	Double Shaft	10 x 1/2 x 10	5	Century	RA1026	
1/4	1075	3	1.7	Double Shaft	8 x 1/2 x 8	5	Genteq	3672	
1/3	1075	3	1.9	Double Shaft	6 3/4 x 1/2 x 7	5	Century	RA1036	
1/3	1075	3	2.4	Double Shaft	7 1/2 x 1/2 x 7 1/2	5	Genteq	3682	
1/2	1075	3	2.7	Double Shaft	8 x 1/2 x 8	10	Century	RA1056	
1/2	1075	3	3.5	Double Shaft	7 1/4 x 1/2 x 7 1/2	7.5	Genteq	3692	
3/4	1075	3	3.6	Double Shaft	7 x 1/2 x 7 1/4	7.5	Century	RA1076	
3/4	1075	3	5.0	Double Shaft	7 x 1/2 x 7 1/4	7.5	Genteq	3698	

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 208-230V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/4	1625	1	1.2	Reversible	1/2 x 4	5	Genteq	3993	
1/4	1625	1	1.5	Reversible	1/2 x 6	5	Fasco	D783	
1/4	1625	3	1.8	Reversible	1/2 x 6 1/2	5	Century	FD1024	
1/4	1625	3	1.8	Reversible	1/2 x 4	5	Marathon	X014	Ball Bearing
1/3	1625	3	1.9	Reversible	1/2 x 4	5	Genteq	3995	
1/3	1625	1	1.9	Reversible	1/2 x 6	5	Century	665A	Semi-Enclosed
1/3	1625	3	2.0	Reversible	1/2 x 6 1/2	5	Century	FD1034	
1/3	1625	3	2.3	Reversible	1/2 x 6	5	Marathon	X011	Ball Bearing
1/2	1625	3	2.8	Reversible	1/2 x 4	7.5	Genteq	3997	
1/2	1625	3	2.8	Reversible	1/2 x 6 1/2	7.5	Century	FD1054	
1/2	1625	3	3.8	Reversible	1/2 x 6	5	Fasco	D784	
1/2	1625	3	4.1	Reversible	1/2 x 4	5	Marathon	X017	Ball Bearing
3/4	1625	3	3.7	Reversible	1/2 x 5-1/2	7.5	Marathon	X022	230V Only, Ball Bearing
3/4	1625	3	4.0	Reversible	1/2 x 4	7.5	Genteq	3999	
3/4	1625	3	4.0	Reversible	1/2 x 6 1/2	7.5	Century	FD1074	
3/4	1625	1	5.2	Reversible	1/2 x 6	7.5	Fasco	D789	
1	1625	3	6.2	Reversible	1/2 x 2-1/2	10	Marathon	X211	Ball Bearing
1/6	1625	3	.9	Double Shaft	7 x 1/2 x 7	5	Genteq	3852	
1/6	1625	3	1.1	Double Shaft	8 1/2 x 1/2 x 8 1/2	5	Century	170B	
1/4	1625	4	1.2	Double Shaft	9 x 1/2 x 9	5	US Motors	1381	
1/4	1625	3	1.2	Double Shaft	7 x 1/2 x 8 1/4	5	Genteq	3872	
1/4	1625	3	1.6	Double Shaft	7 x 1/2 x 7	6	US Motors	8725	230V Only
1/4	1625	3	1.9	Double Shaft	7 5/8 x 1/2 x 7 1/4	5	Century	RA1024	
1/3	1625	3	1.9	Double Shaft	6 1/2 x 1/2 x 8 1/4	5	Genteq	3882	
1/3	1625	3	1.9	Double Shaft	7 x 1/2 x 7	7.5	US Motors	8726	
1/3	1625	3	2.0	Double Shaft	7 3/8 x 1/2 x 8	5	Century	RA1034	
1/2	1625	3	3.0	Double Shaft	7 x 1/2 x 7 1/2	5	Genteq	3892	
1/2	1625	3	3.2	Double Shaft	7 5/8 x 1/2 x 7 1/4	5	Century	RA1054	
3/4	1625	3	3.8	Double Shaft	7 1/8 x 1/2 x 7 1/4	7.5	Century	RA1074	
3/4	1625	3	3.9	Double Shaft	7 x 1/2 x 7	7.5	Genteq	3898	

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 460V, Open, Ball

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/3	1075	2	1.0	Reversible	1/2 x 6	7.5	Marathon	X037	
1/3	1075	2	1.2	Reversible	1/2 x 4 3/4	Included	Century	BDH1036	
1/3	1075	3	1.1	Reversible	1/2 x 6 1/2		Genteq	3D006	
1/3	1075	2	1.3	Reversible	1/2 x 6	5	US Motors	8945	
1/2	1075	2	1.4	Reversible	1/2 x 4 3/4	Included	Century	BDH1054	
1/2	1075	2	1.6	Reversible	1/2 x 6	10	Marathon	X038	
1/2	1075	3	1.6	Reversible	1/2 x 6 1/2	10	Genteq	3D007	
3/4	1075	2	2.1	Reversible	1/2 x 6	15	Marathon	X039	
3/4	1075	3	2.1	Reversible	1/2 x 6 1/2	15	Genteq	3D008	
3/4	1075	2	2.2	Reversible	1/2 x 6	20	US Motors	8947	
1	1075	3	3.2	Reversible	1/2 x 4 1/2	15	Century	BDH1106	
1	1075	3	3.3	Reversible	1/2 x 3 1/2	25	US Motors	2553	1100RPM/Sleeve
3/4	1625	2	2.2	Reversible	1/2 x 4 3/4	Included	Century	BDH1076	

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 208-230V, Open, Sleeve, Multi-Horsepower

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/2			2.7			20			
1/3			2.6			10			
1/4	1075	4	1.9	Reversible	1/2 x 5	10	Genteq	3464	
1/5			1.4			10			
1/6			1.1			10			
1/2			3.6			10			
1/3						5			
1/4	1075	4		Reversible	1/2 x 5 1/2		US Motors	US5460	<b>Made in the USA</b> 2 Year Warranty
1/5									
1/6									
1/2			3.6			10			
1/3			3.5			5			
1/4	1075	4	2.8	Reversible	1/2 x 5	5	US Motors	5461	
1/5			1.9			5			
1/6			1.3			5			
1/2			3.9			10			
1/3			3.6			5			
1/4	1075	4	2.5	Reversible	1/2 x 5	5	CENTURY	FD6000	
1/5			1.8			5			
1/6			1.3			5			
1/2			3.9			10			
1/3									
1/4	1075	4		Reversible	1/2 x 4 1/2		Economaster	EM3464	Ball Bearing
1/5									
1/6									
3/4			3.9			10			
1/2									
1/3	1075	4		Reversible	1/2 x 4 1/2		Economaster	EM3467	Ball Bearing
1/4									
1/5									
3/4			4.0			10			
1/2			3.6			10			
1/3	1075	4	3.0	Reversible	1/2 x 5	7.5	CENTURY	FD6001	
1/4			2.3			7.5			
1/5			2.0			7.5			
3/4			4.1			20			
1/2			3.7			10			
1/3	1075	4	2.5	Reversible	1/2 x 5	10	US Motors	5471	
1/4			1.8			10			
1/5			1.7			10			
3/4			4.2			20			
1/2			3.8			10			
1/3	1075	4	2.3	Reversible	1/2 x 5	10	Genteq	3467	
1/4			1.9			10			
1/5			1.5			10			

## Direct Drive Blower Motors - ECM, 5.6" Diameter, PSC, Open, Sleeve,

### PSC to ECM Blower Motors Upgrades/Replacements

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Volts	Brand	Item Number	Notes
1/3-1/5	1075	5	4.0/3.0-2.6	Reversible	1/2 x 4 1/2	115/208-230	US Motors	5522ET	
1/2-1/4	1075	5	5.9/4.6-3.9	Reversible	1/2 x 4 1/2	115/208-230	US Motors	5532ET	
1/2-1/4	1075	5	6.7/4.0	Reversible	1/2 x 5	115/230	Genteq	6005	
3/4-1/3	1075	5	8.1/5.2	Reversible	1/2 x 4 1/2	115/208-230	US Motors	5542ET	
1-1/2	1075	5	11.0/8.0	Reversible	1/2 x 4 1/2	115/208-230	US Motors	5552ET	
1-1/2	1075	5	11.0/6.7	Reversible	1/2 x 5	115/230	Genteq	6010	

### Genteq X13<sup>®</sup> Replacement Motors

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Volts	Brand	Item Number	Notes
1/3	1075	Var	4.8	Reversible	1/2 x 5	115	Genteq	6103E	
1/2	1075	Var	6.8	Reversible	1/2 x 5	115	Genteq	6105E	
1/2-1/3	1075	Var	6.3	Reversible	1/2 x 5	115	US Motors	5632	115/208/230V
3/4	1075	Var	8.4	Reversible	1/2 x 5	115	Genteq	6107E	
3/4	1075	Var	9.3	Reversible	1/2 x 5	115	US Motors	5642	115/208/230V
1	1075	Var	10.9	Reversible	1/2 x 5	115	Genteq	6110E	
1	1075	Var	12.4	Reversible	1/2 x 5	115	US Motors	5652	115/208/230V
1/3	1075	Var	2.8	Reversible	1/2 x 5	208-230	Genteq	6203E	
1/2	1075	Var	4.1	Reversible	1/2 x 5	208-230	Genteq	6205E	
1/2-1/3	1075	Var	4.0-3.8	Reversible	1/2 x 5	208-230	US Motors	5632	115/208/230V
3/4	1075	Var	6.0	Reversible	1/2 x 5	208-230	Genteq	6207E	
3/4	1075	Var	6.3	Reversible	1/2 x 5	208-230	US Motors	5642	115/208/230V
1	1075	Var	7.6	Reversible	1/2 x 5	208-230	Genteq	6210E	
1		Var	7.8-7.2	Reversible	1/2 x 5	208-230	US Motors	5652	115/208/230V

## Direct Drive Blower Motors - ECM, 5.6" Diameter, PSC, Open, Sleeve

### 16 Pin Constant Airflow, Variable Speed, Replacement Motors

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Volts	Brand	Item Number	Notes
1/3	1075	Var	4.5/2.9-2.7	Reversible	1/2 x 5	115/208-230	EZ16™	<b>5863</b>	
1/3	1075	Var	5.0/2.8	Reversible	1/2 x 5	120/240	Evergreen® VS	<b>6503V</b>	
1/2	1075	Var	6.4/4.0-3.8	Reversible	1/2 x 5	115/208-230	EZ16™	<b>5862</b>	
1/2	1075	Var	7.7/4.3	Reversible	1/2 x 5	120/240	Evergreen® VS	<b>6505V</b>	
3/4	1075	Var	9.3/5.9-5.5	Reversible	1/2 x 5	115/208-230	EZ16™	<b>5861</b>	
3/4	1075	Var	10.1/6.1	Reversible	1/2 x 5	120/240	Evergreen® VS	<b>6507V</b>	
1	1075	Var	12.1/7.6-7.1	Reversible	1/2 x 5	115/208-230	EZ16™	<b>5860</b>	
1	1075	Var	12.8/7.4	Reversible	1/2 x 5	120/240	Evergreen® VS	<b>6510V</b>	
<i>Evergreen Interface Module required when replacing 2.3 and EON models only</i>								<b>5K010</b>	

## EZ16™

2.0, 2.3, EON and Nidec 16X4W Replacement

*EZ16™ motors Do Not replace 3.0 (4 pin) motors*



Models: 5863, 5862, 5861, 5860

User Interface Included with all models

## Evergreen® VS

2.3, 3.0 and EON Replacement

*Evergreen® VS motors Do Not replace 2.0 or Nidec 16X4W motors*



Models: 6503V, 6505V, 6507V, 6510V

User Interface Sold Separately (**5K010**)

\* The Evergreen® User Interface **5K010** is required when replacing the **2.3** and **EON** (16 pin) motors. It is not required when replacing the 3.0 (4 pin) motors

## Belt Drive Blower Motors, 48 Frame, Split Phase, Open, Ball, Auto Protector

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Volts	Brand	Item Number	Notes
1/4	1725	1	5.0	Reversible	1/2 x 1 7/8	115	Marathon	<b>B206</b>	1.35 SF, FRM
1/4	1725	1	5.3	Reversible	1/2 x 1 1/2	115	US Motors	<b>8000</b>	1.35 SF, FRM
1/4	1725	1	5.4	Reversible	1/2 x 1 5/8	115	Century	<b>GF2024</b>	Slv Brg, 1.35 SF, FRM
1/4	1725	1	5.2/2.6	Reversible	1/2 x 1 1/2	115/208-230	Century	<b>BF2024</b>	1.35 SF, FRM
1/4	1725	1	5.2/2.5-2.6	Reversible	1/2 x 2 1/4	115/208-230	US Motors	<b>PD6002</b>	1.35 SF
1/3	1725	1	5.5	Reversible	1/2 X 1 7/8	115	Marathon	<b>B207</b>	1.35 SF, FRM
1/3	1725	1	6.4	Reversible	1/2 x 1 1/2	115	US Motors	<b>8100</b>	1.35 SF, FRM
1/3	1725	1	6.8	Reversible	1/2 x 1 5/8	115	Century	<b>GF2034</b>	Slv Brg, 1.35 SF, FRM
1/3	1725	1	6.4/3.2	Reversible	1/2 x 1 1/2	115/230	Century	<b>BF2034</b>	1.35 SF, FRM
1/3	1725	1	6.6/3.1-3.3	Reversible	1/2 x 2 1/4	115/208-230	US Motors	<b>PD6004</b>	1.35 SF
1/2	1725	1	7.5	Reversible	1/2 x 2	115	Marathon	<b>B208</b>	1.25 SF, FRM
1/2	1725	1	8.0	Reversible	1/2 x 1 1/2	115	US Motors	<b>8200</b>	1.25 SF, FRM
1/2	1725	1	8.0	Reversible	1/2 x 1 5/8	115	Century	<b>GF2054</b>	Slv Brg, 1.35 SF, FRM
1/2	1725	1	8.2/4.1	Reversible	1/2 x 1 1/2	115/208-230	Century	<b>BF2054</b>	1.25 SF, FRM
1/2	1725	1	8.6/4.2-4.3	Reversible	1/2 x 2 1/4	115/208-230	US Motors	<b>PD6006</b>	1.25 SF

FRM = Base Slotted for 48/56 Frame, 5/8" Shaft Adapter Included

## Oil Burner Motors, 48 Frame, Split Phase, Reversible, Sleeve, Auto Protector

HP	RPM	Amps	Frame Size	Enclosure	Bearing	Volts	Brand	Item Number	Notes
1/8	1725	2.4	48N	TE	Ball	115	US Motors	<b>3196</b>	
1/8	1725	2.5	48N	TE	Sleeve	115	Century	<b>EL2005</b>	
1/8	1725	2.8	48N	TE	Ball	115	Marathon	<b>O600</b>	
1/6	1725	2.7	48N	TE	Ball	115	Marathon	<b>O601</b>	
1/6	1725	3.1	48N	TE	Sleeve	115	US Motors	<b>3252</b>	
1/6	1725	3.2	48N	TE	Sleeve	115	Century	<b>XEL2014</b>	
1/4	1725	4.2	48N	TE	Ball	115	Marathon	<b>O002</b>	Semi Enclosed
1/3	1725	4.3	48N	TE	Sleeve	115	Century	<b>OL2034</b>	Open Construction
1/3	1725	4.3	48N	TE	Sleeve	115	Century	<b>EL2034</b>	
1/3	1725	4.8	56N	TE	Ball	115	US Motors	<b>3580</b>	5/8" Shaft Adapter
1/3	1725	5.0	48N	TE	Ball	115	Marathon	<b>O003</b>	Semi Enclosed
1/8	3450	2.4	48N	Open	Ball	115	Marathon	<b>O005</b>	
1/8	3450	2.4	48N	TE	Ball	115	US Motors	<b>2097</b>	Totally Enclosed
1/7	3450	1.7	48M	Open	Ball	115	US Motors	<b>3274</b>	
1/7	3450	1.8	48M	Open	Ball	115	Century	<b>OBK6002V1</b>	CWOSE
1/7	3450	2.3	48M	Open	Ball	115	US Motors	<b>5866</b>	
1/7	3450	2.5	48M	Open	Sleeve	115	Century	<b>EL2002V1</b>	CCWOSE
1/7	3450	2.6	48M	Open	Ball	115	US Motors	<b>3083</b>	
1/7	3450	2.8	48M	Open	Ball	115	Marathon	<b>O100</b>	
1/6	3450	3.1	48M	Open	Ball	115	Marathon	<b>O102</b>	
1/5	3450	3.0/1.5	48N	Open	Ball	115/230	Marathon	<b>O012</b>	Cap Start/Cap Run
1/4	3450	3.4	48N	Open	Sleeve	115	Century	<b>EL2022</b>	
1/4	3450	3.7	48N	Open	Ball	115	US Motors	<b>2302</b>	
1/4	3450	4.2	48N	Open	Ball	115	Marathon	<b>O004</b>	
1/4	3450	4.4/2.2	48N	Open	Ball	115/230	Marathon	<b>O013</b>	
1/3	3450	4.2/2.1	48N	Open	Sleeve	115/230	Century	<b>OL2032</b>	
1/3	3450	4.8	48N	Open	Ball	115	US Motors	<b>2319</b>	
1/3	3450	5.2/12.6	48N	Open	Sleeve	115/230	Century	<b>OL1032D</b>	
1/3	3450	5.6/2.8-2.7	48N	Open	Ball	115/208-230	Marathon	<b>O010</b>	Cap Start/Cap Run
1/2	3450	6.2/3.1	48N	Open	Sleeve	115/230	Century	<b>OL2052D</b>	
1/2	3450	7.3/3.7	48N	Open	Sleeve	115/230	Century	<b>OL1052DS</b>	Cap Start
1/2	3450	7.4/3.7-3.5	48N	Open	Ball	115/208-230	Marathon	<b>O011</b>	Cap Start/Cap Run
3/4	3450	10.0/5.0	48CZ	Open	Ball	115/208-230	Century	<b>OL1072D</b>	5/8" Shaft, Cap Start

## Unit Heater Motors, 5.0" Diameter, Shaded Pole, 115V, Totally Enclosed, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	A-Dimension	Brand	Item Number	Notes
1/20	1050	1	1.7	CWSE	3/8 x 3	3 1/4"	PEMS	P01871	Mestek Replacement
1/20	1050	1	2.0	CWSE	3/8 x 3	3 1/8"	Fasco	D242	
1/15	1050	1	2.5	CWSE	3/8 x 3	3 1/4"	PEMS	P01872	Mestek Replacement
1/15	1050	1	2.5	CWSE	1/2 x 2 3/4	3 3/8"	PEMS	P0387	
1/15	1050	1	3.3	CWSE	1/2 x 2 1/8	3 1/2"	Century	U6430	
1/8	1050	1	4.5	CWSE	1/2 x 2 1/8	4"	Century	U6431	

## Unit Heater Motors, 5.0" Diameter, PSC, 115V, Totally Enclosed, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/8	1075	2	2.3	CWSE	1/2 x 3	4	Fasco	D261	
1/8	1075	1	2.6	CWSE	1/2 x 2 7/8	Included	Century	U6520	Revsible
1/8	1075	1	2.6	CWSE	1/2 x 2 7/8	Included	Century	U6521	Revsible, Base Incl.
1/6	1075	1	2.9	CWSE	1/2 x 3	4	Fasco	D260	CWSE

## Unit Heater Motors, 5.6" Diameter, PSC, Totally Enclosed, Sleeve

HP	RPM	Amps	Rotation	Bearing	Shaft Dimension	Volts	Brand	Item Number	Notes
1/6	1075	2.8	Reversible	Sleeve	1/2 x 2 1/4	115	Century	US1016NB	Stud Mount
1/4	1075	4.9	Reversible	Sleeve	1/2 x 2 1/4	115	Century	US1026NB	Stud Mount
1/4	1075	5.3	Reversible	Sleeve	1/2 x 2 1/4	115	Century	US1036NB	Stud Mount
1/6	1075	2.2	Reversible	Ball	1/2 x 2 1/4	115	Century	UH1016NB	Stud Mount
1/6	1075	2.6	Reversible	Ball	1/2 x 4 1/2	115	US Motors	9034	Stud Mount
1/4	1075	3.6	Reversible	Ball	1/2 x 4 1/2	115	US Motors	9035	Stud Mount
1/4	1075	4.9	Reversible	Ball	1/2 x 2 1/4	115	Century	UH1026NB	Stud Mount
1/3	1075	4.3	Reversible	Ball	1/2 x 2 1/4	115	Century	UH1036NB	Stud Mount
1/3	1075	5.1	Reversible	Ball	1/2 x 4 1/2	115	US Motors	9036	Stud Mount
1/6	1075	2.8	CWSE	Sleeve	1/2 x 1 3/4	115	Century	US1016	Resilient Base
1/4	1075	4.9	CWSE	Sleeve	1/2 x 1 3/4	115	Century	US1026	Resilient Base
1/3	1075	5.3	CWSE	Sleeve	1/2 x 2 1/4	115	Century	US1036	Resilient Base
1/6	1075	2.0	CWSE	Ball	1/2 x 3 1/4	115	Fasco	D736	Resilient Base
1/6	1075	2.2	CWSE	Ball	1/2 x 2 3/8	115	Century	UH1016	Resilient Base
1/6	1075	2.6	CWSE	Ball	1/2 x 3 3/8	115	US Motors	1385	Resilient Base
1/4	1075	3.6	CWSE	Ball	1/2 x 3 3/8	115	US Motors	1384	Resilient Base
1/4	1075	4.9	CWSE	Ball	1/2 x 1 3/4	115	Century	UH1026	Resilient Base
1/3	1075	5.3	CWSE	Ball	1/2 x 3 3/8	115	US Motors	1388	Resilient Base
1/3	1075	5.3	CWSE	Ball	1/2 x 2 1/4	115	Century	UH1036	Resilient Base
1/4	1075	1.8	CWSE	Ball	1/2 x 4 3/4	208-230	Century	UHH1026	Resilient Base
1/3	1075	2.2	CWSE	Ball	1/2 x 4 3/4	208-230	Century	UHH1036	Resilient Base
1/2	1075	2.8	CWSE	Ball	1/2 X 6	115/230	Century	733	Resilient Base

## Condenser Motors, 5.0" Diameter, PSC, 208-230V, TEAO, Ball Bearing

### "Cap-Can"/"Clam Shell" Construction

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/10	1075	1	0.74	CCWSE	1/2 x 2 3/4	5	Genteq	2243	
1/10	1075	1	0.75		1/2 x 2 3/4	5	US Motors	2243	
1/8	1075	1	0.86	CCWSE	1/2 x 2 3/4	5	Genteq	2248	
1/8	1075	1	0.9		1/2 x 2 3/4	5	US Motors	2249	
1/5	1075	1	1.6	CCWSE	1/2 x 2 3/4	5	Genteq	2246	
1/5	1075	1	1.6		1/2 x 2 3/4	5	US Motors	2246	
1/4	1075	1	1.7	CCWSE	1/2 x 2 3/4	7.5	Genteq	2244	
1/4	1075	1	1.7	CWSE	1/2 x 2 3/4	7.5	Genteq	2245	
1/4	1075	1	1.7		1/2 x 2 3/4	7.5	US Motors	2250	

### Multi-HP/Mounting Replacement Motors

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/8	1075	1	0.8	Reversible	1/2 x 3	5	US Motors	5440H	EZ FIT®
1/8	1075	1	0.8	Reversible	1/2 x 3	5	Century	9722	MULTIFIT®
1/4	1075	1	1.5	Reversible	1/2 x 3	5	US Motors	5441H	EZ FIT®
1/4	1075	1	2	Reversible	1/2 x 3	7.5	Century	9723	MULTIFIT®
1/4	1625	1	1.5	Reversible	1/2 x 3	5	US Motors	5442H	EZ FIT®
1/4	1625	1	1.6	Reversible	1/2 x 3	5	Century	9724	MULTIFIT®

EZ FIT® - Replaces: Clam Shell 4.3" B.C., 3 PC 4.4" B.C., 3PC 4.6" B.C.

MULTIFIT® - Replaces Clam Shell/Cap-Can 4.3" B.C., 4 PC 4.42" B.C., 4 PC 4.62" B.C.

## Condenser Motors, 5.6" Diameter, PSC, 208-230V, TEAO, Reversible, 60° C

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/10	825	1	0.7	Ball	1/2 x 6	5	Genteq	3201	
1/8	825	1	1.1	Ball	1/2 x 6	5	Genteq	3202	
1/6	825	1	0.9	Ball	1/2 x 6	5	Genteq	3203HS	70° C
1/6	825	1	1.0	Ball	1/2 x 6	5	Genteq	3203	
1/6	825	1	1.1	Ball	1/2 x 6	5	Economaster	EM3403	
1/6	825	1	1.1	Ball	1/2 x 6	5	Marathon	X465	
1/6	825	1	1.1	Ball	1/2 x 6 1/2	5	Century	FE1018SF	70° C
1/6	825	1	1.1	Ball	1/2 x 6	5	Economaster	EM3403F	70° C
1/4	825	1	1.4	Ball	1/2 x 6	5	Economaster	EM3404	
1/4	825	1	1.5	Ball	1/2 x 6	7.5	Genteq	3204	
1/4	825	1	1.3	Ball	1/2 x 6	7.5	Genteq	3204HS	70° C
1/4	825	1	1.4	Ball	1/2 x 6	5	Economaster	EM3404F	70° C
1/4	825	1	1.5	Ball	1/2 x 6 1/2	5	Century	FE1028SF	70° C
1/4	825	1	1.9	Ball	1/2 x 6		Marathon	X450	840RPM
1/3	825	1	1.8	Ball	1/2 x 6	7.5	Economaster	EM3405	
1/3	825	1	2.2	Ball	1/2 x 6	10	Genteq	3205	
1/3	825	1	2.3	Ball	1/2 x 6		Marathon	X451	
1/3	825	1	1.8	Ball	1/2 x 6	10	Genteq	3205HS	70° C
1/3	825	1	1.8	Ball	1/2 x 6	7.5	Economaster	EM3405F	70° C
1/3	825	1	2.1	Ball	1/2 x 6 1/2	7.5	Century	FE1038SF	70° C
1/2	825	1	2.5	Ball	1/2 x 6	10	Economaster	EM3746	
1/2	825	1	2.5	Ball	1/2 x 6 1/2	10	Century	FE1058SF	70° C
1/2	825	1	2.8	Ball	1/2 x 6	10	Genteq	3747HS	70° C
1/2	825	1	3.1	Ball	1/2 x 6		Marathon	X452	
1/6	1075	1	1.1	Ball	1/2 x 6	5	Economaster	EM3727	
1/6	1075	1	1.1	Ball	1/2 x 6	5	Economaster	EM3727F	70° C
1/6	1075	1	1.3	Ball	1/2 x 6		Marathon	X411	
1/6	1075	1	1.4	Ball	1/2 x 6 1/2	5	Century	FE1016SF	70° C
1/4	1075	1	1.3	Ball	1/2 x 6 3/8	5	Century	FE1026SC	
1/4	1075	1	1.4	Ball	1/2 x 6		Marathon	X412	
1/4	1075	1	1.8	Ball	1/2 x 6 1/2	5	FASCO	D7909	
1/4	1075	1	2.0	Ball	1/2 x 6	5	Economaster	EM3728	
1/4	1075	1	2.0	Ball	1/2 x 6	5	Economaster	EM3728F	70° C
1/4	1075	1	2.0	Ball	1/2 x 6 1/2	5	Century	FE1026SF	70° C
1/3	1075	1	1.8	Ball	1/2 x 6 3/8	7.5	Century	FE1036SC	
1/3	1075	1	1.9	Ball	1/2 x 6		Marathon	X413	
1/3	1075	1	2.5	Ball	1/2 x 6	7.5	Economaster	EM3729	
1/3	1075	1	2.6	Ball	1/2 x 6 1/2	7.5	FASCO	D7908	
1/3	1075	1	2.5	Ball	1/2 x 6	7.5	Economaster	EM3729F	70° C
1/3	1075	1	2.8	Ball	1/2 x 6 1/2	7.5	Century	FE1036SF	70° C
1/2	1075	1	2.8	Ball	1/2 x 6 3/8	10	Century	FE1056SC	
1/2	1075	1	3.5	Ball	1/2 x 6	10	Economaster	EM3730	
1/2	1075	1	3.7	Ball	1/2 x 6 1/2	10	FASCO	D7907	
1/2	1075	1	3.5	Ball	1/2 x 6	10	Economaster	EM3730F	70° C
1/2	1075	1	4.0	Ball	1/2 x 6 1/2	10	Century	FE1056SF	70° C
1/2	1075	2	4.2	Ball	1/2 x 6		Marathon	X416	
3/4	1075	1	3.8	Ball	1/2 x 6 1/2	12.5	Century	FE1076	
3/4	1075	1	4.2	Ball	1/2 x 6		Marathon	X469	
3/4	1075	1	5.3	Ball	1/2 x 6	10	Economaster	EM3731	
3/4	1075	1	5.1	Ball	1/2 x 6 1/2	15	Century	FE1076SF	70° C
3/4	1075	1	5.3	Ball	1/2 x 6	10	Economaster	EM3731F	70° C

## Condenser Motors, 5.6" Diameter, PSC, 208-230V, TEAO, Ball Bearing, Reversible, 60° C

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/10	825	1	1.0	Sleeve	1/2 x 6	3	US Motors	1871	
1/8	825	1	.8	Sleeve	1/2 x 6	5	US Motors	1872	
1/6	825	1	1.0	Sleeve	1/2 x 6	5	Genteq	3403	
1/6	825	1	1.0	Sleeve	1/2 x 6	5	US Motors	1873	
1/6	825	1	1.1	Sleeve	1/2 x 6 1/2	5	Century	FSE1018SF	70° C
1/4	825	1	1.5	Sleeve	1/2 x 6	7.5	Genteq	3404	
1/4	825	1	2	Sleeve	1/2 x 6	5	US Motors	1874	
1/4	825	1	1.5	Sleeve	1/2 x 6 1/2	5	Century	FSE1028SF	70° C
1/3	825	1	2.2	Sleeve	1/2 x 6	7.5	Genteq	3405	
1/3	825	1	2.2	Sleeve	1/2 x 6	7.5	US Motors	1875	
1/3	825	1	2.1	Sleeve	1/2 x 6 1/2	7.5	Century	FSE1038SF	70° C
1/2	825	1	2.8	Sleeve	1/2 x 6	12.5	US Motors	1870	
1/2	825	1	3.2	Sleeve	1/2 x 6	15	Genteq	3746	
1/2	825	1	2.5	Sleeve	1/2 x 6 1/2	10	Century	FSE1058SF	70° C
1/6	1075	1	1.0	Sleeve	1/2 x 6	5	Genteq	3727	
1/6	1075	1	1.3	Sleeve	1/2 x 6	5	Century	FSE1016SV1	
1/6	1075	1	1.0	Sleeve	1/2 x 6 1/2	5	Genteq	3727HS	70° C
1/6	1075	1	1.4	Sleeve	1/2 x 6 1/2	5	Century	FSE1016SF	70° C
1/4	1075	1	1.8	Sleeve	1/2 x 6	5	Genteq	3728	
1/4	1075	1	1.8	Sleeve	1/2 x 6 1/2	5	Fasco	D909	
1/4	1075	1	1.8	Sleeve	1/2 x 6 3/8	5	Century	FSE1026SV1	
1/4	1075	1	1.7	Sleeve	1/2 x 6	5	Genteq	3728HS	70° C
1/4	1075	1	2.0	Sleeve	1/2 x 6 1/2	5	Century	FSE1026SF	70° C
1/3	1075	1	2.3	Sleeve	1/2 x 6	7.5	Genteq	3729	
1/3	1075	1	2.4	Sleeve	1/2 x 6 1/2	7.5	Fasco	D908	
1/3	1075	1	2.8	Sleeve	1/2 x 6 3/8	7.5	Century	FSE1036SV1	
1/3	1075	1	2.6	Sleeve	1/2 x 6 1/2	7.5	Genteq	3729HS	70° C
1/3	1075	1	2.8	Sleeve	1/2 x 6 1/2	7.5	Century	FSE1036SF	70° C
1/2	1075	1	3.5	Sleeve	1/2 x 6	10	Genteq	3730	
1/2	1075	1	4.0	Sleeve	1/2 x 6	10	Century	FSE1056SV1	
1/2	1075	1	3.0	Sleeve	1/2 x 6 1/2	10	Genteq	3730HS	70° C
1/2	1075	1	4.0	Sleeve	1/2 x 6 1/2	10	Century	FSE1056SF	70° C
3/4	1075	1	4.7	Sleeve	1/2 x 6	10	Genteq	3731	
3/4	1075	1	5.2	Sleeve	1/2 x 6 3/8	15	Century	FSE1076SV1	
3/4	1075	1	4.1	Sleeve	1/2 x 6 1/2	15	Genteq	3731HS	70° C
3/4	1075	1	5.1	Sleeve	1/2 x 6 1/2	15	Century	FSE1076SF	70° C

**Condenser Motors, 5.6" Diameter, PSC, 208-230V, TEAO, Reversible, Multi-Horspower**

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/3			1.8			10			
1/4			1.5			10			
1/5	825	1	1.3	Ball	1/2 x 6	10	Genteq	3459HS	70° C
1/6			1.2			10			
1/8			1.0			10			
1/3			1.9			10			
1/4	825	1	1.5	Ball	1/2 x 6 1/2	10	Century	FE6001F	70° C
1/5			1.2			10			
1/6			1.0			10			
1/3			1.9			7.5			
1/4	825	1	1.5	Ball	1/2 x 5	7.5	US Motors	5464H	70° C
1/5			1.2			7.5			
1/6			1.0			7.5			
1/3			2.1			7.5			
1/4	825	1		Ball	1/2 x 6 1/2	7.5	Century	ORM5488BF	70° C
1/5						7.5			
1/6						7.5			
1/3			2.6			7.5			
1/4	825	2		Ball	1/2 x 4 1/2		US Motors	US5464H	Made in the USA 2 Year Warranty 70° C
1/5									
1/6									
1/2			2.4			10			
1/3	825	1	1.7	Ball	1/2 x 6 1/2	10	Century	FE6003F	70° C
1/4			1.4			10			
1/5			1.1			10			
1/2			2.8			20			
1/3			2.2			20			
1/4	825	1	2.0	Ball	1/2 x 6	20	Genteq	3461HS	70° C
1/5			1.8			20			
1/6			1.6			20			
1/3			2.1			7.5			
1/4	1075	1		Ball	1/2 x 6 1/2	7.5	Century	ORM5458BF	70° C
1/5						7.5			
1/6						7.5			
1/3			2.6			7.5			
1/4	1075	1	2.5	Ball	1/2 x 6 1/2	7.5	Century	FE6000F	70° C
1/5			2.0			7.5			
1/6			1.8			7.5			
1/3			2.6			7.5			
1/4	1075	1	2.5	Ball	1/2 x 6	7.5	Genteq	3458HS	70° C
1/5			2.0			7.5			
1/6			1.8			7.5			
1/3			2.6			5			
1/4	1075	1	2.5	Ball	1/2 x 5	5	US Motors	5462H	70° C
1/5			2.0			5			
1/6			1.8			5			
1/3			2.6			5			
1/4	1075	2		Ball	1/2 x 4 1/2		US Motors	US5462H	Made in the USA 2 Year Warranty 70° C
1/5									
1/6									
1/2			3			10			
1/3	1075	1	2.2	Ball	1/2 x 5	10	US Motors	5465H	70° C
1/4			1.6			10			
1/5			1.3			10			
1/2			3.0			10			
1/3			2.3			10			
1/4	1075	1	1.8	Ball	1/2 x 6	10	Genteq	3460HS	70° C
1/5			1.6			10			
1/6			1.4			10			
1/2			3.9			12.5			
1/3	1075	1	2.2	Ball	1/2 x 6 1/2	12.5	Century	FE6002F	70° C
1/4			1.6			12.5			
1/5			1.3			12.5			
3/4			4			15			
1/2	1075	1	2.8	Ball	1/2 x 5	15	US Motors	5482H	70° C
1/3			1.9			15			
1/4			1.4			15			
3/4			5.8			15			
1/2	1075	1	3.9	Ball	1/2 x 6 1/2	15	Century	FE6004F	70° C
1/3			2.5			15			
1/4			1.8			15			

## Condenser Motors, 5.6" Diameter, PSC, 460V, TEAO, Reversible

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/4	825	1	1.0	Ball	1/2 x 6	5	US Motors	1880	
1/3	825	1	1.0	Ball	1/2 x 6	7.5	US Motors	1881	
1/3	825	1	1.1	Ball	1/2 x 6	10	Genteq	3209	
1/2	825	1	1.6	Ball	1/2 x 6	10	US Motors	1882	
1/2	825	1	1.8	Ball	1/2 x 6	10	Genteq	3740	
1/4	1075	1	1	Ball	1/2 x 6	7.5	Economaster	EM3736F	70° C
1/4	1075		0.65	Ball	1/2 x 6	7.5	Century	FEH1026SF	70° C
1/4	1075	1	0.75	Ball	1/2 x 6	7.5	Marathon	X456	
1/3	1075		0.8	Ball	1/2 x 6	7.5	Century	FEH1036SF	70° C
1/3	1075	1	0.9	Ball	1/2 x 6	7.5	Marathon	X457	
1/3	1075	1	1.3	Ball	1/2 x 6	7.5	Economaster	EM3737F	70° C
1/2	1075		1.2	Ball	1/2 x 6	10	Century	FEH1056SF	70° C
1/2	1075	1	1.4	Ball	1/2 x 6	10	Marathon	X458	
1/2	1075	1	1.5	Ball	1/2 x 6	10	Economaster	EM3738F	70° C
3/4	1075	1	2.1	Ball	1/2 x 6	15	Marathon	X459	
3/4	1075		2.2	Ball	1/2 x 6	10	Century	FEH1076SF	70° C
3/4	1075	1	2.8	Ball	1/2 x 6	15	Economaster	EM3739F	70° C
1	1075	1	3.4	Ball	1/2 x 6	25	Marathon	X462	

## Condenser Motors, 5.6" Diameter, PSC, 460V, TEAO, Reversible, Multi-Horsepower

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/2			1.3			10			
1/3			.9			10			
1/4	1075	1	.7	Ball	1/2 x 5	10	US Motors	5480H	70° C
1/5			.5			10			
1/6			.5			10			
3/4			2.2			15			
1/2	1075	1	1.3	Ball	1/2 x 5	15	US Motors	5481H	70° C
1/3			1.1			15			
1/4			.7			15			

## Condenser Motors - ECM, 5.6" Diameter, PSC, Open, Reversible

### PSC Outdoor Fan Motor Upgrades/Replacements

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Volts	Brand	Item Number	Notes
1/5	1075	2	2.8	Ball	1/2 x 3	208-240	Genteq	6301	
1/4	1075	2	3.5	Ball	1/2 x 3	208-240	Genteq	6303	
1/3	1075	2 PWM	1.6	Ball	1/2 x 6	460	Genteq	6903	
1/2	1075	2 PWM	2.5	Ball	1/2 x 6	460	Genteq	6905	
3/4	1075	2 PWM	3.1	Ball	1/2 x 6	460	Genteq	6907	

## Condenser Motors, Fan Canopy, 48 Frame, PSC, Closed Shaft End, Reversible, Ball Bearing

HP	RPM	Amps	Shaft Dimension	Volts	C Dimension	Brand	Item Number	Capacitor
0.04	1075	3.2/1.6	1/2" x 3 1/2"	200-230/460	10.30"	Century	FC1046F	5mfd/440v
0.06	1075	4.0/2.0	1/2" x 3 3/4"	200-230/460	12.49"	Century	FC1066F	7.5mfd/440v
0.06	1075	4.0/2.0	5/8" x 3 3/4"	200-230/460	12.49"	Century	FC1066AF	7.5mfd/440v
0.08	1075	4.6/2.3	1/2" x 3 1/2"	200-230/460	13.80"	Century	FC1086F	20mfd/440v
0.08	1075	4.6/2.3	5/8" x 3 1/2"	200-230/460	13.80"	Century	FC1086AF	20mfd/440v
1	1075	6.4/3.2	5/8" x 4"	200-230/460	15"	Century	FC1106F	25mfd/440v
1 1/2	1075	7.0/3.5	5/8" x 4"	200-230/460	15.6"	Century	FC1156F	25mfd/440v

## Condenser Motors, Fan Canopy, 48 Frame, 3 Phase, Closed Shaft End, Reversible, Ball Bearing

HP	RPM	Amps	Shaft Dimension	Volts	C Dimension	Brand	Item Number	Notes
1/2	1140	3.0/1.5	1/2 x 3 3/4"	200-230/460	12.92"	Century	FC3056F	
1/2	1140	2.2-2.6/1.3	5/8" x 5"	200-230/460	12.81"	Marathon	K1403	
3/4	1140	4.0/2.0	5/8 x 4"	200-230/460	14.55"	Century	FC3076F	
3/4	1140	3.3-3.8/1.9	5/8" x 5"	200-230/460	14.8"	Marathon	K1404	
1	1140	5.0/2.5	5/8" x 4"	200-230/460	14.25"	Century	FC3107	
1	1140	5.6/2.8	5/8" x 4"	200-230/460	15.0"	Century	FC3106F	56 Frame Bracket Incl.
1	1140	4.4-4.0/2.0	5/8" x 5"	200-230/460	16.05"	Marathon	K1402	
1 1/2	1140	5.8/2.9	5/8" x 4"	200-230/460	15.0"	Century	FC3156F	56 Frame Bracket Incl.
1 1/2	1140	6.0-5.8/2.9	5/8" x 5"	200-230/460	15.76"	Marathon	K1407	

## Commercial Condenser Motors, 56 Frame, PSC, ODP, Reversible, Ball Bearing

HP	RPM	Amps	Shaft Dim	Mounting	Volts	Cap mfd/370v	Brand	Item Number	Notes
1/2	825	6.6/4.0-3.3	5/8" x 6"	Belly Band	115/208-230	15	Century	C784	
1/2	825	3.6	5/8" x 6"	Belly Band	208-230	10	US Motors	3568	
1/2	825	3.5-3.4/1.7	5/8" x 6"	Belly Band	200-230/460	15	Century	C512V1	
3/4	825		5/8" x 6"	Belly Band	200-230/460	15	Century	C660V1	
3/4	825	5.3	5/8" x 6"	Belly Band	208-230	7.5	US Motors	3567	Stud Mount
1	825	7.2-6.8/3.4	5/8" x 6"	Belly Band	200-230/460	12.5	Century	C490	
1/2	1075	1.3/2.6-2.5	5/8" x 6"	Belly Band	200-230/460	10	Century	C513V1	Shaft Up
3/4	1075	3.8	5/8" x 6"	Belly Band	208-230	15	US Motors	3566	Shaft Up, 208-230
3/4	1075	3.9-3.6/1.8	5/8" x 6"	Belly Band	200-230/460	15	Marathon	X207	Shaft Up
3/4	1075	4.0-3.8/1.9	5/8" x 6"	Belly Band	200-230/460	15	Century	C661V1	Shaft Up
1	1075	4.8/2.4	5/8" x 6"	Belly Band	200-230/460	25	Century	C770	Shaft Up
1	1075	4./2.4	5/8" x 6"	Belly Band	200-230/460	25	Century	C771V1	Shaft Up
1	1075	4.2/2.3	5/8"x6"	Belly Band	208-230/460	25	Century	C785	TEAO
1	1075	5.4-5.2/2.6	5/8" x 6"	Belly Band	200-230/460	20	Marathon	X206	Shaft Up
1 1/2	1075	6.6/3.3	5/8"x6"	Belly Band	200-230/460	25	Century	C786	TEAO
1 1/2	1075	7.7-7.6/3.8	5/8" x 6"	Belly Band	200-230/460	30	Marathon	X271	Shaft Up

## Commercial Condenser Motors, 56 Frame, 3 Phase, ODP, Reversible, Ball Bearing

HP	RPM	Amps	Shaft Dim	Mounting	Volts	C-Dimension	Brand	Item Number	Notes
1/3	825	2.3-2.5/1.3	5/8" x 5"	Belly Band	208-230/460	14.56"	Marathon	X511	
3/4	825	3.6/1.8	5/8" x 5"	Belly Band	208-230/460	16.06"	Marathon	X506	
3/4	825	3.6/1.8	5/8" x 5"	Belly Band	208-230/460	16.06"	Marathon	X506-P	IDBCP
1	825	4.8/2.4	5/8" x 6"	Belly Band	200-230/460	16.8"	US Motors	1828H	
1	825	5.0/2.5	5/8" x 6"	Belly Band	208-230/460	16.8"	US Motors	1828VG	IDBCP
1	825	5.2-5.0/2.6	5/8" x 6"	Belly Band	208-230/460	18.32"	Century	H1053A	ID - Removable Base
1	825	5.3-2.7	5/8" x 5"	Belly Band	208-230/460	16.06"	Marathon	X507	
1	825	5.3-2.7	5/8" x 5"	Belly Band	208-230/460	16.06"	Marathon	X507-P	IDBCP
1 1/2	825	6.8/3.3	5/8" x 6"	Belly Band	200-230/460	16.8"	US Motors	1832H	
1 1/2	825	7.0-6.8/3.4	5/8" x 5"	Belly Band	208-230/460	17.06"	Marathon	X530-P	IDBCP
1 1/2	825	7.2/3.6	5/8" x 3 1/2"	Belly Band	208-230/460	15.8"	US Motors	1832VG	IDBCP
1 1/2	825	7.2/3.6	5/8" x 6"	Belly Band	208-230/460	18.77"	Century	H1054A	ID - Removable Base
1 1/2	825	7.5-6.8/3.4	5/8" x 5"	Belly Band	208-230/460	16.31"	Marathon	X530	
1/2	825	3.0-2.9/1.5	5/8" x 5"	Rigid Base	208-230/460	14.68"	Marathon	X529	
1/2	825	3.0-2.6/1.5	5/8" x 5"	Rigid Base	208-230/460	15.0"	Marathon	X529-P	IDBCP
1	825	4.8/2.4	5/8" x 6"	Rigid Base	200-230/460	16.8"	US Motors	1833H	
1	825	5.0/2.5	5/8" x 6"	Rigid Base	208-230/460	16.8"	US Motors	1833VG	IDBCP
1	825	5.2-5.0/2.6	5/8" x 6"	Rigid Base	208-230/460	18.32"	Century	H1053A	ID - Removable Base
1	825	5.3-4.8/2.7	5/8" x 5"	Rigid Base	208-230/460	17.1"	Marathon	X528-P	IDBCP
1	825	5.3-5.1/2.7	5/8" x 5"	Rigid Base	208-230/460	17.1"	Marathon	X528	
1 1/2	825	6.8/3.3	5/8" x 6"	Rigid Base	200-230/460	16.8"	US Motors	1831H	
1 1/2	825	7.0/3.5	5/8" x 5"	Rigid Base	208-230/460	16.68"	Marathon	X531	
1 1/2	825	7.0/3.5	5/8" x 5"	Rigid Base	208-230/460	17.1"	Marathon	X531-P	IDBCP
1 1/2	825	7.2/3.6	5/8" x 3 1/2"	Rigid Base	208-230/460	15.8"	US Motors	1831VG	IDBCP
1 1/2	825	7.2/3.6	5/8" x 6"	Rigid Base	208-230/460	18.77"	Century	H1054A	ID - Removable Base
1/2	1140	2.4-2.7/1.4	5/8" x 5"	Belly Band	200-230/460	14.06"	Marathon	X500	
1/2	1140	2.8-2.6/1.3	5/8" x 6"	Belly Band	200-230/460	16.31"	Century	H564	
1/2	1140	2.8-2.6/1.3	5/8" x 6"	Belly Band	200-230/460	16.1"	Century	H1055A	ID - Removable Base
3/4	1140	2.8/1.4	5/8" x 6"	Belly Band	200-230/460	15.3"	US Motors	1817H	
3/4	1140	3.0-2.8/1.5	5/8" x 6"	Belly Band	200-230/460	16.31"	Century	H567	
3/4	1140	3.0-2.8/1.5	5/8" x 6"	Belly Band	200-230/460	16.2"	Century	H1056A	ID - Removable Base
3/4	1140	3.1-3.2/1.6	5/8" x 5"	Belly Band	200-230/460	14.56"	Marathon	X501	
3/4	1140	3.1-3.2/1.6	5/8" x 5"	Belly Band	200-230/460	14.56"	Marathon	X501-P	IDBCP
1	1140	4.0-3.8/2.0	5/8" x 6"	Belly Band	200-230/460	16.4"	Century	H1050AV1	ID - Removable Base
1	1140	4.0-4.2/2.1	5/8" x 5"	Belly Band	200-230/460	15.06"	Marathon	X502	
1	1140	4.0-4.2/2.1	5/8" x 5"	Belly Band	200-230/460	15.06"	Marathon	X502-P	IDBCP
1	1140	4.2/2.1	5/8" x 6"	Belly Band	200-230/460	14.8"	US Motors	1818H	
1	1140	4.3/2.1	5/8" x 6"	Belly Band	208-230/460	15.8"	US Motors	1818VG	IDBCP
1	1140	4.3-4.6/2.3	5/8" x 6"	Belly Band	200-230/460	16.52"	Century	H667V1	
1 1/2	1140	5.5-5.4/2.7	5/8" x 5"	Belly Band	200-230/460	16.06"	Marathon	X503	
1 1/2	1140	5.5-5.4/2.7	5/8" x 5"	Belly Band	200-230/460	16.06"	Marathon	X503-P	IDBCP
1 1/2	1140	5.3/2.6	5/8" x 6"	Belly Band	208-230/460	15.8"	US Motors	1819VG	IDBCP
1 1/2	1140	5.4/2.7	5/8" x 6"	Belly Band	200-230/460	15.8"	US Motors	1819H	
1 1/2	1140	5.8/2.9	5/8" x 6"	Belly Band	200-230/460	17.3"	Century	H1051A	ID - Removable Base
1 1/2	1140	5.8-6.0/3.0	5/8" x 6"	Belly Band	200-230/460	17"	Century	H767V1	
2	1140	6.8-6.2/3.1	5/8" x 6"	Belly Band	208-230/460	18.2"	Century	H699	
2	1140	7.0-7.0/3.5	5/8" x 6"	Belly Band	208-230/460	18.4"	Century	H1052AV1	ID - Removable Base
2	1140	7.2-6.8/3.4	5/8" x 5"	Belly Band	208-230/460	17.06"	Marathon	X509	
2	1140	7.2-6.8/3.4	5/8" x 5"	Belly Band	208-230/460	17.06"	Marathon	X509-P	IDBCP
2	1140	7.6-3.7	5/8" x 6"	Belly Band	208-230/460	16.8"	US Motors	8987H	
2	1140	7.8-3.9	5/8" x 6"	Belly Band	208-230/460	16.8"	US Motors	8987VG	IDBCP

ID = Inverter Duty

IDBCP = Inverter Duty Motor Includes Bearing Current Protection Included

## Commercial Condenser Motors, 56 Frame, 3 Phase, ODP, Reversible, Ball Bearing

HP	RPM	Amps	Shaft Dim	Mounting	Volts	C Dimension	Brand	Item Number	Notes
1/3	1140	1.8/.9	1/2" x 5"	Rigid Base	208-230/460	13.37"	Marathon	X532	
1/2	1140	2.1-2.0/1.0	5/8" x 5"	Rigid Base	208-230/460	13.37"	Marathon	X533	
1/2	1140	2.1-2.0/1.0	5/8" x 5"	Rigid Base	208-230/460	13.37"	Marathon	X533-P	IDBCP
1/2	1140	2.8-2.6/1.3	5/8" x 6"	Rigid Base	200-230/460	16.1"	Century	H1055A	ID - Removable Base
3/4	1140	2.8/1.4	5/8" x 6"	Rigid Base	208-230/460	15.3"	US Motors	1826H	
3/4	1140	3.0-2.8/1.5	5/8" x 6"	Rigid Base	200-230/460	16.2"	Century	H1056A	ID - Removable Base
3/4	1140	3.2/1.6	5/8" x 5"	Rigid Base	208-230/460	14.18"	Marathon	X512-P	IDBCP
1	1140	4.0-3.8/2.0	5/8" x 6"	Rigid Base	200-230/460	16.4"	Century	H1050AV1	ID - Removable Base
1	1140	4.1-4.0/2.1	5/8" x 5"	Rigid Base	208-230/460	14.68"	Marathon	X513	
1	1140	4.2-4.0/2.1	5/8" x 5"	Rigid Base	208-230/460	15.0"	Marathon	X513-P	IDBCP
1	1140	4.2/2.1	5/8" x 6"	Rigid Base	208-230/460	14.8"	US Motors	1820H	
1	1140	4.3/2.1	5/8" x 6"	Rigid Base	208-230/460	15.8"	US Motors	1820VG	IDBCP
1 1/2	1140	5.3/2.6	5/8" x 6"	Rigid Base	208-230/460	16.3"	US Motors	1821VG	IDBCP
1 1/2	1140	5.4/2.7	5/8" x 5"	Rigid Base	208-230/460	15.68"	Marathon	X523	
1 1/2	1140	5.4/2.7	5/8" x 5"	Rigid Base	208-230/460	16.0"	Marathon	X523-P	IDBCP
1 1/2	1140	5.4/2.7	5/8" x 6"	Rigid Base	208-230/460	15.8"	US Motors	1821H	
1 1/2	1140	5.8/2.9	5/8" x 6"	Rigid Base	200-230/460	17.3"	Century	H1051A	ID - Removable Base
2	1140	7.0-7.0/3.5	5/8" x 6"	Rigid Base	208-230/460	18.4"	Century	H1052AV1	ID - Removable Base
2	1140	7.2-6.8/3.4	5/8" x 5"	Rigid Base	208-230/460	16.68"	Marathon	X525	
2	1140	7.6-7.4/3.7	5/8" x 6"	Rigid Base	208-230/460	16.8"	US Motors	1822H	
2	1140	7.6-7.4/3.7	5/8" x 6"	Rigid Base	208-230/460	16.8"	US Motors	1822VG	IDBCP

ID = Inverter Duty

IDBCP = Inverter Duty Motor Includes Bearing Current Protection Included



# FIRE PLACE

PELLET & WOOD | STOVE FAN KITS | BLOWERS  
MOTORS | ACCESSORIES

**PEMS**  
PRECISION ELECTRIC MOTOR SALES  
P: 800.234.5687 | F: 888.234.5687

[www.alltemp.ca](http://www.alltemp.ca)

**2017/18**

**ALL NEW!!**  
**24 Month Warranty**  
**on all "HB-" Products**

### Buck Stove

Wood Stove R22CCW270ZD, 7163-5967, 7163-6045 (HM-R1138)  
 Wood Stove R22CW206MD (HM-R1139)

HM-R1138  
 illustrated



HM-R1139  
 illustrated



Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Shaft
<b>HM-R1138</b>	1/50 1/80 1/140	115	.88, .60, .45	SP/ Open	3/1550	CCW	4.0"	3.9"	Sleeve	2.5"x5/16"
<b>HM-R1139</b>	1/50 1/80 1/125	115	.88, .61, .46	SP/ Open	3/1550	CCW	2.8"	3.3"	Sleeve	2.5"x5/16"x1.125"

HM-R1138 Band mounting, HM-R1139 Stud Mounting.



R7-RB440  
 illustrated



R7-RB155  
 illustrated



R7-RB447  
 illustrated



R7-RB446  
 illustrated



R7-RB445  
 illustrated

### Dayton, Grainger - Additional replacements on page 13 & 14

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	CFM	Frame	Bearing	Comment
<b>R7-RB440</b>	1/125	115	0.25	PSC/ Open	1/3080	CW	50	3.3"	Ball	1TDN7, 4C440
<b>R7-RB155</b>	1/40	115	0.75	PSC/TE	1/2480	CW	148	3.3"	Ball	Grainger 1TDR6, 4C006, Fasco 7021-4933
<b>R7-RB447</b>	1/25	115	0.77	PSC/ Open	1/1640	CW	273	3.3"	Ball	Grainger 1TDR3, 4C447
<b>R7-RB446</b>	1/20	115	0.75	PSC/ Open	1/3120	CW	146	3.3"	Ball	Grainger 1TDP7, 4C446, Fasco 7021-3469, Wood Doctor Furnace
<b>R7-RB445</b>	1/6	115	2.20	PSC/ Open	1/1430	CW	549	3.3"	Ball	1TDT2, 4C445, 4YJ32

R7-RB440 Includes intake screen guard, round discharge - round flange.

### Elmira

Elmira Wood Stove 1500, 1600

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Shaft
<b>HM-R489</b>	1/60	115	0.72	SP/ Open	3/1300	CW	2.5"	3.3"	Sleeve	3.6"x5/16"x3.5"



### Elmira

Wood Stove Blower

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	CFM	Body	Frame	Bearing
<b>R7-RB34</b>	1/25	120	0.60	ECM/Open	1/2800	CW	73	6.6"	3.3"	Ball

HB-RB34 Includes intake screen guard, built-in variable speed control, 3-prong plug, round discharge - large square flange.



### Elmira

Elmira (Wood Stove)

Part #	Watts	Amps	Volts	RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB200T</b>	35	0.60	115	1600	CCW	200	15"x4.25"x4.25"	65x240mm (2.6"x9.4")	Sleeve

HB-RB200T Features 8.3' cord & 3 prong plug.



### Enviro

Enviro EFW261, EF1000, 1600, 2160, 1200, 1700

Part #	Watts	Amps	Volts	RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB261</b>	50	0.80	115	1450	CW	130	16"x4.8"x4.25"	65x240mm (2.6"x9.4")	Sleeve



### Enviro

Enviro 50-2981, Q2 Gas Fireplace

Part #	Watts	Amps	Volts	RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB981</b>	50	0.82	115	2075	CCW	122	12.8"x4.6"x4.3"	76x101mm (3"x4")	Ball

Includes blower, mounting plate, thermal switch, and variable speed control.



# OEM Replacement



## Blowers, Motors & Fan Kits

**ALL NEW!!**  
**24 Month Warranty**  
**on all "HB-" Products**



### Heat & Glo Blower Kit

Heat & Glo GFK-160A  
 Fasco 7002-1241, A133

Blower Kit	Blower Only	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB168</b>	<b>HB-RB168B</b>	53	0.92	115	1/2400	CCW	125	12.8"x4.6"x4.3"	76x101mm (3"x4")	Ball

HB-RB168 Includes blower with magnetic mounting, thermal switch assembly, variable speed control, wiring harness - cord with two prong plug.

### Heatilator

Heatilator FK21 (Old Kit), GFK21 (New Kit)  
 Novus 30, Security UZY3

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB21K</b>	35	0.57	115	1/1800	CCW	80	8.0"x4.3"x3.6"	65x120mm (2.6"x4.7")	Sleeve

HB-RB21K Includes blower, thermal switch assembly, variable speed control - cord with three prong plug.



### Heatilator

Heatilator FK4 (Old Kit), GFK4 (New Kit)

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB74K</b>	50	0.86	115	1/1450	CW	130	12.9"x4.3"x3.6"	65x240mm (2.6"x9.4")	Sleeve

HB-RB74K Includes blower, velcro mounting strips, thermal switch assembly, variable speed control - cord with three prong plug.



### Heritage

Wood Stove Blower

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	CFM	Body	Frame	Bearing
<b>R7-RB34</b>	1/25	120	0.60	ECM/Open	1/2800	CW	73	6.6"	3.3"	Ball

HB-RB34 Includes intake screen guard, built-in variable speed control, 3-prong plug, round discharge - large square flange.



### Heritage

Heritage & Nordica Diamond Wall Furnace Blower  
 Newmac Wood Furnace 2040001

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	CFM	Body	Frame	Bearing
<b>R7-RB33</b>	1/25	120	0.60	ECM/Open	1/2800	CW	73	6.6"	3.3"	Ball

R7-RB33 Features a built-in variable speed control & 72" cord with 3 prong plug.



### Heritage

Heritage Wood Insert

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	CFM	Body	Frame	Bearing
<b>HB-RB125</b>	1/70	115	1.10	SP/Open	1/3200	CCW	125+	6.6"	3.3"	Sleeve



### Heritage

Heritage 8011

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB82</b>	42	0.72	115	1/1600	CW	110	10.5"x4.3"x3.6"	65x180mm (2.6"x7.1")	Ball



### Hunter

Hunter - 770 (Kit), HDS2000, HDS3000, HFI30, HDV31, MGDV31, SFDV20 (Models)

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB68</b>	50	0.86	115	1/1450	CW	130	12.9"x4.3"x3.6"	65x240mm (2.6"x9.4")	Ball

HB-RB68 Includes instructions, blower, mounting base, thermal switch assembly & variable speed control - cord with three prong plug.



### Hunter

Hunter F125H, HWF30, HDV30

Part #	Watts	Volts	Amps	RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB79</b>	62	115	0.72	1200	CCW	150	15.7"x4.3"x3.6"	65x300mm (2.6"x11.8")	Ball

HB-RB79 blower only.



**ALL NEW!!**  
**24 Month Warranty**  
**on all "HB-" Products**

### Hunter

Hunter Wall Heater 917254

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	CFM	Body	Frame	Bearing
<b>HB-RB91</b>	1/250	115	0.30	SP/Open	1/1500	CCW	50	5.5"	3.3"	Sleeve

HB-RB91 Includes round discharge - no flange.



### Hunter, Napoleon, Valor

Fasco 7063-7735 Exhaust Blower

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing
<b>HB-RB735</b>	1/125	115	0.36	SP/Open	1/1500	CCW	5.7"	3.3"	Sleeve

HB-RB735 Includes 3 prong plug, mounting nuts & bolts.



### Kingsman/Marquis

Z33FK - ZDV3320 ZDV6000 - HB-RB37

F35FK - FDV350, FV, FDV5000, 4000 - HB-RB35

Z36FK - ZDV3600, ZDV4200N - HB-RB36

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB37</b>	42	0.75	115	1/1400	CCW	110	10.5"×4.3"×3.6"	65×180mm (2.6"×7.1")	Ball
<b>HB-RB35</b>	50	0.86	115	1/1450	CW	130	12.9"×4.3"×3.6"	65×240mm (2.6"×9.4")	Ball
<b>HB-RB36</b>	50	0.86	115	1/1450	CW	130	12.9"×4.3"×3.6"	65×240mm (2.6"×9.4")	Ball

Kits include, blower, mounting base, thermal switch assembly & variable speed control - cord with three prong plug.



HB-RB36 illustrated



HB-RB35 illustrated



HB-RB37 illustrated

### Kozy Heat

600-1, EM3030L-211

Part #	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB6001</b>	1.22	115	1/1612	CCW	210	11"×3.75"×4.25"(2)	65×180mm (2)	Ball

Includes two blowers, mounting base, thermal switch, & 3 prong plug.



### Lennox

FBK-250, BL65X, D-400, D-500, D-600, D-800, B-500, B-600, B-800,

MDT3328, MDR3328, Elite-2 Series, EDST-2, EDPF-2, EDCL-2, EDCR-2

Blower Kit	Blower Only	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB250</b>	<b>HB-RB100</b>	50	0.86	115	1/1200	CCW	130	12.9"×4.3"×3.6"	65×240mm (2.6×9.4")	Ball

HB-RB250 blower, speed control/thermal switch assembly, cord - 3 prong plug.



### Majestic, CFM

CFM-FK30, Instaflame 52425

New Energy Distributing - AD1 Single

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB130</b>	53	0.56	115	1/2800	CCW	70	8"×4.56"×4.32"	76×101mm (3×4")	Ball

HB-RB130 blower, magnetic mounting legs, cord - 2 prong plug.



### Majestic, Vermont Casting, CFM

CFM - FK24 (fan only), RHE32, Lennox 18L46, Majestic HE30, HE32, Travis (Gas)

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB64</b>	50	0.86	115	1/1450	CW	130	12.9"×4.3"×3.6"	65×240mm (2.6×9.4")	Ball

HB-RB64 blower only.



### Majestic, CFM

CFM - FA20 (Model 1800), Majestic HE20 (Model)

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB82</b>	42	0.75	115	1/1600	CW	110	10.5×4.3×3.6"	65×180mm (2.6×7.1")	Ball



# OEM Replacement



## Blowers, Motors & Fan Kits

**ALL NEW!!**  
**24 Month Warranty**  
**on all "HB-" Products**

### Majestic, Vermont Casting, CFM

Majestic FK12

Part #	Watts	Amps	Volts	RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB12</b>	50	0.86	115	1450	CW	130	12.9"x4.3"x3.6"	65x240mm (2.6"x9.4")	Ball

Includes, cord, & 3 prong plug.



### Majestic, Vermont Casting, CFM

Majestic FK24 (Blower), 33DBVRRN, DBT33,36,39, DBR33,36,39 (Model)  
 Northern Flame FK24, A232, D232

Blower Kit	Blower & Base	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB65</b>	<b>HB-RB63</b>	50	0.86	115	1/1450	CW	130	12.9"x4.3"x3.6"	65x240mm (2.6"x9.4")	Ball

HB-RB65 Includes blower, mounting base w/ foam strips, thermal switch assembly & variable speed control - cord with three prong plug.

HB-RB63 Includes blower with mounting base plate.



### Monessen

Monessen BLOT

Part #	Watts	Amps	Volts	RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB94</b>	50	0.86	115	1450	CW	130	12.9"x4.3"x3.6"	65x240mm (2.6"x9.4")	Ball

Includes blower with Velcro mounting strips, variable speed control, & thermal switch.



### Monessen

Monessen BLOT SC

Part #	Watts	Amps	Volts	RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB95</b>	50	0.86	115	1450	CW	130	12.9"x4.3"x3.6"	65x240mm (2.6"x9.4")	Ball

Includes blower with Velcro mounting strips.



### Montigo, Selkirk

Electrohome 2811-581-001, EF100, T1-RF100 (Old Rotom 1spd), 2811-581-002, EF100-2

Part #	HP	Amps	Volts	Type	Spd/RPM	Rot	CFM	Body	Frame	Bearing
<b>T1-RF100-2</b>	1/167	0.50	115	SP/Open	2/3000	CCW	100	2.75"	Skel	Sleeve

T1-RF100-2 blower includes mounting bracket & fan blade.



### Napoleon, Continental, Wolf Steel

Continental GZ550, BCDV36NTR (Gas)

Napoleon GZ550 (Blower), GD36NTR (Gas)

Fits most Napoleon direct vent gas/propane fireplaces.

Blower Kit	Blower Only	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB58</b>	<b>HB-RB59</b>	42	0.65	115	1/1463	CCW	108	10.5"x4.3"x3.6"	65x180mm (2.6"x7.1")	Ball

HB-RB58 Includes blower, mounting base, thermal switch assembly, variable speed control, mounting hardware, wiring harness - cord w/ 2-prong plug.

HB-RB59 includes blower, mounting base plate, variable speed control. Does not include mounting hardware, thermal switch or electrical assemblies.

HB-RB58  
 Complete  
 Blower Kit



### Napoleon, Continental, Wolf Steel

Continental GZ552 - Gas - Napoleon GZ552 - Gas

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB61</b>	42	0.65	115	1/1463	CCW	108	10.5"x4.3"x3.6"	65x180mm (2.6"x7.1")	Ball

HB-RB61 blower only.



### Napoleon, Continental, Wolf Steel

EP62-1, EM3030LH186

Part #	CFM	Volts	Amps	Type	Spd/RPM	Rot	Blower	Frame	Bearing
<b>HB-RB621</b>	108	115	0.65	SP	1/1463	CCW	12.25"x5.25"x3.75"	Skel	Ball

Includes blower, mounting base & plate, variable speed control, cord - 3 prong plug.



### Napoleon, Continental, Wolf Steel

Gas Fired Stove - GDS50

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB166</b>	53	0.92	115	1/2400	CCW	125	12.8"x4.6"x4.3"	76x101mm (3"x4")	Ball

HB-RB166 blower only with mounting bracket with grommets.



**ALL NEW!!**  
**24 Month Warranty**  
**on all "HB-" Products**

### Nordica

Nordica B150 - Blower only - Traditional 1600-2100, Rustic 1600-2100

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB166</b>	53	0.92	115	1/2400	CCW	125	12.8"x4.6"x4.3"	76x101mm (3"x4")	Ball

Includes blower with mounting bracket with grommets.



### Nordica

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB513</b>	162	1.35	115	1/2600	CW	220	17.6"x4.25"x3"	65x330mm (2.6"x13.0")	Sleeve

HB-RB513 furnished with cooling fan OSE.



### Nordica

Nordica D-100 - Blower Only - Etna-Everest 200-2500, Olympia D-100

Part #	Watts	Volts	CFM	RPM	Bearing	Impeller	Noise	Connection
<b>T8-RF235</b>	22	115	106	3000	Ball	Metal	50db (A)	Terminal



### Nordica

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB571</b>	45	0.38	115	1/1800	CCW	73	9.8"x3.7"x3.2"	60x180mm (2.36"x7.1")	Sleeve

HB-RB571 blower only.



### Nordica

Wood Stove Blower - UE383, Fasco B24220

Part #	CFM	Amps	Volts	Spd/RPM	Rot	Body	Type	Frame	Bearing
<b>R7-RB3</b>	100	0.35	115	1/3220	CW	5.65"	PSC/ Open	3.3"	Ball

R7-RB3 Includes intake screen guard, 3-prong plug, round discharge - square flange.



### Osburn

Osburn FD006-1600 (Inserts), 1800, 2200, 2400 (Stoves)

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB006</b>	81	1.40	115	2/2800	CCW	125/150	12.8"x4.6"x4.3"	76x101mm (3"x4")	Ball

HB-RB006 Includes blower, housing, 3-way switch - cord with three prong plug.



### Osburn

Osburn KA108

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB108</b>	50	0.86	115	1/1450	CW	130	12.9"x4.3"x3.6"	65x240mm (2.6"x9.4")	Ball

HB-RB108 blower includes mounting base plate with grommets.



### Pacific Energy Esteem

Pacific Energy 5053-947 (Kit), MNB.BLOW, ENCD.BLOW

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB50</b>	53	0.92	115	1/2400	CW	125	12.8"x4.6"x4.3"	76x101mm (3"x4")	Ball

HB-RB50 Includes blower, mounting base w/ rubber grommets, variable speed control - cord with three prong plug.



### Pacific Energy

Pacific Energy - WODC.BLOW / PACI 179B

Part #	CFM	Amps	Volts	Spd/RPM	Rot	Blower	Blower Wheel	Bearing
<b>HB-RB179</b>	125	0.92	115	1/2400	CW	17.5"x4.75"x4.3"	76x101mm (3"x4")	Ball

HB-RB179 Includes blower, housing, variable speed control, thermal switch, Auto./Man. operation rocker switch, cord w/ 3 prong plug.



### Polaris

Polaris PG200

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB944</b>	17	0.77	115	1/2900	CCW	105	10.3"x3.6"x3.6"	60x180mm (2.36"x7.1")	Ball

HB-RB944 blower only.



### Quadra Fire

Free Standing Woodstove Blower

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB83</b>	53	0.92	115	1/2400	CCW	125	12.8"x4.6"x4.3"	76x101mm (3"x4")	Ball

HB-RB83 - Blower housing, built in speed control - 8' cord with three prong plug



# OEM Replacement



## Blowers, Motors & Fan Kits

**ALL NEW!!**  
**24 Month Warranty**  
**on all "HB-" Products**

### Quadra Fire

Quadra-Fire FKGAS (Stove Blower), BKGAS

Part #	Watts	Amps	Volts	Spd/RPM	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB81</b>	81	0.92	115	1/2400	125	12.8"x4.5"x4.3"	76x101mm (3"x4")	Ball

HB-RB81 Includes blower, housing, thermal switch assembly, speed control - cord with three prong plug.



### Regency

Regency 910-33/P,-142/P, I1100, I2100, I3100 (Wood Insert)

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB166</b>	53	0.92	115	1/2400	CCW	125	12.8"x4.6"x4.3"	76x101mm (3"x4")	Ball

HB-RB166 blower, electrical leads, mounting bracket with grommets.



### Regency

Regency 846-515(Kit), 910-157/P (Blower Only), F1100, F2100, F2400M, F3100 Classic (Free Standing Wood)

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB167</b>	53	1.30	115	2/2800	CCW	125/150	12.8"x4.5"x4.3"	76x101mm (3"x4")	Ball

HB-RB167 Includes blower, electrical leads, mounting bracket with grommets.



### Regency

Regency 432-917, P33, P36, P36D, P48

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB32</b>	50	0.86	115	1/1450	CW	130	12.9"x4.3"x3.6"	65x240mm	Ball

Includes blower, mounting base, speed controller, & thermal switch assemblies.



### Regency

910-331/P

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB64</b>	50	0.86	115	1/1450	CW	130	12.9"x4.3"x3.6"	65x240mm (2.6"x9.4")	Ball

Blower only.



### RSF

RSF - FO-FDHB5-N - Mdl. Onyx/Opel/Delta

Part #	Blower Only	CFM	Amps	Volts	RPM	Blower	Blower Wheel	Bearing
<b>HB-RB53</b>	<b>HB-RB53B</b>	225	1.30	115	1450	25.75"x4.3"x3.6"	65x240mm (x2)	Ball



### S.B.I

General Replacement Wood Stove Blower

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	CFM	Body	Frame	Bearing
<b>R7-RB33</b>	1/25	120	0.60	ECM/Open	1/2800	CW	73	6.6"	3.3"	Ball

HB-RB33 Includes intake screen guard, built-in variable speed control, 3-prong plug, round discharge - square flange.



### Security

Security UZY4 - Fan kit (Wood Fireplace)

Blower Kit	Blw. Only	Watts	Amps	Volts	RPM	Rot	CFM	Blower	Blw. Wheel	Bearing
<b>HB-RB267</b>	<b>HB-RB67</b>	35	0.75	115	1/1800	CCW	80	12.9"x4.3"x3.6"	65x120mm	Ball

HB-RB267 Includes two blowers, instructions, mounting bases, thermal switch assembly with mounting magnets, wiring harness - cord with three prong plug. HB-RB67 Includes one blower & mounting base plate with grommets.



Complete Fan Kit

### Security

Security UZY Old BIS1 & BIS2

Part #	Watts	Volts	CFM	RPM	Bearing	Impeller	Noise	Connection
<b>T8-RF235</b>	22	115	106	3000	Ball	Metal	50db (A)	Terminal




### Selkirk

45mm Blowers & Kits

Blower Kit	Blower Only	Watts	Amps	Volts	RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB89</b>	<b>HB-RB85</b>	23	0.46	115	2050	CW	75	10.4"x3.25"x2.8"	45x180mm (1.8"x7.1")	Sleeve
<b>HB-RB88</b>	<b>HB-RB87</b>	35	0.60	115	1900	CW	110	15.4"x3.25"x2.8"	45x300mm (1.8"x11.8")	Sleeve

HB-RB89 & HB-RB88 Include blower, mounting base, thermal switch assembly, variable speed control & cord with three prong plug.

HB-RB85 & HB-RB87 Include blower & cord with three prong plug.



### Skytech

FK-180

Part #	CFM	Amps	Volts	Spd/RPM	Rot	Blower	Blower Wheel	Bearing
<b>HB-RB861</b>	180	1.48	115	1/2900	CCW	12.8"x4.6"x4.3"	76x101mm (3"x4")	Ball

Includes blower with magnetic mounting, thermal switch, variable speed control, cord with two prong plug.



**ALL NEW!!**  
**24 Month Warranty**  
**on all "HB-" Products**


## Valor

HB-RB555 - 555CFK Models 530, RF24, MF28  
 HB-RB755 - 755CFK Models 534, 535, 650, 738 (BV Only), 739

Blower Kit	CFM	Amps	Volts	RPM	Rot	Body	Blower Wheel	Bearing
<b>HB-RB555</b>	67	0.46	115	1/2200	CW	7.80	45x180mm (1.8"x7.1")	Sleeve
<b>HB-RB755</b>	125	0.92	115	1/2400	CCW	12.80	76x101mm (3"x4")	Ball

Kits include blower, variable speed control, & thermal switch.

HB-RB555



HB-RB755



## Vermont Casting, Dutchwest, Stardance, CFM

Dutchwest FK26 (#2465 Direct Vent Gas Stove & #2467 Natural Vent Gas Stoves)  
 Stardance FK26 (SNV30 Natural Vent Gas Stove)

Part #	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB27</b>	53	0.92	115	1/2400	CCW	125	12.8"x4.6"x4.3"	76x101mm (3"x4")	Ball

HB-RB27 Includes blower, mounting base & variable speed control assembly - cord with three prong plug.

### LEGAL NOTICE

Rotom is a registered trademark of Alltemp Products Company Limited (Alltemp)

It is important to note that Alltemp is not affiliated with any of the original equipment manufacturers or their brands which may be referred to herein. All brand names or trademarks used herein are the property of their respective owners and all original equipment manufacturers' names, numbers, symbols and descriptions are for cross reference purposes only. It is not implied that any part referred to herein is the product of any original equipment manufacturer, nor any of its associated brands. TRADEMARK DISCLAIMER - Product names, logos, brands, and other trademarks featured within are the property of their respective trademark holders. These trademark holders are not affiliated with Alltemp, our products or our website. No association between Alltemp and any trademark holder is expressed or implied. Names, numbers, symbols and descriptions are for cross reference purposes only.

## UNIVERSAL

### Double Centrifugal Blower Kit

- Fits many OEM gas & wood fireplaces!
- All components feature magnets for easy installation!
- Kit includes blower, pre-assembled thermal sensor and variable speed control assembly complete with cord and three prong plug!

**MAGNETIC MOUNTING!**

Blower, Thermal Sensor & Speed Control



Blower Kit	Blower Only	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB38</b>	<b>HB-RB38B</b>	53	0.92	115	1/2400	CW	125	12.8"x4.7"x4.3"	76x101mm (3"x4")	Ball

## UNIVERSAL

### Tangential Blower Kit

- Fits many OEM gas & wood fireplaces!
- All components feature magnets for easy installation!
- Kit includes blower, pre-assembled thermal sensor and variable speed control assembly complete with cord and three prong plug!



Part #	Blower Only	Watts	Amps	Volts	Spd/RPM	Rot	CFM	Blower	Blower Wheel	Bearing
<b>HB-RB39</b>	<b>HB-RB39B</b>	50	0.86	115	1/1450	CW	130	12.9"x4.3"x3.6"	65x240mm (2.6"x9.4")	Ball

## Pellet Stove Gear Auger Motors

- 115 Volt • Sleeve Bearing • Single Speed • Shaded Pole • CCW Rotation

Part #	Amps	RPM	Body	Shaft	Features	Cross Reference
<b>HM-RGM450</b>	0.25	1.0	3.2"	1.1"x3/8"	Spade terminals, Inc.'s 6 mtn. bolts 14 Watts Out	Enviro EF001
<b>HM-RGM451</b>	0.19	1.0	3.0"	1"x3/8"	Spade terminals, Inc.'s 6 mtn. bolts 1.5 Watts Out	Lennox Hearth 6216, Fasco V08038AA09
<b>HM-RGM453</b>	0.19	1.0	3.2"	1.1"x3/8"	Centered spade terminals, Inc.'s 6 mtn. bolts 11 Watts Out	
<b>HM-RGM452</b>	1.26	2.0	3.0"	1"x3/8"	Bare wire leads, Inc.'s 6 mtn. bolts	Canadian Comfort Industries, Fasco V07926AAD9
<b>HM-RGM454</b>	0.73	4.0	3.2"	1.1"x3/8"	Spade terminals, Inc.'s 6 mtn. bolts 35 Watts Out	
<b>HM-RGM651</b>	1.00	7.0	3.25"	1"x1/2"	Bare wire leads, Inc.'s 4 mtn. bolts & 2" dia. fan blade, 50 Watt	EMC6216, Fasco V07959ABD9

Replacements For:  
 Avalon, Austroflamm, Breckwell, Enviro, Earth Stove, Fasco, Lennox, Merkle-Korff Ind., National Steel Crafters, Pellet Master, Travis Ind., Whitfield (Quest), Traditions & Profile Series Stoves.



HM-RGM451 illustrated



HM-RGM651 illustrated

# Pellet & Box Frame Motors



**ALL NEW!!**  
**24 Month Warranty**  
**on all "HB-" Products**

## Pellet Stove Blower Motors

### Whitfield - Quest

Whitfield - Quest 12026011, 13656011, Breckwell, Travis (Avalon & Lopi) Quadra-Fire, Fasco 7021-9129

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing
<b>HB-RBM120</b>	1/14	115	0.60	SP/Open	1/3000	CCW	5.25"	3.3"	Sleeve

HB-RBM120 Includes 6 mounting nuts, gasket, fan blade & plug.  
 Mounting - 5.75" Diameter, 5.5" Mounting Centers



### Whitfield - Convection Blower

Whitfield 12126109, Fasco 7021-7786

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing
<b>HB-RBM121</b>	1/35	115	1.50	SP/Open	1/3000	CW	7.3"	3.3"	Sleeve

HB-RBM121 Square discharge, square flange & plug.



### Lennox - Earth Pellet Stove Blower



Lennox 15007 (Model), 8253710702 (Blower)

Part #	HP	Volts	Amps	CFM	Type	Spd/RPM	Rot	Body	Frame	Bearing
<b>HB-RB150</b>	1/35	115	1.00	155	SP/Open	1/1500	CW	7.4"	3.3"	Sleeve

HB-RB150 Square discharge, square flange, 2 bare wire leads & 1 plug.




## Box Frame Blowers



HB-RB944 illustrated

### 65mm Box Frame Fans



Part #	Watts	Volts	Amps	Spd/RPM	Rot	CFM	Bearing	Body	Wheel	B
<b>HB-RB944</b>	17	115	0.77	1/2900	CCW	105	Ball	10.3"×3.6"×3.6"	2.25"×7.13"	7.31"
<b>HB-RB939</b>	29	115	0.62	1/2800	CW	180	Ball	15.5"×3.6"×3.6"	2.25"×12.25"	12.46"
<b>HB-RB949</b>	29	115	0.97	1/2900	CCW	180	Ball	15.5"×3.6"×3.6"	2.25"×12.25"	12.46"
<b>HB-RB950</b>	29	240	0.30	1/2900	CCW	180	Ball	15.5"×3.6"×3.6"	2.25"×12.25"	12.46"



## Box Frame Blowers - Double



HB-RB96 illustrated



### Double Tangential Fan

Sil-Flo: Marcot Baseboard Heater, Lau T221-18 (HB-RB221)

Part #	Watts	Volts	Amps	Spd/RPM	Rot	CFM	Bearing	Body	Frame	Wheel	B	C	D
<b>HB-RB96</b>	58	115	1.50	1/2900	CW	360	Ball	28.6"×3.6"×3.6"	Skel	2.25"×12.25"	12.46"	3.02"	28.61"

Rotation Opposite Shaft End / Double Shaft Lead End

**ALL NEW!!**  
**24 Month Warranty**  
**on all "HB-" Products**



CW Rotation

- HB-RB66 HB-RB82 illustrated
- HB-RB64 HB-RB69
- HB-RB611 HB-RB41
- HB-RB45



CCW Rotation

- HB-RB86 HB-RB61 illustrated
- HB-RB84 HB-RB79
- HB-RB822 HB-RB42
- HB-RB46






Telescopic Spout That Reaches Everywhere!

The Finest All-Purpose Industrial Oil

**10-ZS75**

\* 118 ml Bottle

\* 12/ctn



### 65mm Tangential Fans - Standard Duty

Part #		Watts	Volts	Amps	Spd/RPM	CFM	Bearing	Body	Wheel	Dimensions			
CW Rot	CCW Rot									A	B	C	D
HB-RB66	HB-RB86	35	115	0.75	1/1800	80	Ball	8.0"×4.3"×3.6"	65×120mm (2.6"×4.7")	6.00"	8.32"	4.72"	3.70"
HB-RB82	HB-RB822	42	115	0.75	1/1600	110	Ball	10.5"×4.3"×3.6"	65×180mm (2.6"×7.1")	8.36"	10.69"	7.09"	6.06"
HB-RB611	HB-RB61	42	115	0.75	1/2400	160	Ball	10.5"×4.3"×3.6"	65×180mm (2.6"×7.1")	8.36"	10.69"	7.09"	6.06"
HB-RB64	HB-RB84	50	115	0.86	1/1450	130	Ball	12.9"×4.3"×3.6"	65×240mm (2.6"×9.4")	10.72"	13.05"	9.45"	8.43"
HB-RB69	HB-RB79	62	115	1.10	1/1200	150	Ball	15.7"×4.3"×3.6"	65×300mm (2.6"×11.8")	13.09"	15.72"	11.81"	10.79"

Motor on right side of blower    Motor on left side of blower

### 65mm Tangential Fans - Heavy Duty - Ball Bearing Motor & End Bearing

Part #		Watts	Volts	Amps	RPM	CFM	Bearing	Body	Wheel	Dimensions			
CW Rot	CCW Rot									A	B	C	D
HB-RB41	HB-RB42	54	115	0.80	2100	160	Ball	10"×4.3"×3.5"	65×180mm (2.6"×7.1")	8.36"	10.0"	7.08"	6.09"
HB-RB45	HB-RB46	54	115	0.80	1500	140	Ball	12.6"×4.3"×3.5"	65×240mm (2.6"×9.4")	10.12"	12.6"	9.45"	8.43"

## 80mm x 80mm x 38mm (3.15" x 3.15" x 1.5")

• Mounting Centres 71.5mm (2.82")

Part #	Watts	Volts	CFM	RPM	Bearing	Impeller	Noise	Connection	Weight
<b>T8-RF200</b>	10	115	32	3100	Sleeve	Metal	34db (A)	Wire Leads	420g
<b>T8-RF201*</b>	9	115	21	2000	Sleeve	Metal	26db (A)	Wire Leads	420g
<b>T8-RF202*</b>	10	230	32	3100	Ball	Metal	34db (A)	Wire Leads	420g

## 120mm x 120mm x 38mm (4.72" x 4.72" x 1.5")

• Mounting Centres 105mm (4.13")

Part #	Watts	Volts	CFM	RPM	Bearing	Impeller	Noise	Connection	Weight
<b>T8-RF205</b>	22	115	106	3000	Sleeve	Metal	50db (A)	Terminal	600g
<b>T8-RF210</b>	22	115	106	3000	Ball	Metal	50db (A)	Terminal	600g
<b>T8-RF225</b>	22	115	106	3000	Ball	Metal	50db (A)	Wire Leads	600g
<b>T8-RF215</b>	21	230	106	3000	Sleeve	Metal	50db (A)	Terminal	600g
<b>T8-RF220</b>	21	230	106	3000	Ball	Metal	50db (A)	Terminal	600g

## 119mm x 119mm x 38mm (4.69" x 4.69" x 1.5")

• Mounting Centres 105mm (4.13")

Part #	Watts	Volts	CFM	RPM	Bearing	Impeller	Noise	Connection	Weight
<b>T8-RF230</b>	12	115	106	3100	Sleeve	Plastic	46db (A)	Terminal	530g
<b>T8-RF235</b>	12	115	106	3100	Ball	Plastic	46db (A)	Terminal	530g
<b>T8-RF236*</b>	15	230	106	3100	Sleeve	Plastic	46db (A)	Terminal	530g
<b>T8-RF237*</b>	15	230	106	3100	Ball	Plastic	46db (A)	Terminal	530g

## 150mm x 150mm x 55mm (5.9" x 5.9" x 2.2")

• Mounting Centres 162mm (6.38")

Part #	Watts	Volts	CFM	RPM	Bearing	Impeller	Noise	Connection	Weight
<b>T8-RF240</b>	42	115	230	3400	Ball	Plastic	53db (A)	Wire Leads	1kg
<b>T8-RF245</b>	40	230	230	3400	Ball	Plastic	53db (A)	Wire Leads	1kg

## 150mm x 172mm x 38mm (5.9" x 6.7" x 1.5")

• Mounting Centres 162mm (6.38")

Part #	Watts	Volts	CFM	RPM	Bearing	Impeller	Noise	Connection	Weight
<b>T8-RF247*</b>	28	115	212	3400	Ball	Plastic	58db (A)	Terminal	720g
<b>T8-RF248*</b>	26	230	212	3400	Ball	Plastic	58db (A)	Terminal	720g

## 180mm x 180mm x 90mm (7.1" x 7.1" x 3.5")

• Mounting Centres 152.7mm (6.01")

Part #	Watts	Volts	CFM	RPM	Bearing	Impeller	Noise	Connection	Weight
<b>T8-RF249*</b>	72	115	460	3400	Ball	Plastic	59db (A)	Screw	2.2kg

## 254mm x 254mm x 89mm (10" x 10" x 3.5")

• Mounting Centres 247mm (9.72")

Part #	Watts	Volts	CFM	RPM	Bearing	Impeller	Noise	Connection	Weight
<b>T8-RF250</b>	35	115	547	1650	Ball	Plastic	55db (A)	Terminal	1.9kg
<b>T8-RF255</b>	33	230	547	1650	Ball	Plastic	55db (A)	Terminal	1.9kg

### Axial Fan Features:

- Die-cast Aluminum Housing
- Shaded Pole Motor
- Impedance Protection
- CSA & UL Approved.
- Operating Temp. Range -10°C to 70°C
- Metal or Plastic Impellers
- Sleeve or Ball Bearings



T8-RF210 illustrated



T8-RF200 illustrated



T8-RF230 illustrated



T8-RF245 illustrated



T8-RF250 illustrated

### Metal Fan Guards

Mounting: Screw Holes

Part #	Size
<b>T8-CFG-60M</b>	66mm
<b>T8-CFG-80M</b>	80mm
<b>T8-CFG-92M</b>	92mm
<b>T8-CFG-120M</b>	120mm
<b>T8-CFG-150M</b>	150mm
<b>T8-CFG-254M</b>	254mm

### Plastic Fan Guards

Mounting: Plastic Tabs

Part #	Size
<b>T8-CFG-80P</b>	80mm
<b>T8-CFG-120P</b>	120mm

Note: T8-CFG-80M, 120M, 150M are also available in black.\*



T8-CFC-T24 illustrated

### Axial AC Power Cords

Bare Wire - 2 Pin molded connection to bare wire leads.

Plug - 2 Pin molded connection to 2 prong plug.

Bare Wire	Description	Plug
<b>T8-CFC-T24</b>	60.96cm (24") Cord	<b>T8-CFC-T24P</b>
-	121.92cm (48") Cord	<b>T8-CFC-T48P</b>
<b>T8-CFC-T72</b>	182.88cm (72") Cord	<b>T8-CFC-T72P</b>



Part #	CFM	Spd/RPM	Volts	Amps	Rot	Type	Encl	Bearing	Cross
<b>R7-RB440</b>	50	1/3080	115	0.25	CW	PSC	Open	Ball	Grainger 1TDN7, 4C440
<b>R7-RB55</b>	55	1/1550	115	0.25	CW	SP	Open	Sleeve	AO Smith 12
<b>R7-RB663</b>	60	1/3000	115	0.60	CCW	SP	T.E.	Sleeve	AO Smith 9444
<b>R7-RB662</b>	60	1/3000	208/240	0.30	CCW	SP	Open	Sleeve	AO SMITH 9443, FASCO 50747-D230, GRAINGER 2C014
<b>R7-RB661</b>	60	1/3000	115	0.50	CCW	SP	Open	Sleeve	AO SMITH 9461, FASCO 50747-D500
<b>R7-RB60</b>	60	1/3200	115	0.80	CW	SP	Open	Sleeve	AO SMITH 9470, FASCO 50747-D401
<b>R7-RB70</b>	70	1/3000	115	0.50	CCW	SP	Open	Sleeve	AO Smith 989
<b>R7-RB33</b>	73	1/2800	115	0.60	CW	ECM	Open	Ball	Newmac 204001 EB3 w/ Variable Spd Switch
<b>R7-RB665</b>	75	1/3020	115	0.45	CCW	PSC	Open	Ball	AO SMITH 9462, FASCO 50748-D500, GRAINGER 4C443
<b>R7-RB885</b>	85	2/2800	115	0.65	CW	SP	Open	Sleeve	AO SMITH 414
<b>R7-RB90</b>	90	1/3000	115	1.00	CW	SP	Open	Sleeve	AO SMITH 13
<b>R7-RB991</b>	90	1/3000	115	1.00	CW	SP	Open	Sleeve	AO SMITH 383
<b>R7-RB4</b>	100	1/3220	115	0.34	CW	PSC	T.E.	Ball	Franklin 76012, 80042, Electrohome EB4
<b>R7-RB3</b>	100	1/3220	115	0.34	CW	PSC	Open	Ball	Fasco B24220
<b>R7-RB2</b>	100	1/1550	115	0.47	CW	SP	T.E.	Sleeve	Franklin 76002, 80978, Electrohome EB2



Part #	CFM	Spd/RPM	Volts	Amps	Rot	Type	Encl	Bearing	Cross
<b>R7-RB54</b>	100	1/3450	115	0.43	CW	PSC	T.E.	Ball	Easy Radiant
<b>R7-RB120</b>	120	1/3100	115	0.80	CW	SP	Open	Sleeve	AO Smith 9445
<b>R7-RB141</b>	140	1/3000	115	1.00	CCW	SP	Open	Sleeve	AO Smith 9492, Fasco 50752-D500, GRAINGER 4C442
<b>R7-RB142</b>	140	1/3000	208/240	0.50	CCW	SP	Open	Sleeve	AO Smith 9493, Fasco 50752-D230, Grainger 2C915
<b>R7-RB446</b>	146	1/3120	115	0.75	CCW	PSC	Open	Ball	Grainger 4C446, 1TDP7, Fasco 7021-3469, A166
<b>R7-RB155</b>	148	1/2480	115	0.75	CCW	PSC	T.E.	Ball	Grainger 1TDR6, 4C006, Fasco 7021-4933
<b>R7-RB151</b>	150	1/3000	115	1.10	CCW	SP	Open	Sleeve	AO Smith 9483
<b>R7-RB160</b>	160	1/1595	115	1.20	CCW	SP	Open	Sleeve	AO Smith 458
<b>R7-RB165</b>	165	1/3550	115	0.65	CCW	PSC	Open	Ball	-
<b>R7-RB180</b>	180	3/1500	115	2.00	CCW	SP	Open	Sleeve	AO Smith 9471, Fasco B47120, Grainger 4C754
<b>R7-RB1</b>	200	1/2700	115	1.10	CW	SP	Open	Sleeve	Franklin 80748, 80981, Electrohome EB1
<b>R7-RB312</b>	222	1/2750	115	0.60	CCW	PSC	Open	Ball	Grainger 1TDU8, 4C826, Fasco A212, 70219025
<b>R7-RB245</b>	245	1/1550	115	1.50	CCW	SP	Open	Sleeve	AMU45, Airdex
<b>R7-RB265</b>	265	1/1640	115	0.77	CCW	PSC	Open	Ball	Franklin 80224, U.E.459, Fasco B45227
<b>R7-RB266</b>	265	1/1650	230	1.90	CCW	SP	Open	Sleeve	AO Smith 9411, Fasco B45227-2, Grainger 4C869

Flange Mounting Dimensions Available on Page 21 & 22

Rotation Opposite Shaft End / Double Shaft Lead End



R7-RB447



R7-RB938



R7-RB320



R7-RB326



R7-RB350



R7-RB428



R7-RB462



R7-RB465



R7-RB495



R7-RB500



R7-RB445



R7-RB760



R7-RB965



R7-RB1000



R7-RB1600

Part #	CFM	Spd/RPM	Volts	Amps	Rot	Type	Encl	Bearing	Cross
<b>R7-RB447</b>	273	1/1640	115	0.77	CCW	PSC	Open	Ball	Grainger 4C447, 1TDR3
<b>R7-RB938</b>	287	1/3280	115	1.30	CCW	PSC	Open	Ball	ProFab 814320, Aspen, Empyre, Fasco 70625938
<b>R7-RB320</b>	320	1/1500	115	1.30	CW	SP	Open	Sleeve	AO Smith 9486, Fasco 50756-D500
<b>R7-RB326</b>	326	1/1600	115	1.10	CCW	PSC	Open	Ball	AO Smith 9467, Grainger 4C943
<b>R7-RB350</b>	350	2/1570	115	3.00	CCW	SP	Open	Sleeve	AO Smith 9466, Grainger 4C444
<b>R7-RB428</b>	428/ 293	2/1500 /1085	115	1.1/ 0.85	CW	PSC	Open	Ball	GRAINGER 1TDT6, 4C565
<b>R7-RB462</b>	460	1/1550	230	1.80	CW	SP	Open	Sleeve	AO Smith 9412, Grainger 5C507
<b>R7-RB465</b>	465	1/1560	115	1.30	CW	PSC	Open	Ball	Franklin 80546, U.E.460, Fasco B45267, Grainger 4C448
<b>R7-RB495</b>	495	1/1570	115	3.80	CCW	SP	Open	Sleeve	AO Smith 9465
<b>R7-RB500</b>	500	2/1550	115	3.50	CCW	SP	Open	Sleeve	AO Smith 9491, Fasco 50769-D500
<b>R7-RB445</b>	549	1/1430	115	2.20	CCW	PSC	Open	Ball	Grainger 1TDT2, 4C445, 4YJ32
<b>R7-RB760</b>	797	2/1350	115	3.30	CW	PSC	Open	Ball	AO Smith 9459, Grainger 5C508
<b>R7-RB965</b>	965	1/1080	115	3.50	CCW	PSC	Open	Ball	Grainger 1TDT5
<b>R7-RB1000</b>	1000	2/1100	115/230	4.00	CCW	PSC	Open	Sleeve	AO Smith 9477, Fasco A1000
<b>R7-RB1600</b>	1638	4/1085	115	6.90	CCW	PSC	Open	Ball	Grainger 1XJX9

# In-Line Air Duct Booster Fans



## In-Line Air Duct Booster Fans

### Air Duct Booster

Designed to be installed at any angle in the branch duct of under-ventilated rooms to increase either hot or cool air flow supply. One year limited warranty.



### Control Options

- |   |  |
|---|--|
| <p><b>Manual Control</b></p> <ul style="list-style-type: none"> <li>• 115V Source - continuous operation.</li> <li>• 115V Switch - manual ON/OFF ctrl.</li> </ul> | <p><b>Automatic Control</b></p> <ul style="list-style-type: none"> <li>• Wire to furnace fan.</li> <li>• Wire to fan switch.</li> <li>• Wire to a sail switch.</li> <li>• Wire to a pressure switch.</li> <li>• Wire to thermostat.</li> </ul> |
|---|--|

## Standard Air Duct Boosters



Part #		Description	Max Boosted Free Air		Watts	Amps	dBA	Blade	Housing Length
No Cord	Cord		CFM	CFM					
<b>T9-DB100C</b>	-	6" - 8" Universal Round	250	160	30	0.35	50	Polycarbonate	4"x11"
<b>T9-DB6-2CR</b>	-	6" Rnd Double Crimp	250	160	30	0.35	50	Polycarbonate	8"
-	<b>T9-DB204C</b>	4" Round	80	40	30	0.30	52	Polycarbonate	6"
-	<b>T9-DB205C</b>	5" Round	225	140	30	0.35	51	Polycarbonate	6"
-	<b>T9-DB206C</b>	6" Round	250	160	30	0.35	50	Polycarbonate	6"
-	<b>T9-DB208C</b>	8" Round	500	210	60	0.75	54	Polycarbonate	8"
-	<b>T9-DB210C</b>	10" Round	650	300	120	1.50	55	Aluminium	8"
-	<b>T9-DB212C</b>	12" Round	800	650	120	1.50	55	Aluminium	8"



T9-DB6 illustrated



T9-DB205-CRD illustrated

Part #	Diameter	CFM	Watts	Order Mult
<b>625-AF6</b>	6"	240	37	4
<b>625-AF8</b>	8"	420	37	4
<b>625-AF10</b>	10"	650	35	4
<b>625-AF12</b>	12"	975	65	2
<b>625-AF14</b>	14"	1350	65	1



## Two Speed Air Duct Boosters



Part #	Description	Max Boosted CFM	Free Air CFM	Watts	Amps	dBA	Blade
<b>T9-DB306E</b>	6" Round 2 Speed	200/300	160/180	30	0.35	50/52	Polycarbonate
<b>T9-DB8-2</b>	8" Round 2 Speed	500/600	210/250	60	0.85	50/55	Polycarbonate
<b>T9-DB10-2</b>	10" Round 2 Speed	650/900	300/460	135	1.70	56/59	Aluminium

T9-DB5-2 illustrated



## 4-Pole Duct Boosters

Designed for larger ducts requiring commercial grade power and performance.



Part #	Description	Max Boosted CFM	Free Air CFM	Watts	Amps	dBA	Blade
<b>T9-DB412E</b>	12" Round	1160	700	120	1.00	61	Aluminium
<b>T9-DB144</b>	14" Round	1580	900	120	1.00	61	Aluminium
<b>T9-DB416P</b>	16" Round	1760	1100	120	1.00	54	Aluminium

4-Pole Duct Booster illustrated



## Motorized Duct Dampers

### Motorized Dampers



Normally Open Part #	Normally Closed Part #	Duct Dia.	Weight
<b>T9-MD6-NO</b>	<b>T9-MD6-NC</b>	6"	3.5
<b>T9-MD8-NO</b>	<b>T9-MD8-NC</b>	8"	4.0
<b>T9-MD10-NO</b>	<b>T9-MD10-NC</b>	10"	5.0
<b>T9-MD12-NO</b>	<b>T9-MD12-NC</b>	12"	6.0

### Features

- Available in normally open or normally closed 5", 6", 7", 8", 10" and 12" duct diameters.
- 8" Housing lengths.
- 24VAC, 0.25 amps.
- 100% Shut off available.
- 3 Year limited warranty.

### Zone Control

T9-MD6 illustrated



### ThruWall Room To Room Fans

The T9-TW8-2 and T9-TW208 ThruWall™ fans easily install in an interior wall to move heated or cooled air from one adjoining room to another, providing year round comfort.

- Ultra quiet operation.
- White polymeric grills can be painted to match decor.
- Telescoping housing (Galvanized steel ) installs in frame walls from 3½" to 6½" thick.
- 10' Grounded cord(T9-TW8-2)
- Bare Wire Leads (T9-Tw208)



T9-TW8-2



T9-TW208

Direction Airflow!  
360° Rotating Grill

### ThruWall Fans

Part #	Features	Description	Volts	Amps	CFM	dBa	Weight
<b>T9-TW8-2</b>	• 3 Position, 2 Speed switch	Grill 9.75" Housing 7 5/8" dia.	115	0.75	160 CFM low spd. 200 CFM high spd.	High: 55 Low: 49	5.0 lbs.
<b>T9-TW208</b>	• Built-in solid state speed control allows for fan speed & sound level control. • 360° Rotating grill allows airflow direction to be changed.	Front: 12.5"x10" Back: 9.75" dia. Housing: 8" dia.	115	0.75	40 CFM low spd. 90 CFM high spd.	High: 55 Low: 49	5.0 lbs.

60 Hz., Thermally protected, Class B insulation.

### Door Frame Fan

#### Entreeair® Door Frame Fan

The T9-DF100 is a safe, efficient and effective way to gently circulate warm or cool air from room to room.

- Quiet operation.
- Simple installation.
- In-line ON/OFF power switch.
- 10' Cord.
- Patented design.



T9-DF100  
illustrated



Part #	Description	Volts	Amps	CFM	Weight
<b>T9-DF100</b>	7" Grill diameter.	115	0.35	100	2.0 lbs.

60 Hz., Thermally protected, Class B insulation.

### Register Air Boosters

Register Boosters™ increase airflow to under performing registers improving comfort to rooms that are too hot or too cold.

- Saves energy and money.
- Engineered for maximum airflow.
- Low voltage – safe for children and pets.
- Works automatically with forced air systems.
- 12 month limited warranty.



T9-EQ2  
Manual - On/Off  
Auto - Heat/Cool  
(Adjustable thermostat & sensitivity differential)



### Equalizer® Register Air Booster

Part #	Dimensions	Volts	Amps	Weight
<b>T9-EQ2</b>	12" x 6-¼" x 3¼"	115	0.35	2.25 lbs.

60 Hz., Thermally protected, Class B insulation.

### Flush Fit™ Register Air Booster

Part #	CFM	Watts	Volts	Colour
<b>T9-HC500-W</b>	85	15	115	White
<b>T9-HC500-B</b>	85	15	115	Brown

Fits 4"x10" Floor and wall openings  
Available (not included) adapter plate for: 4"x12", 6"x10" & 6"x12"

Adapter plate  
White - T9-HC5PL1-W  
Brown - T9-HC5PL1-B



### Duct Thermostat

#### Plug-In Duct Stat

The T9-DS45110 duct stat simplifies installation of in-line duct booster fans by eliminating electrical connections at the furnace.

- Economical and reliable automatic on/off control for in-line duct booster fans.
- Mounts on duct or wall to control ambient room temperature.
- Adjustable temperature range: 45° F (7° C) to 110° F (43° C) and differential.
- 6' Grounded cord.
- Year round use, ON/ OFF, AUTO heating and AUTO cooling.
- Controls various devices, including alarms, heat lamps, lights, louvers, etc.



T9-DS45110  
illustrated



### Plug-In Switch - Thermostatically Controlled

Part #	Description	Volts	Dimensions	Weight
<b>T9-DS45110</b>	5 Amp maximum load (replaceable 5A fuse).	115	5.50" x 3.25" x 2.25"	1.25 lbs.

60 Hz.

# Speed Controls & Switches

## Speed Controls



Complete with control, knob, face plate & hardware.



HB-RB38-1  
Speed Control Assembly



HB-RB168-1  
Variable Speed Control

### Motor Speed Controls

Complete with control, knob, face plate & hardware.

Part #	Volts	Amps	Description
<b>92-A8301</b>	120	2.5	Std. Ctrl Kit
<b>92-A8301-1</b>	120	2.5	No Face Plate
<b>92-A8303</b>	120	5	Std. Ctrl Kit
<b>92-A8303-1</b>	120	5	No Face Plate
<b>92-A8305</b>	120	10	W/ Heat Sink
<b>92-A8306</b>	120	15	W/ Heat Sink

Part #	Amps	Description
<b>HB-RB38-1</b>	3.0	Magnetically Mounted Speed Control & Thermal Switch Assembly
<b>HB-RB168-1</b>	3.0	Variable Speed Control

## Rocker Switches - Snap-in Mount

Type	Part #	Colour	Function	Amps	¼"Spades	Fig.
Mini	<b>29-159-1</b>	Black	2 - On / Off	15	3	1
	<b>29-159-3</b>	Black	2 - On / Off	10	2	2
	<b>29-159-5</b>	Black	3 - On / Off / On	10	3	2



Fig.3



Fig. 1



Fig. 2

## Limit Switches


### Limit Switch Nomenclature

L	Limit - Open on rise
S	Switch
2	Number of terminals
110	Opening temperature

### Limit Switches

- 25 Amps, 240 Volt
- 2 Terminal

Part #	Part #
<b>19-LS2-120</b>	<b>19-LS2-190</b>
<b>19-LS2-135</b>	<b>19-LS2-200</b>
<b>19-LS2-140</b>	<b>19-LS2-200F</b>
<b>19-LS2-145</b>	<b>19-LS2-240</b>
<b>19-LS2-150</b>	<b>19-LS2-250</b>
<b>19-LS2-160</b>	<b>19-LS2-275</b>
<b>19-LS2-165</b>	<b>19-LS2-290</b>
<b>19-LS2-180</b>	<b>19-LS2-320</b>



19-LS2 Series  
illustrated

## Fan Switches

### Fan Switch Nomenclature

F	Fan - Close on rise
S	Switch
2	Number of terminals
110	Closing temperature

Two Terminal Fan Switches  
• 3/4" standard discs.

Part #	Closing Temp.
<b>19-SF2-115*</b>	43°C (110°F)
<b>19-FS2-110</b>	43°C (110°F)
<b>19-FS2-120</b>	49°C (120°F)
<b>19-FS2-130</b>	54°C (130°F)
<b>19-FS2-160</b>	71°C (160°F)
<b>19-FS2-200</b>	93°C (200°F)


\* 1/2" disc



19-FS2-110  
illustrated

19-SF2-115

## Fireplace Kit Accessories



HB-RB58-1



HB-RB168-2



HB-RB67-3



HB-RB67-5



HB-RB68-1



HB-RB67-1 (One Blower)  
HB-RB67-2 (Two Blower)

## Thermal Switch Assemblies

Part #	Description
<b>HB-RB58-1</b>	Thermal Switch Assembly
<b>HB-RB168-2</b>	Thermal Switch Assembly
<b>HB-RB67-3</b>	Magnetic Thermal Switch Assembly
<b>HB-RB67-5</b>	Thermal Switch Assembly & Wiring
<b>HB-RB68-1</b>	Thermal Switch Assembly
<b>HB-RB67-1</b>	Magnetic Thermal Switch & Wiring Harness Assembly For 1 or 2 Blowers
<b>HB-RB67-2</b>	Magnetic Thermal Switch & Wiring Harness Assembly For 1 or 2 Blowers

Note : All switches are 43°C (110°F)

### Forged Gas Ball Valves

- Brass or plated outdoor.
- Yellow lever handle.
- 600 WOG full port.



Brass (Indoor) or  
Plated (Outdoor)  
Applications

Brass Indoor	Plated Outdoor	Description	Case Qty
<b>06-FGV38</b>	<b>06-FGV38P</b>	3/8" FNPT x 3/8" FNPT	5
<b>06-FGV12</b>	<b>06-FGV12P</b>	1/2" FNPT x 1/2" FNPT	5
<b>06-FGV34</b>	<b>06-FGV34P</b>	3/4" FNPT x 3/4" FNPT	5
<b>06-FGV1</b>	<b>06-FGV1P</b>	1" FNPT x 1" FNPT	2
-	<b>06-FGV114P</b>	1 1/4" FNPT x 1 1/4" FNPT	2
<b>06-FGV112</b>	<b>06-FGV112P</b>	1 1/2" FNPT x 1 1/2" FNPT	2
-	<b>06-FGV2P</b>	2" FNPT x 2" FNPT	2

### Appliance Forged Gas Ball Valves

- Brass ball valves.
- Red wing handle.
- 600 WOG.



Part #	Description	Case Qty
<b>06-GWH12</b>	1/2" FNPT x 1/2" FNPT, 3/8" port	10
<b>06-GWH34</b>	3/4" FNPT x 3/4" FNPT, 1/2" port	10

### Boiler Drain Valves

#### Forged Boiler Gate Valve

- Brass drain valve.
- Green handle.



Part #	Description	Case Qty
<b>06-BGV12</b>	1/2" MNPT x Hose	5
<b>06-BGV34</b>	3/4" MNPT x Hose	5

### Silicone

#### Features:

- NSF Approved • 100% Silicone • 100% RTV



#### 302 (GP) General Purpose

- Available in multiple colours.
- The ideal multiple purpose silicone sealant for all weather applications.

#### 302 (HT) High Temperature

- Withstands temperatures of 260°C(500°F) constant and 316°C(600°F) intermittent.
- An ideal silicone for extreme temperature applications.



### Fireplace Forged Gas Ball Valves

- Brass ball valves.
- Red wing handle.
- 600 WOG.



Part #	Description	Case Qty
<b>06-FP1238</b>	1/2" FNPT x 3/8" Male flare	10
<b>06-FP1212</b>	1/2" FNPT x 1/2" Male flare	10
<b>06-FP3458</b>	3/4" FNPT x 5/8" Male flare	10

### Appliance Forged Gas Ball Valves

- Brass ball valves.
- Yellow flat head.
- 600 WOG.



Part #	Description	Case Qty
<b>06-FHGV12</b>	1/2" FNPT x 1/2" FNPT, 3/8" port	12
<b>06-FHGV34</b>	3/4" FNPT x 3/4" FNPT, 1/2" port	12

### Water Valves

#### Brass Welded Ball Valves

- Full Port.
- Female sweat connection.
- 600 WOG.
- Green lever handle.



Part #	Description	Case Qty
<b>06-SWV12</b>	1/2" Sweat x 1/2" Sweat	5
<b>06-SWV34</b>	3/4" Sweat x 3/4" Sweat	5

Part #	Colour	Size (ml/oz)	Cs. Qty
<b>83-30281</b>	White	83/2.8(squeeze tube)	12
<b>83-30280</b>	Clear	83/2.8(squeeze tube)	12
<b>83-30283</b>	Black	83/2.8(squeeze tube)	12
<b>83-30201</b>	White	300/10.15	12
<b>83-30200</b>	Clear	300/10.15	12
<b>83-30202</b>	Aluminium	300/10.15	12
<b>83-30203</b>	Black	300/10.15	12
<b>83-30205</b>	Almond	300/10.15	12

Part #	Colour	Size (ml/oz)	Cs. Qty
<b>83-30289</b>	Red- HT	83/2.8 (Squeeze Tube)	12
<b>83-30293</b>	Black-HT	83/2.8 (Squeeze Tube)	12
<b>83-30209</b>	Red-HT	300/10.15	12
<b>83-30213</b>	Black-HT	300/10.15	12

## Epoxy Putty Sticks



Part #	Description	Size	Case Qty
<b>12-451070-24</b>	Fast Steel	3.5"	24
<b>12-457070-24</b>	Quik Aluminum	3.5"	24
<b>12-462570-24</b>	Quik Copper	3.5"	24
<b>12-470570-24</b>	Aquamend	3.5"	24
<b>12-475570-24</b>	Quik Plastic	3.5"	24

## Caulking Guns

- 113 Series
- Economy grade.
  - 310ml/10.15oz.
  - Clean out tool on barrel.



**15-CG000113**

- 138 Series
- Professional grade.
  - 310ml/10.15oz.
  - Clean out tool on handle.



**15-CG000138**

## Shop Rags

Medium Duty Service & Shop Rags  
Coloured rags, similar to balbriggan or Polo cotton T-shirt material.

Part #	Description	Weight
<b>13-536-10</b>	10 lbs. service size pack	4.5 kg (10 lbs)

Additional materials and sizes available upon request

### Medium Duty

Low cost, no lint, light weight general purpose shop rags. A good general purpose, medium quality wiper at a relatively low cost.



## Chimney & Flue Cleaning Brushes

### Chimney & Flue Brushes

Chimney/flue cleaning brushes are available in wire for cleaning ceramic flues and chimneys, and poly for cleaning metal flues and chimneys. Choose from a complete range of standard sizes and shapes with 1/4" NPT connectors. Heavy-duty brushes are offered with 3/8" NPT connectors.

## MILL-ROSE

### Wire Chimney & Flue Brushes

- 1/4" NPT

Part #	Description
<b>61-30600</b>	6" Round
<b>61-30700</b>	7" Round
<b>61-30800</b>	8" Round
<b>61-30900</b>	9" Round
<b>61-31000</b>	10" Round
<b>61-31200</b>	12" Round
<b>61-30606</b>	6" x 6" Square
<b>61-30707</b>	7" x 7" Square
<b>61-30808</b>	8" x 8" Square
<b>61-31010</b>	10" x 10" Square
<b>61-31006</b>	10" x 6" Rectangular
<b>61-31008</b>	10" x 8" Rectangular
<b>61-31107</b>	11" x 7" Rectangular
<b>61-31208</b>	12" x 8" Rectangular

### Poly Chimney & Flue Brushes

- 1/4" NPT

Part #	Description
<b>61-33110</b>	5" Round
<b>61-33140</b>	6" Round
<b>61-33170</b>	7" Round
<b>61-33190</b>	8" Round
<b>61-33210</b>	12" Round
<b>61-33150</b>	6" x 6" Square
<b>61-33200</b>	8" x 8" Square

### Wire Chimney & Flue Brushes

Heavy-duty wire chimney brushes are designed for professional trade applications.

- Brushes 3/8" NPT.

Part #	Description
<b>61-30601</b>	6" Round
<b>61-30801</b>	8" Round
<b>61-31001</b>	10" Round
<b>61-31401</b>	14" Round
<b>61-30708</b>	7" x 7" Square
<b>61-30809</b>	8" x 8" Square
<b>61-31011</b>	10" x 10" Square
<b>61-31108</b>	11" x 7" Rectangle
<b>61-31205</b>	12" x 8" Rectangle
<b>61-31213</b>	12" x 12" Square




Heavy-Duty Wire Chimney Brushes

### Chimney Liner Brushes

- 3/8" NPT, Round, 0.40" Crimped Poly Fill.

Part #	Description	Part #	Description
<b>61-83491</b>	5" Dia. poly	<b>61-83541</b>	8" Dia. poly
<b>61-83521</b>	7" Dia. poly	<b>61-83561</b>	9" Dia. poly
		<b>61-83581</b>	10" Dia. poly



61-30600 illustrated




Standard Packaging



61-31107 illustrated



61-83521 illustrated



Chimney & Flue Cleaning Brushes Available In Square, Rectangular & Round.



Square



Rectangular




Round

### Extension Rods

**MILL-ROSE**

61-30002  
Fiberglass  
Extension Rod



Fiberglass  
Extension  
Rods With  
T-Handle

Twisted Wire  
Extension  
Rods



### Extension Rods

#### Flue Boiler & Chimney

Flexible, self-connecting fiberglass or twisted wire extension rods with self-connecting 1/4" NPT nipples are available in three convenient lengths; 3', 4' & 6'.

### Flue Boiler & Chimney Extension Rods

- Fiberglass/ Steel & Twisted Wire.
- 1/4" NPT 0.34 diameter (fiberglass).

Part #	Description	Length
<b>61-30002</b>	Fiberglass	3'
<b>61-30021</b>	Fiberglass	4'
<b>61-30022</b>	Fiberglass W/ T-Handle (6 pk)	4'
<b>61-30023</b>	Fiberglass (24pk)	4'
<b>61-30061</b>	Fiberglass	6'
<b>61-30071</b>	Fiberglass (24pk)	6'
<b>61-30003</b>	Twisted Wire W/ loop handle	3'
<b>61-30007</b>	Twisted Wire	3'
<b>61-30009</b>	Twisted Wire (24/pk)	3'
<b>61-30031</b>	Twisted Wire	4'
<b>61-30033</b>	Twisted Wire (24/pk)	4'
<b>61-30073</b>	Twisted Wire (24/pk)	6'
• 3/8" NPT self-connect 0.44" diameter.		
<b>61-30035</b>	Fiberglass - Heavy Duty	4'
<b>61-30065</b>	Fiberglass - Heavy Duty	6'

#### T-Extension Rod Handle

- Used with 1/4" NPT fiberglass or steel extension rods.

Part #	Description
<b>61-70766</b>	Steel Construction: 4" x 2 1/2"

Fiberglass Pellet  
Stove Extension Rod



Fiberglass Pellet  
Stove Extension Rod  
With T-Handle

### Pellet Stove Flue Extension Rods

- Fiberglass.
- 5/16"-18 male/female thread.

Part #	Description	Length
<b>61-65010</b>	Fiberglass	2'
<b>61-65015</b>	Fiberglass	3'
<b>61-65000</b>	Fiberglass W/ T-handle	3'
<b>61-65016</b>	Fiberglass	4'
<b>61-65019</b>	Fiberglass - Display Package W/ T-handle (6/pk)	4'
<b>61-65017</b>	Fiberglass	6'
<b>61-65001</b>	T-handle only: 1/2" x 3", 5/16" -18 male/ female thread	-
<b>61-65009</b>	Rod/ brush adapter 5/16-18 to 1/4-20 thread	-

### Pellet Stove Flexible Connector

- Designed for pellet stove brush extension rods.
- Attaches to extension rods for 90° bends.

Part #	Description
<b>61-70721</b>	10 3/4" OAL, 5/16"-18 spring connector.
<b>61-70722</b>	13" OAL, std. rod, 1/4" NPT.

## Pellet Stove Flue Brushes

### Pellet Stove Brushes

Fibre brushes work best for soot removal in pellet stove flues, while stainless steel brushes are more suitable for creosote removal. Brushes and flexible extension rods are designed to negotiate 90° joints in most vent and flues, many cases without disassembly.

### Pellet Stove Brushes

- 1/4" - 20 male/ female thread.
- POP packaged.

Part #	Description
<b>61-84352</b>	3" dia. stainless steel wire
<b>61-84332</b>	3" dia. fibre
<b>61-84372</b>	4" dia. stainless steel wire
<b>61-84333</b>	4" dia. fibre
<b>61-84334</b>	4" dia. fibre pellet stove brush 12' flexible extension rod
<b>61-84380</b>	6" dia. fibre, 1/4-20 coupling
<b>61-84385</b>	8" dia. fibre, 1/4-20 coupling



61-84334  
All threaded components  
Replacement brush heads  
available

### Pellet Stove Vent Cleaning Brushes

- 5/16"-18 female thread.

Part #	Description
<b>61-84331</b>	2" Dia. fibre
<b>61-84351</b>	3" Dia. fibre
<b>61-84371</b>	4" Dia. fibre

## Maintenance Brushes

### Scratch Brushes

- Oil tempered, carbon steel fill wire.
- Extra deep wire staple.
- Hard wooden handles.

Part #	Block Size	Handle Type	Rows	Brush Trim
<b>61-70550</b>	14" x 1 1/8"	Bent	4 x 18	1 3/16"
<b>61-70606</b>	14" x 1"	Bent	3 x 19	1 3/16"
<b>61-70570</b>	10" x 1 1/8"	Shoe	4 x 16	1 3/16"









# Blower Flange Dimensions



Part #	Type A				Type B			Type C						Type D				Type E			
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
<b>R7-RB1</b>	3.00"	2.30"	3.00"	2.30"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB2</b>	3.00"	2.30"	3.00"	2.30"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB3</b>	4.60"	3.90"	3.50"	2.80"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB33</b>	3.00"	2.30"	3.00"	2.30"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB34</b>	4.5"	3.45"	4.0"	2.85"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB60</b>	-	-	-	-	3.3"	2.77"	2.95"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB70</b>	4.0"	3.38"	3.5"	2.88"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB120</b>	-	-	-	-	4.0"	2.81"	2.33"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB141</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	5.13"	4.11"	4.00"	1.50"	-	-	-	-
<b>R7-RB142</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	5.13"	4.11"	4.00"	1.50"	-	-	-	-
<b>HB-RB150</b>	See diagram on page 22																				
<b>R7-RB155</b>	4.0"	3.8"	4.0"	3.3"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB160</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	5.13"	4.11"	4.00"	1.50"	-	-	-	-
<b>R7-RB165</b>	3.5"	2.9"	3.9"	3.37"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB265</b>	5.5"	4.85"	5.0"	4.4"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB320</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	4.75"	4.12"	4.80"	1.47"	-	-	-	-
<b>R7-RB326</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.42"	5.63"	2.52"	5.02"
<b>R7-RB350</b>	5.3"	4.7"	5.6"	5.0"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB440</b>	-	-	-	-	4.04"	2.81"	2.38"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB445</b>	6.6"	6.0"	5.7"	5.0"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB446</b>	4.61"	3.96"	3.52"	2.87"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB447</b>	6.6"	6.0"	5.7"	5.0"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB462</b>	-	-	-	-	-	-	-	9.43"	8.8"	4.4"	4.4"	5.0"	4.4"	-	-	-	-	-	-	-	-
<b>R7-RB465</b>	-	-	-	-	-	-	-	9.43"	8.8"	4.4"	4.4"	5.0"	4.4"	-	-	-	-	-	-	-	-
<b>R7-RB495</b>	6.6"	6.0"	5.6"	5.0"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB500</b>	6.6"	6.0"	5.6"	5.0"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB661</b>	-	-	-	-	3.3"	2.77"	2.36"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB662</b>	-	-	-	-	3.3"	2.77"	2.36"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB665</b>	-	-	-	-	3.3"	4.00"	2.33"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>R7-RB760</b>	-	-	-	-	-	-	-	9.33"	8.8"	4.4"	4.4"	5.63"	5.06"	-	-	-	-	-	-	-	-
<b>R7-RB938</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	4.75"	4.12"	4.75"	1.50"	-	-	-	-
<b>R7-RB991</b>	3.00"	2.00"	3.00"	2.00"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>HB-RBM121</b>	4.40"	3.75"	4.01"	3.40"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Diagrams on next page



# Index

Part #	Pg	Part #	Pg	Part #	Pg	Part #	Pg	Part #	Pg	Part #	Pg
29-159-1	17	61-65010	20	T9-DB10-2	15	HM-R1139	2	HB-RB125	3	T8-RF200	11
29-159-3	17	61-65015	20	T9-DB100C	15	HB-RB006	6	HB-RB130	4	T8-RF201	11
29-159-5	17	61-65016	20	T9-DB144	15	R7-RB1	13	R7-RB141	13	T8-RF202	11
13-536-10	19	61-65017	20	T9-DB204C	15	R7-RB2	12	R7-RB142	13	T8-RF205	11
15-26804	24	61-65019	20	T9-DB205C	15	R7-RB3	6, 12	HB-RB150	9	T8-RF210	11
15-26832	24	61-70550	20	T9-DB206C	15	R7-RB4	12	R7-RB151	13	T8-RF215	11
61-30002	20	61-70570	20	T9-DB208C	15	HB-RB12	5	R7-RB155	2,13	T8-RF220	11
61-30003	20	61-70606	20	T9-DB210C	15	HB-RB21K	3	R7-RB160	13	T8-RF225	11
61-30007	20	61-70721	20	T9-DB212C	15	HB-RB27	8	R7-RB165	13	T8-RF230	11
61-30009	20	61-70722	20	T9-DB306E	15	HB-RB32	7	HB-RB166	5,6,7	T8-RF235	6,7,11
61-30021	20	61-70766	20	T9-DB412E	15	R7-RB33	,7,12	HB-RB167	7	T8-RF236	11
61-30022	20	61-83491	19	T9-DB416P	15	R7-RB34	2,3	HB-RB168	3	T8-RF237	11
61-30023	20	61-83521	19	T9-DF100	16	HB-RB35	4	HB-RB168-1	17	T8-RF240	11
61-30031	20	61-83541	19	T9-DS45110	16	HB-RB36	4	HB-RB168-2	17	T8-RF245	11
61-30033	20	61-83561	19	T9-EQ2	16	HB-RB37	4	HB-RB168B	3	T8-RF247	11
61-30035	20	61-83581	19	O6-FGV1	18	HB-RB38	8	HB-RB179	6	T8-RF248	11
61-30061	20	61-84331	20	O6-FGV1P	18	HB-RB38B	8	R7-RB180	13	T8-RF249	11
61-30065	20	61-84332	20	O6-FGV2P	18	HB-RB38-1	17	HB-RB200T	2	T8-RF250	11
61-30071	20	61-84333	20	O6-FGV12	18	HB-RB39	8	R7-RB245	13	T8-RF255	11
61-30073	20	61-84334	20	O6-FGV12P	18	HB-RB39B	8	HB-RB250	4	HM-RGM450	8
83-30200	18	61-84351	20	O6-FGV34	18	HB-RB41	10	HB-RB261	2	HM-RGM451	8
83-30201	18	61-84352	20	O6-FGV34P	18	HB-RB42	10	R7-RB265	13	HM-RGM452	8
83-30202	18	61-84371	20	O6-FGV38	18	HB-RB45	10	R7-RB266	13	HM-RGM453	8
83-30203	18	61-84372	20	O6-FGV38P	18	HB-RB46	10	HB-RB267	7	HM-RGM454	8
83-30205	18	61-84380	20	O6-FGV112	18	HB-RB50	6	R7-RB312	13	HM-RGM651	8
83-30209	18	61-84385	20	O6-FGV112P	18	HB-RB53	7	R7-RB320	14	78-SC1600L	24
83-30213	18	92-A8301-1	17	O6-FGV114P	18	HB-RB53B	7	R7-RB326	14	78-SC1600VL	24
83-30280	18	92-A8303-1	17	O6-FHG12	18	R7-RB54	13	R7-RB350	14	78-SC1601L	24
83-30281	18	625-AF6	15	O6-FHG34	18	R7-RB55	12	R7-RB428	14	19-SF2-115	17
83-30283	18	625-AF8	15	O6-FP1212	18	HB-RB58	5	R7-RB440	2,12	O6-SVV12	18
83-30289	18	625-AF10	15	O6-FP1238	18	HB-RB58-1	17	R7-RB445	2,14	06-SVV34	18
83-30293	18	625-AF12	15	O6-FP3458	18	HB-RB59	5	R7-RB446	2,13	T9-TW8-2	16
61-30600	19	625-AF14	15	19-FS2-110	17	R7-RB60	12	R7-RB447	2,14	T9-TW208	16
61-30601	19	12-451070-24	19	19-FS2-120	17	HB-RB61	5,10	R7-RB462	14	10-ZS75	10
61-30606	19	12-457070-24	19	19-FS2-130	17	HB-RB63	5	R7-RB465	14		
61-30700	19	12-462570-24	19	19-FS2-160	17	HB-RB64	4,7,10	R7-RB495	14		
61-30707	19	12-470570-24	19	19-FS2-200	17	HB-RB65	5	R7-RB500	14		
61-30708	19	12-475570-24	19	O6-GWH12	18	HB-RB66	10	HB-RB513	6		
61-30800	19	92-A8301	17	O6-GWH34	18	HB-RB67	7	HB-RB555	8		
61-30801	19	92-A8303	17	T9-HC500-W	16	HB-RB67-1	17	HB-RB571	6		
61-30808	19	92-A8305	17	19-LS2-120	17	HB-RB67-2	17	HB-RB611	10		
61-30809	19	92-A8306	17	19-LS2-135	17	HB-RB67-3	17	HB-RB621	5		
61-30900	19	78-ACCWPO3	24	19-LS2-140	17	HB-RB67-5	17	R7-RB661	12		
61-31000	19	78-ACCWPO4	24	19-LS2-145	17	HB-RB68-1	17	R7-RB662	12		
61-31001	19	O6-BGV12	18	19-LS2-150	17	HB-RB68	3	R7-RB663	12		
61-31006	19	O6-BGV34	18	19-LS2-160	17	HB-RB69	10	R7-RB665	12		
61-31008	19	15-C15650	24	19-LS2-165	17	R7-RB70	12	HB-RB735	4		
61-31010	19	15-C23319	24	19-LS2-180	17	HB-RB74K	3	HB-RB755	8		
61-31011	19	15-C26822	24	19-LS2-190	17	HB-RB79	3,10	R7-RB760	14		
61-31107	19	T8-CFC-T24	11	19-LS2-200	17	HB-RB81	7	HB-RB822	10		
61-31108	19	T8-CFC-T24P	11	19-LS2-200F	17	HB-RB82	3,4,10	HB-RB861	7		
61-31200	19	T8-CFC-T48P	11	19-LS2-240	17	HB-RB83	6	R7-RB885	12		
61-31205	19	T8-CFC-T72	11	19-LS2-250	17	HB-RB84	10	R7-RB938	14		
61-31208	19	T8-CFC-T72P	11	19-LS2-275	17	HB-RB85	7	HB-RB939	9		
61-31213	19	T8-CFG-120M	11	19-LS2-290	17	HB-RB86	10	HB-RB944	6,9		
61-31401	19	T8-CFG-120P	11	19-LS2-320	17	HB-RB87	7	HB-RB949	9		
61-33110	19	T8-CFG-150M	11	T9-MD6-NC	15	HB-RB88	7	HB-RB950	9		
61-33140	19	T8-CFG-254M	11	T9-MD6-NO	15	HB-RB89	7	R7-RB965	14		
61-33150	19	T8-CFG-60M	11	T9-MD8-NC	15	R7-RB90	12	HB-RB981	2		
61-33170	19	T8-CFG-80M	11	T9-MD8-NO	15	HB-RB91	4	R7-RB991	12		
61-33190	19	T8-CFG-80P	11	T9-MD10-NC	15	HB-RB94	5	R7-RB1000	14		
61-33200	19	T8-CFG-92M	11	T9-MD10-NO	15	HB-RB95	5	R7-RB1600	14		
61-33210	19	15-CG000113	19	T9-MD12-NC	15	HB-RB96	9	HB-RB6001	4		
61-65000	20	15-CG000138	19	T9-MD12-NO	15	HB-RB100	4	HB-RBM120	9		
61-65001	20	T9-DB6-2CR	15	HM-R489	2	HB-RB108	6	HB-RBM121	9		
61-65009	20	T9-DB8-2	15	HM-R1138	2	R7-RB120	13	T1-RF100-2	5		



# The Tradition of Quality Continues!

From the trusted suppliers of **Spray Nine®** comes the complete cleaning solution to all your seasonal projects. BBQ Grill, Wood Stove and Gas Fireplace, we've got a premium cleaner for all cleaning needs.

**Spray Nine®** Seasonal Cleaners are available thru Rotom, your single source for Fireview and Gas Fireplace cleaners.

### BBQ Grill Cleaner | Complete Barbecue Cleaner

15-C15650 • 650 ml spray bottle • 6/ctn

### Spray Nine Premium | Multi-Purpose Cleaner/Degreaser/Disinfectant

15-C26822 • 650 ml spray bottle • 6/ctn

15-26832 • 946 ml spray bottle • 12/ctn

15-26804 • 4L Jug • 4/ctn

### Glass & Stainless Steel Cleaner | All-Purpose Glass Cleaner

15-C23319 • 600g aerosol can style • 12/ctn

## Fireplace Thermostat



**LOGO HERE!**  
Ask About Our  
Private Branding  
Program For You  
Or Your Customer!

**Who Will Your Customer Call The Next Time  
Their Fireplace Or Stove Requires Service?**

SC1600VL



ACCWP03

ACCWP04



### 78-SC1600L Fireplace Thermostat - Features

- Elegant design.
- Easy to operate.
- Zoning system compatible.
- Adjustable differential.
- Large LCD temperature display.
- Precise temperature sensing.
- Easy access terminal block.
- Freeze protection.
- Compatible with standard 24V AC heating/ cooling systems.
- Integral five minute anti-short cycle protection.
- Mercury free environment safe.
- Manual changeover.
- Battery (included).
- Ideal for electric, gas, oil and hydronic systems.

**Millivolt Compatible!  
Battery Operated!  
Freeze Protected!**

### Digital Fireplace Thermostat

Part #	Description
<b>78-SC1600L</b> <b>78-SC1600VL</b>	<ul style="list-style-type: none"> <li>• Non-programmable.</li> <li>• Single stage heat only.</li> <li>• No fan.</li> </ul>
<b>78-ACCWP03</b> <b>78-ACCWP04</b>	<ul style="list-style-type: none"> <li>• Large insulated thermostat wall plate</li> <li>• Small insulated thermostat wall plate</li> </ul>

\*Hard wire model available 78-SC1601L

**SC1600 are now C°/F° selectable**

ROTOM® is a registered trade mark of ALLTEMP® PRODUCTS COMPANY LIMITED. ALLTEMP® has made an effort to illustrate with photos, outline drawings and/or descriptions, the products in this catalogue. These are for the sole purpose of identification. We do not express or imply that products conform exactly to the descriptions, drawings and/or photos. All reasonable effort has been made to accurately determine a suitable product. However, all users are solely responsible to determine for themselves the suitability of the product purchased for the use intended. All information, data and dimension tables in this catalogue have been carefully compiled and thoroughly checked. However, no responsibility for possible errors or omissions can be assumed. The company reserves the right to change specifications and other information included in this catalogue without notice. The vendor's responsibility shall be limited only to its written warranty and the vendor shall not be responsible for any loss, cost or damage whatsoever from the use of this product by you or your customers.



# T-FRAME

Price Sheet 712

## Table of Contents

Open Drip Proof - 1200 RPM.....	3 - 4
Open Drip Proof - 1800 RPM.....	5 - 8
Open Drip Proof - 3600 RPM.....	9 - 11
Totally Enclosed Fan Cooled - 1200 RPM.....	12 - 17
Totally Enclosed Fan Cooled - 1800 RPM.....	18 - 26
Totally Enclosed Fan Cooled - 3600 RPM.....	27 - 32
Explosion Proof - 1200 RPM.....	33 - 34
Explosion Proof - 1800 RPM.....	35 - 36
Explosion Proof - 3600 RPM.....	37 - 38

<b>COLOR KEY</b>				
Header color representing the Enclosure		Colors within the charts represents RPM - Alternating between White/ColorX separates HP		
Brown	ODP	White and	Gray	1200 RPM
Dark Blue	TEFC	White and	Blue	1800 RPM
Red	Explosion Proof	White and	Yellow	3600 RPM
<b>C-Face</b>				
Footed		Footless		

## Open Drip Proof - 1200 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
1	145T	Rigid	Cast Iron	230/460		TECO	DHP0016
1	145T	Rigid	Rolled Steel	208-230/460		Century	TO100
1	145T	Rigid	Rolled Steel	208-230/460		US Motors	D1P3D
1	145T	Rigid	Rolled Steel	208-230/460		Marathon	U265
1	145T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0016G
1	145T	Rigid	Rolled Steel	230/460		TECO	DTP0016
1 1/2	182T	Rigid	Cast Iron	230/460		TECO	DHP1/56
1 1/2	182T	Rigid	Rolled Steel	208-230/460		US Motors	D32P3D
1 1/2	182T	Rigid	Rolled Steel	208-230/460		Century	E206M2
1 1/2	182T	Rigid	Rolled Steel	230/460	Included	TECO	DTP1/56G
1 1/2	182T	Rigid	Rolled Steel	230/460		TECO	DTP1/56
1 1/2	182T	Rigid	Rolled Steel	230/460		Leeson	B199685.00
1 1/2	182T	Rigid	Rolled Steel	230/460		Marathon	GT0005A
2	184T	Rigid	Cast Iron	230/460		TECO	DHP0026
2	184T	Rigid	Rolled Steel	208-230/460		US Motors	D2P3D
2	184T	Rigid	Rolled Steel	208-230/460		Century	E207M2
2	184T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0026G
2	184T	Rigid	Rolled Steel	230/460		TECO	DTP0026
2	184T	Rigid	Rolled Steel	230/460		Leeson	B199686.00
2	184T	Rigid	Rolled Steel	230/460		Marathon	GT0008A
3	213T	Rigid	Cast Iron	230/460		TECO	DHP0036
3	213T	Rigid	Rolled Steel	208-230/460		US Motors	D3P3D
3	213T	Rigid	Rolled Steel	208-230/460		Century	E394M2
3	213T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0036G
3	213T	Rigid	Rolled Steel	230/460		TECO	DTP0036
3	213T	Rigid	Rolled Steel	230/460		Leeson	B199688.00
3	213T	Rigid	Rolled Steel	230/460		Marathon	GT0011A
5	215T	Rigid	Cast Iron	230/460		TECO	DHP0056
5	215T	Rigid	Rolled Steel	208-230/460		US Motors	D5P3D
5	215T	Rigid	Rolled Steel	208-230/460		Century	E395M2
5	215T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0056G
5	215T	Rigid	Rolled Steel	230/460		TECO	DTP0056
5	215T	Rigid	Rolled Steel	230/460		Leeson	B199691.00
5	215T	Rigid	Rolled Steel	230/460		Marathon	GT0014A
7 1/2	254T	Rigid	Cast Iron	230/460		TECO	DHP7/56
7 1/2	254T	Rigid	Rolled Steel	208-230/460		US Motors	D7P3D
7 1/2	254T	Rigid	Rolled Steel	230/460	Included	TECO	DTP7/56G
7 1/2	254T	Rigid	Rolled Steel	230/460		TECO	DTP7/56
7 1/2	254T	Rigid	Rolled Steel	230/460		Leeson	B199694.00
7 1/2	254T	Rigid	Rolled Steel	230/460		Marathon	GT0057
7 1/2	254T	Rigid	Rolled Steel	230/460		Century	E496M2
10	256T	Rigid	Cast Iron	230/460		TECO	DHP0106
10	256T	Rigid	Rolled Steel	208-230/460		US Motors	D10P3D
10	256T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0106G
10	256T	Rigid	Rolled Steel	230/460		TECO	DTP0106
10	256T	Rigid	Rolled Steel	230/460		Marathon	GT0058
10	256T	Rigid	Rolled Steel	230/460		Century	E497M2

## Open Drip Proof - 1200 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
15	284T	Rigid	Cast Iron	230/460		TECO	DHP0156
15	284T	Rigid	Rolled Steel	208-230/460		US Motors	D15P3D
15	284T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0156G
15	284T	Rigid	Rolled Steel	230/460		TECO	DTP0156
15	284T	Rigid	Rolled Steel	230/460		Leeson	B199700.00
15	284T	Rigid	Rolled Steel	230/460		Marathon	GT0060
15	284T	Rigid	Rolled Steel	230/460		Century	E586M2
20	284T	Rigid	Rolled Steel	230/460		TECO	DTP0206
20	286T	Rigid	Cast Iron	208-230/460		Century	TO139
20	286T	Rigid	Cast Iron	230/460		TECO	DHP0206
20	286T	Rigid	Rolled Steel	208-230/460		US Motors	D20P3D
20	286T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0206G
20	286T	Rigid	Rolled Steel	230/460		Leeson	B199703.00
20	286T	Rigid	Rolled Steel	230/460		Marathon	GT0063
25	324T	Rigid	Cast Iron	208-230/460		Century	TO144
25	324T	Rigid	Cast Iron	230/460		TECO	DHP0256
25	324T	Rigid	Rolled Steel	208-230/460		US Motors	D25P3D
25	324T	Rigid	Rolled Steel	230/460		Leeson	B199706.00
25	324T	Rigid	Rolled Steel	230/460		Marathon	GT0068
30	326T	Rigid	Cast Iron	208-230/460		Century	TO149
30	326T	Rigid	Cast Iron	230/460		TECO	DHP0306
30	326T	Rigid	Rolled Steel	208-230/460		US Motors	D30P3D
30	326T	Rigid	Rolled Steel	230/460		Leeson	B199709.00
30	326T	Rigid	Rolled Steel	230/460		Marathon	GT0071
40	364T	Rigid	Cast Iron	208-230/460		Century	TO154
40	364T	Rigid	Cast Iron	230/460		TECO	DHP0406
40	364T	Rigid	Cast Iron	230/460		US Motors	D40P3E
40	364T	Rigid	Rolled Steel	230/460		Leeson	B199712.00
40	364T	Rigid	Rolled Steel	230/460		Marathon	GT0075
50	365T	Rigid	Cast Iron	208-230/460		Century	TO158
50	365T	Rigid	Cast Iron	230/460		TECO	DHP0506
50	365T	Rigid	Cast Iron	230/460		US Motors	D50P3E
50	365T	Rigid	Rolled Steel	230/460		Leeson	B199715.00
50	365T	Rigid	Rolled Steel	230/460		Marathon	GT0079
60	404T	Rigid	Cast Iron	230/460		TECO	DHP0606
60	404T	Rigid	Cast Iron	230/460		Leeson	B199718.00
60	404T	Rigid	Cast Iron	230/460		Marathon	GT0041A
60	404T	Rigid	Cast Iron	230/460		US Motors	D60P3E
75	405T	Rigid	Cast Iron	230/460		TECO	DHP0756
75	405T	Rigid	Cast Iron	230/460		Leeson	B199721.00
75	405T	Rigid	Cast Iron	230/460		Marathon	GT0044A
75	405T	Rigid	Cast Iron	230/460		US Motors	D75P3E
100	444T	Rigid	Cast Iron	230/460		TECO	DHP1006
100	444T	Rigid	Cast Iron	230/460		US Motors	D100P3E
100	444T	Rigid	Cast Iron	230/460		Leeson	B199724.00
100	444T	Rigid	Cast Iron	230/460		Marathon	GT0047A

## Open Drip Proof - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
1	143T	Rigid	Cast Iron	230/460		TECO	DHP0014
1	143T	Rigid	Rolled Steel	200		Century	TO103
1	143T	Rigid	Rolled Steel	208-230/460	Included	Marathon	U758-P
1	143T	Rigid	Rolled Steel	208-230/460		US Motors	D1P2D
1	143T	Rigid	Rolled Steel	208-230/460		Century	TO101
1	143T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0014G
1	143T	Rigid	Rolled Steel	230/460	Included	US Motors	D1V2B
1	143T	Rigid	Rolled Steel	230/460		TECO	DTP0014
1 1/2	145T	Rigid	Cast Iron	230/460		TECO	DHP1/54
1 1/2	145T	Rigid	Rolled Steel	200		Century	TO107
1 1/2	145T	Rigid	Rolled Steel	208-230/460	Included	Marathon	U759-P
1 1/2	145T	Rigid	Rolled Steel	208-230/460		US Motors	D32P2D
1 1/2	145T	Rigid	Rolled Steel	208-230/460		Century	TO105
1 1/2	145T	Rigid	Rolled Steel	230/460	Included	TECO	DTP1/54G
1 1/2	145T	Rigid	Rolled Steel	230/460	Included	US Motors	D32V2B
1 1/2	145T	Rigid	Rolled Steel	230/460		TECO	DTP1/54
2	145T	Rigid	Cast Iron	230/460		TECO	DHP0024
2	145T	Rigid	Rolled Steel	200		Century	TO110
2	145T	Rigid	Rolled Steel	208-230/460	Included	Marathon	U760-P
2	145T	Rigid	Rolled Steel	208-230/460		US Motors	D2P2D
2	145T	Rigid	Rolled Steel	208-230/460		Century	TO111
2	145T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0024G
2	145T	Rigid	Rolled Steel	230/460	Included	US Motors	D2V2B
2	145T	Rigid	Rolled Steel	230/460		TECO	DTP0024
3	182T	Rigid	Cast Iron	230/460		TECO	DHP0034
3	182T	Rigid	Rolled Steel	200		Century	E216M2
3	182T	Rigid	Rolled Steel	208-230/460	Included	Marathon	E1930-P
3	182T	Rigid	Rolled Steel	208-230/460		US Motors	D3P2D
3	182T	Rigid	Rolled Steel	208-230/460		Century	E217M2
3	182T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0034G
3	182T	Rigid	Rolled Steel	230/460	Included	US Motors	D3V2B
3	182T	Rigid	Rolled Steel	230/460		TECO	DTP0034
3	182T	Rigid	Rolled Steel	230/460		Leeson	B199687.00
3	182T	Rigid	Rolled Steel	230/460		Marathon	GT0010A
5	184T	Rigid	Cast Iron	230/460		TECO	DHP0054
5	184T	Rigid	Rolled Steel	200		Century	E218M2
5	184T	Rigid	Rolled Steel	208-230/460	Included	Marathon	E1931-P
5	184T	Rigid	Rolled Steel	208-230/460		US Motors	D5P2D
5	184T	Rigid	Rolled Steel	208-230/460		Century	E219M2
5	184T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0054G
5	184T	Rigid	Rolled Steel	230/460	Included	US Motors	D5V2B
5	184T	Rigid	Rolled Steel	230/460		TECO	DTP0054
5	184T	Rigid	Rolled Steel	230/460		Leeson	B199690.00
5	184T	Rigid	Rolled Steel	230/460		Marathon	E719A

## Open Drip Proof - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
7 1/2	213T	Rigid	Cast Iron	230/460		TECO	DHP7/54
7 1/2	213T	Rigid	Rolled Steel	200		Century	E316M2
7 1/2	213T	Rigid	Rolled Steel	208-230/460	Included	Marathon	U430B-P
7 1/2	213T	Rigid	Rolled Steel	208-230/460		Century	TO125
7 1/2	213T	Rigid	Rolled Steel	208-230/460		US Motors	D7P2D
7 1/2	213T	Rigid	Rolled Steel	230/460	Included	TECO	DTP7/54G
7 1/2	213T	Rigid	Rolled Steel	230/460	Included	US Motors	D7V2B
7 1/2	213T	Rigid	Rolled Steel	230/460		TECO	DTP7/54
7 1/2	213T	Rigid	Rolled Steel	230/460		Century	E317M2
7 1/2	213T	Rigid	Rolled Steel	230/460		Leeson	B199693.00
7 1/2	213T	Rigid	Rolled Steel	230/460		Marathon	GT0016A
10	215T	Rigid	Cast Iron	230/460		TECO	DHP0104
10	215T	Rigid	Rolled Steel	200		Century	E331M2
10	215T	Rigid	Rolled Steel	208-230/460	Included	Marathon	U431B-P
10	215T	Rigid	Rolled Steel	208-230/460		Century	TO130A
10	215T	Rigid	Rolled Steel	208-230/460		US Motors	D10P2D
10	215T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0104G
10	215T	Rigid	Rolled Steel	230/460	Included	US Motors	D10V2B
10	215T	Rigid	Rolled Steel	230/460		Marathon	GT0019A
10	215T	Rigid	Rolled Steel	230/460		TECO	DTP0104
10	215T	Rigid	Rolled Steel	230/460		Leeson	B199696.00
10	215T	Rigid	Rolled Steel	230/460		Century	E397M2
15	254T	Rigid	Cast Iron	230/460		TECO	DHP0154
15	254T	Rigid	Rolled Steel	200		Century	E450M2
15	254T	Rigid	Rolled Steel	208-230/460		US Motors	D15P2D
15	254T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0154G
15	254T	Rigid	Rolled Steel	230/460	Included	US Motors	D15V2B
15	254T	Rigid	Rolled Steel	230/460	Included	Marathon	E722A-P
15	254T	Rigid	Rolled Steel	230/460		TECO	DTP0154
15	254T	Rigid	Rolled Steel	230/460		Leeson	B199699.00
15	254T	Rigid	Rolled Steel	230/460		Marathon	GT0059
15	254T	Rigid	Rolled Steel	230/460		Century	E451M2
20	256T	Rigid	Cast Iron	230/460		TECO	DHP0204
20	256T	Rigid	Rolled Steel	200		Century	E452M2
20	256T	Rigid	Rolled Steel	208-230/460		US Motors	D20P2D
20	256T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0204G
20	256T	Rigid	Rolled Steel	230/460	Included	US Motors	D20V2B
20	256T	Rigid	Rolled Steel	230/460	Included	Marathon	E723B-P
20	256T	Rigid	Rolled Steel	230/460		TECO	DTP0204
20	256T	Rigid	Rolled Steel	230/460		Leeson	B199702.00
20	256T	Rigid	Rolled Steel	230/460		Marathon	GT0062
20	256T	Rigid	Rolled Steel	230/460		Century	E407M2

## Open Drip Proof - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
25	284T	Rigid	Cast Iron	230/460		TECO	DHP0254
25	284T	Rigid	Rolled Steel	208-230/460		US Motors	D25P2D
25	284T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0254G
25	284T	Rigid	Rolled Steel	230/460	Included	US Motors	D25V2B
25	284T	Rigid	Rolled Steel	230/460	Included	Marathon	E1006-P
25	284T	Rigid	Rolled Steel	230/460		TECO	DTP0254
25	284T	Rigid	Rolled Steel	230/460		Century	E514M2
25	284T	Rigid	Rolled Steel	230/460		Leeson	B199705.00
25	284T	Rigid	Rolled Steel	230/460		Marathon	GT0065
30	286T	Rigid	Cast Iron	230/460		TECO	DHP0304
30	286T	Rigid	Rolled Steel	208-230/460		US Motors	D30P2D
30	286T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0304G
30	286T	Rigid	Rolled Steel	230/460	Included	US Motors	D30V2B
30	286T	Rigid	Rolled Steel	230/460	Included	Marathon	E1009-P
30	286T	Rigid	Rolled Steel	230/460		TECO	DTP0304
30	286T	Rigid	Rolled Steel	230/460		Leeson	B199708.00
30	286T	Rigid	Rolled Steel	230/460		Marathon	GT0067
30	286T	Rigid	Rolled Steel	230/460		Century	E516M2
40	324T	Rigid	Cast Iron	208-230/460		Century	TO156RS
40	324T	Rigid	Cast Iron	230/460		TECO	DHP0404
40	324T	Rigid	Rolled Steel	208-230/460		US Motors	D40P2D
40	324T	Rigid	Rolled Steel	230/460	Included	US Motors	D40V2B
40	324T	Rigid	Rolled Steel	230/460	Included	Marathon	U775-P
40	324T	Rigid	Rolled Steel	230/460		Leeson	B199711.00
40	324T	Rigid	Rolled Steel	230/460		Marathon	GT0073
40	324TS	Rigid	Rolled Steel	208-230/460		US Motors	D40P2DS
50	326T	Rigid	Cast Iron	208-230/460		Century	TO159RS
50	326T	Rigid	Cast Iron	230/460		TECO	DHP0504
50	326T	Rigid	Rolled Steel	208-230/460		US Motors	D50P2D
50	326T	Rigid	Rolled Steel	230/460	Included	US Motors	D50V2B
50	326T	Rigid	Rolled Steel	230/460	Included	Marathon	E791A-P
50	326T	Rigid	Rolled Steel	230/460		Leeson	B199714.00
50	326T	Rigid	Rolled Steel	230/460		Marathon	GT0077
50	326TS	Rigid	Cast Iron	460		US Motors	D50P2DS
50	326TS	Rigid	Cast Iron	208-230/460		Century	TO162
60	364T	Rigid	Cast Iron	208-230/460		Century	TO165
60	364T	Rigid	Cast Iron	230/460	Included	US Motors	D60V2B
60	364T	Rigid	Cast Iron	230/460		TECO	DHP0604
60	364T	Rigid	Cast Iron	230/460		US Motors	D60P2E
60	364T	Rigid	Rolled Steel	208-230/460		Century	TO165RS
60	364T	Rigid	Rolled Steel	230/460		Leeson	B199717.00
60	364T	Rigid	Rolled Steel	230/460		Marathon	GT0081
60	364TS	Rigid	Cast Iron	208-230/460		Century	TO166
60	364TS	Rigid	Cast Iron	230/460		US Motors	D60P2ES

## Open Drip Proof - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
75	365T	Rigid	Cast Iron	208-230/460		Century	TO171
75	365T	Rigid	Cast Iron	230/460	Included	US Motors	D75V2B
75	365T	Rigid	Cast Iron	230/460		TECO	DHP0754
75	365T	Rigid	Cast Iron	230/460		US Motors	D75P2E
75	365T	Rigid	Rolled Steel	230/460		Leeson	B199720.00
75	365T	Rigid	Rolled Steel	230/460		Marathon	GT0084
75	365TS	Rigid	Cast Iron	230/460		US Motors	D75P2ES
100	404T	Rigid	Cast Iron	230/460	Included	US Motors	D100V2B
100	404T	Rigid	Cast Iron	230/460		TECO	DHP1004
100	404T	Rigid	Cast Iron	230/460		US Motors	D100P2E
100	404T	Rigid	Cast Iron	230/460		Leeson	B199723.00
100	404T	Rigid	Cast Iron	230/460		Marathon	GT0046A
100	404T	Rigid	Cast Iron	230/460		Century	TO177
100	404TS	Rigid	Cast Iron	230/460		US Motors	D100P2ES
100	404TS	Rigid	Cast Iron	230/460		Century	TO178
125	405T	Rigid	Cast Iron	460		Leeson	B199726.00
125	405T	Rigid	Cast Iron	460		Marathon	GT0049A
125	405T	Rigid	Cast Iron	460		US Motors	D125P2F
125	405T	Rigid	Cast Iron	230/460	Included	US Motors	D125V2C
125	405T	Rigid	Cast Iron	230/460		TECO	DHP1254
125	405TS	Rigid	Cast Iron	460		US Motors	D125P2FS
125	405TS	Rigid	Cast Iron	230/460		Century	TO184
150	444T	Rigid	Cast Iron	460		TECO	DHP1504
150	444T	Rigid	Cast Iron	460		US Motors	D150P2F
150	444T	Rigid	Cast Iron	460		Leeson	B199729.00
150	444T	Rigid	Cast Iron	460		Marathon	GT0052A
150	444T	Rigid	Cast Iron	230/460	Included	US Motors	D150V2C
150	444T	Rigid	Cast Iron	230/460		Century	TO189
150	444TS	Rigid	Cast Iron	460		US Motors	D150P2FS
200	445T	Rigid	Cast Iron	460		TECO	DHP2004
200	445T	Rigid	Cast Iron	460		Leeson	B199732.00
200	445T	Rigid	Cast Iron	460		Marathon	GT0055A
200	445T	Rigid	Cast Iron	460		US Motors	D200P2F
200	445T	Rigid	Cast Iron	230/460	Included	US Motors	D200V2C
200	445TS	Rigid	Cast Iron	460		US Motors	D200P2FS
250	447T	Rigid	Cast Iron	460		TECO	DHP2504
250	447T	Rigid	Cast Iron	230/460	Included	US Motors	D250V2C

## Open Drip Proof - 3600 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
1	143T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0012G
1	143T	Rigid	Rolled Steel	230/460		TECO	DTP0012
1 1/2	143T	Rigid	Cast Iron	230/460		TECO	DHP1/52
1 1/2	143T	Rigid	Rolled Steel	208-230/460		US Motors	D32P1D
1 1/2	143T	Rigid	Rolled Steel	208-230/460		Century	TO108
1 1/2	143T	Rigid	Rolled Steel	208-230/460		Marathon	U245
1 1/2	143T	Rigid	Rolled Steel	230/460	Included	TECO	DTP1/52G
1 1/2	143T	Rigid	Rolled Steel	230/460		TECO	DTP1/52
2	145T	Rigid	Cast Iron	230/460		TECO	DHP0022
2	145T	Rigid	Rolled Steel	208-230/460		US Motors	D2P1D
2	145T	Rigid	Rolled Steel	208-230/460		Century	TO113
2	145T	Rigid	Rolled Steel	208-230/460		Marathon	U246
2	145T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0022G
2	145T	Rigid	Rolled Steel	230/460		TECO	DTP0022
3	145T	Rigid	Cast Iron	230/460		TECO	DHP0032
3	145T	Rigid	Rolled Steel	208-230/460		US Motors	D3P1D
3	145T	Rigid	Rolled Steel	208-230/460		Century	TO118
3	145T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0032G
3	145T	Rigid	Rolled Steel	230/460		TECO	DTP0032
3	182T	Rigid	Rolled Steel	208-230/460		Marathon	U247
5	182T	Rigid	Cast Iron	230/460		TECO	DHP0052
5	182T	Rigid	Rolled Steel	208-230/460		US Motors	D5P1D
5	182T	Rigid	Rolled Steel	208-230/460		Century	E204M2
5	182T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0052G
5	182T	Rigid	Rolled Steel	230/460		TECO	DTP0052
5	182T	Rigid	Rolled Steel	230/460		Leeson	B199689.00
5	182T	Rigid	Rolled Steel	230/460		Marathon	GT0012A
7 1/2	184T	Rigid	Cast Iron	230/460		TECO	DHP7/52
7 1/2	184T	Rigid	Rolled Steel	208-230/460		Century	TO128
7 1/2	184T	Rigid	Rolled Steel	208-230/460		US Motors	D7P1D
7 1/2	184T	Rigid	Rolled Steel	230/460	Included	TECO	DTP7/52G
7 1/2	184T	Rigid	Rolled Steel	230/460		Leeson	B199692.00
7 1/2	184T	Rigid	Rolled Steel	230/460		Marathon	GT0015A
7 1/2	184T	Rigid	Rolled Steel	230/460		TECO	DTP7/52
7 1/2	184T	Rigid	Rolled Steel	230/460		Century	E205M2
10	213T	Rigid	Cast Iron	230/460		TECO	DHP0102
10	213T	Rigid	Rolled Steel	208-230/460		US Motors	D10P1D
10	213T	Rigid	Rolled Steel	208-230/460		Century	E392M2
10	213T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0102G
10	213T	Rigid	Rolled Steel	230/460		Leeson	B199695.00
10	213T	Rigid	Rolled Steel	230/460		Marathon	GT0018A
10	213T	Rigid	Rolled Steel	230/460		TECO	DTP0102
15	215T	Rigid	Cast Iron	230/460		TECO	DHP0152
15	215T	Rigid	Rolled Steel	208-230/460		US Motors	D15P1D
15	215T	Rigid	Rolled Steel	208-230/460		Century	E393M2
15	215T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0152G
15	215T	Rigid	Rolled Steel	230/460		TECO	DTP0152
15	215T	Rigid	Rolled Steel	230/460		Leeson	B199698.00
15	215T	Rigid	Rolled Steel	230/460		Marathon	GT0021A

## Open Drip Proof - 3600 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
20	254T	Rigid	Cast Iron	230/460		TECO	DHP0202
20	254T	Rigid	Cast Iron	230/460		Marathon	GT0024
20	254T	Rigid	Rolled Steel	208-230/460		US Motors	D20P1D
20	254T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0202G
20	254T	Rigid	Rolled Steel	230/460		Leeson	B199701.00
20	254T	Rigid	Rolled Steel	230/460		Marathon	GT0061
20	254T	Rigid	Rolled Steel	230/460		TECO	DTP0202
20	254T	Rigid	Rolled Steel	230/460		Century	E494M2
25	256T	Rigid	Cast Iron	230/460		TECO	DHP0252
25	256T	Rigid	Rolled Steel	208-230/460		US Motors	D25P1D
25	256T	Rigid	Rolled Steel	230/460	Included	TECO	DTP0252G
25	256T	Rigid	Rolled Steel	230/460		TECO	DTP0252
25	256T	Rigid	Rolled Steel	230/460		Leeson	B199704.00
25	256T	Rigid	Rolled Steel	230/460		Marathon	GT0064
25	256T	Rigid	Rolled Steel	230/460		Century	E495M2
30	284TS	Rigid	Cast Iron	230/460		TECO	DHP0302
30	284TS	Rigid	Cast Iron	230/460		Marathon	GT0030
30	284TS	Rigid	Rolled Steel	208-230/460		US Motors	D30P1DS
30	284TS	Rigid	Rolled Steel	230/460	Included	TECO	DTP0302G
30	284TS	Rigid	Rolled Steel	230/460		TECO	DTP0302
30	284TS	Rigid	Rolled Steel	230/460		Leeson	B199707.00
30	284TS	Rigid	Rolled Steel	230/460		Marathon	GT0069
30	284TS	Rigid	Rolled Steel	230/460		Century	E584M2
40	286TS	Rigid	Cast Iron	230/460		TECO	DHP0402
40	286TS	Rigid	Rolled Steel	208-230/460		US Motors	D40P1DS
40	286TS	Rigid	Rolled Steel	230/460	Included	TECO	DTP0402G
40	286TS	Rigid	Rolled Steel	230/460		TECO	DTP0402
40	286TS	Rigid	Rolled Steel	230/460		Leeson	B199710.00
40	286TS	Rigid	Rolled Steel	230/460		Marathon	GT0072
40	286TS	Rigid	Rolled Steel	230/460		Century	E585M2
50	324TS	Rigid	Cast Iron	208-230/460		Century	TO163
50	324TS	Rigid	Cast Iron	230/460		Marathon	GT0036
50	324TS	Rigid	Cast Iron	230/460		TECO	DHP0502
50	324TS	Rigid	Rolled Steel	208-230/460		US Motors	D50P1DS
60	326TS	Rigid	Cast Iron	208-230/460		Century	TO169
60	326TS	Rigid	Cast Iron	230/460		TECO	DHP0602
60	326TS	Rigid	Rolled Steel	208-230/460		US Motors	D60P1DS
60	326TS	Rigid	Rolled Steel	230/460		Leeson	B199716.00
60	326TS	Rigid	Rolled Steel	230/460		Marathon	GT0080
75	364TS	Rigid	Cast Iron	208-230/460		Century	TO175
75	364TS	Rigid	Cast Iron	230/460		TECO	DHP0752
75	364TS	Rigid	Rolled Steel	230/460		Leeson	B199719.00
75	364TS	Rigid	Rolled Steel	230/460		Marathon	GT0083
100	365TS	Rigid	Cast Iron	208-230/460		Century	TO181
100	365TS	Rigid	Cast Iron	230/460		TECO	DHP1002
100	365TS	Rigid	Rolled Steel	230/460		Leeson	B199722.00
100	365TS	Rigid	Rolled Steel	230/460		Marathon	GT0086

## Open Drip Proof - 3600 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
125	404TS	Rigid	Cast Iron	460		Leeson	B199725.00
125	404TS	Rigid	Cast Iron	460		Marathon	GT0048A
125	404TS	Rigid	Cast Iron	230/460		Century	TO186
125	404TS	Rigid	Cast Iron	230/460		TECO	DHP1252
150	405TS	Rigid	Cast Iron	460		Leeson	B199728.00
150	405TS	Rigid	Cast Iron	460		Marathon	GT0051A
150	405TS	Rigid	Cast Iron	230/460		Century	TO191
150	405TS	Rigid	Cast Iron	460		TECO	DHP1502
200	444TS	Rigid	Cast Iron	460		Leeson	B199731.00
200	444TS	Rigid	Cast Iron	460		Marathon	GT0054A
200	444TS	Rigid	Cast Iron	460		Century	TO196
200	444TS	Rigid	Cast Iron	460		TECO	DHP2002
250	445TS	Rigid	Cast Iron	460		TECO	DHP2502
300	445TS	Rigid	Cast Iron	460		TECO	DHP3002
350	447TS	Rigid	Cast Iron	460		TECO	DHP3502

## Totally Enclosed Fan Cooled - 1200 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
1	145T	Rigid	Cast Iron	200		US Motors	HD1P3H
1	145T	Rigid	Cast Iron	230/460	Included	TECO	NP0016G
1	145T	Rigid	Cast Iron	230/460		TECO	NP0016
1	145T	Rigid	Cast Iron	230/460		Toshiba	0016SDSR41A-P
1	145T	Rigid	Cast Iron	230/460		US Motors	HD1P3E
1	145T	Rigid	Rolled Steel	208-230/460		Century	TE100
1	145T	Rigid	Rolled Steel	230/460	Included	TECO	GP0016G
1	145T	Rigid	Rolled Steel	230/460		TECO	GP0016
1	145TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0016C
1	145TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0016SDSR42A-P
1	145TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD1P3EC
1	145TC	C-Face/Footed	Rolled Steel	208-230/460		Marathon	GT1202
1	145TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR01
1	145TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0016C
1	145TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0016SDSR44A-P
1	145TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF100
1 1/2	182T	Rigid	Cast Iron	200		US Motors	HD32P3H
1 1/2	182T	Rigid	Cast Iron	208-230/460		US Motors	H32P3D
1 1/2	182T	Rigid	Cast Iron	208-230/460		Leeson	B199001.00
1 1/2	182T	Rigid	Cast Iron	208-230/460		Marathon	GT1005A
1 1/2	182T	Rigid	Cast Iron	208-230/460		Century	TE105
1 1/2	182T	Rigid	Cast Iron	230/460	Included	TECO	NP1/56G
1 1/2	182T	Rigid	Cast Iron	230/460		TECO	NP1/56
1 1/2	182T	Rigid	Cast Iron	230/460		Toshiba	Y156SDSR41A-P
1 1/2	182T	Rigid	Cast Iron	230/460		US Motors	HD32P3E
1 1/2	182T	Rigid	Rolled Steel	230/460	Included	TECO	GP1/56G
1 1/2	182T	Rigid	Rolled Steel	230/460		TECO	GP1/56
1 1/2	182TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U32P3DC
1 1/2	182TC	C-Face/Footed	Cast Iron	230/460		TECO	NP1/56C
1 1/2	182TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y156SDSR42A-P
1 1/2	182TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD32P3EC
1 1/2	182TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR03
1 1/2	182TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP1/56C
1 1/2	182TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1205
1 1/2	182TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U32P3DCR
1 1/2	182TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y156SDSR44A-P
1 1/2	182TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF102

## Totally Enclosed Fan Cooled - 1200 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
2	184T	Rigid	Cast Iron	200		US Motors	HD2P3H
2	184T	Rigid	Cast Iron	208-230/460		Century	TE112
2	184T	Rigid	Cast Iron	230/460	Included	TECO	NP0026G
2	184T	Rigid	Cast Iron	230/460		TECO	NP0026
2	184T	Rigid	Cast Iron	230/460		Toshiba	0026SDSR41A-P
2	184T	Rigid	Cast Iron	230/460		US Motors	HD2P3E
2	184T	Rigid	Cast Iron	230/460		Leeson	B199002.00
2	184T	Rigid	Cast Iron	230/460		Marathon	GT1008A
2	184T	Rigid	Rolled Steel	230/460	Included	TECO	GP0026G
2	184T	Rigid	Rolled Steel	230/460		TECO	GP0026
2	184TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U2P3DC
2	184TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0026C
2	184TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0026C
2	184TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0026SDSR42A-P
2	184TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD2P3EC
2	184TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR06
2	184TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1208A
2	184TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0026C
2	184TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U2P3DCR
2	184TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0026SDSR44A-P
2	184TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF105
3	213T	Rigid	Cast Iron	200		US Motors	HD3P3H
3	213T	Rigid	Cast Iron	208-230/460		Century	TE119
3	213T	Rigid	Cast Iron	208-230/460		Leeson	B194295.00
3	213T	Rigid	Cast Iron	208-230/460		Marathon	GT1011A
3	213T	Rigid	Cast Iron	230/460	Included	TECO	NP0036G
3	213T	Rigid	Cast Iron	230/460		Toshiba	0036SDSR41A-P
3	213T	Rigid	Cast Iron	230/460		TECO	NP0036
3	213T	Rigid	Cast Iron	230/460		US Motors	HD3P3E
3	213T	Rigid	Rolled Steel	230/460	Included	TECO	GP0036G
3	213T	Rigid	Rolled Steel	230/460		TECO	GP0036
3	213TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U3P3DC
3	213TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0036C
3	213TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0036C
3	213TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0036SDSR42A-P
3	213TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD3P3EC
3	213TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR09
3	213TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1211A
3	213TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0036C
3	213TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U3P3DCR
3	213TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0036SDSR44A-P
3	213TC	C-Face/Footless	Rolled Steel	208-230/460		Marathon	GT1311A
3	213TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF108

## Totally Enclosed Fan Cooled - 1200 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
5	215T	Rigid	Cast Iron	200		US Motors	HD5P3H
5	215T	Rigid	Cast Iron	208-230/460		US Motors	H5P3D
5	215T	Rigid	Cast Iron	208-230/460		Century	TE126
5	215T	Rigid	Cast Iron	230/460	Included	TECO	NP0056G
5	215T	Rigid	Cast Iron	230/460		TECO	NP0056
5	215T	Rigid	Cast Iron	230/460		US Motors	HD5P3E
5	215T	Rigid	Cast Iron	230/460		Toshiba	0056SDSR41A-P
5	215T	Rigid	Cast Iron	230/460		Leeson	B194296.00
5	215T	Rigid	Cast Iron	230/460		Marathon	GT1014A
5	215T	Rigid	Rolled Steel	230/460	Included	TECO	GP0056G
5	215T	Rigid	Rolled Steel	230/460		TECO	GP0056
5	215TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U5P3DC
5	215TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0056C
5	215TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0056C
5	215TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD5P3EC
5	215TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0056SDSR42A-P
5	215TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR12
5	215TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1214A
5	215TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0056C
5	215TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U5P3DCR
5	215TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0056SDSR44A-P
5	215TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF111
5	215TC	C-Face/Footless	Rolled Steel	230/460		Marathon	GT1314A
7 1/2	254T	Rigid	Cast Iron	208-230/460		Leeson	B199011.00
7 1/2	254T	Rigid	Cast Iron	208-230/460		Marathon	GT1017A
7 1/2	254T	Rigid	Cast Iron	208-230/460		Century	TE133
7 1/2	254T	Rigid	Cast Iron	230/460	Included	TECO	NP7/56G
7 1/2	254T	Rigid	Cast Iron	230/460		TECO	NP7/56
7 1/2	254T	Rigid	Cast Iron	230/460		US Motors	HD7P3E
7 1/2	254T	Rigid	Cast Iron	230/460		Toshiba	Y756SDSR41A-P
7 1/2	254TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U7P3DC
7 1/2	254TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR15
7 1/2	254TC	C-Face/Footed	Cast Iron	230/460		TECO	NP7/56C
7 1/2	254TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD7P3EC
7 1/2	254TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1217A
7 1/2	254TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y756SDSR42A-P
7 1/2	254TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U7P3DCR
7 1/2	254TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y756SDSR44A-P
7 1/2	254TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF114

## Totally Enclosed Fan Cooled - 1200 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
10	256T	Rigid	Cast Iron	208-230/460		Century	TE140
10	256T	Rigid	Cast Iron	230/460	Included	TECO	NP0106G
10	256T	Rigid	Cast Iron	230/460		TECO	NP0106
10	256T	Rigid	Cast Iron	230/460		US Motors	HD10P3E
10	256T	Rigid	Cast Iron	230/460		Toshiba	0106SDSR41A-P
10	256T	Rigid	Cast Iron	230/460		Leeson	B199014.00
10	256T	Rigid	Cast Iron	230/460		Marathon	GT1020A
10	256TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U10P3DC
10	256TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR18
10	256TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD10P3EC
10	256TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1220A
10	256TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0106C
10	256TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0106C
10	256TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0106SDSR42A-P
10	256TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U10E3DCR
10	256TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0106SDSR44A-P
10	256TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF117
15	284T	Rigid	Cast Iron	208-230/460		Century	TE147
15	284T	Rigid	Cast Iron	230/460	Included	TECO	NP0156G
15	284T	Rigid	Cast Iron	230/460		US Motors	HD15P3E
15	284T	Rigid	Cast Iron	230/460		TECO	NP0156
15	284T	Rigid	Cast Iron	230/460		Leeson	B199017.00
15	284T	Rigid	Cast Iron	230/460		Marathon	GT1023A
15	284T	Rigid	Cast Iron	230/460		Toshiba	0156SDSR41A-P
15	284TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR21
15	284TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD15P3EC
15	284TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0156C
15	284TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0156C
15	284TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0156SDSR42A-P
15	284TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0156SDSR44A-P
20	286T	Rigid	Cast Iron	208-230/460		Century	TE154
20	286T	Rigid	Cast Iron	230/460	Included	TECO	NP0206G
20	286T	Rigid	Cast Iron	230/460		Leeson	B199020.00
20	286T	Rigid	Cast Iron	230/460		Marathon	GT1026A
20	286T	Rigid	Cast Iron	230/460		US Motors	HD20P3E
20	286T	Rigid	Cast Iron	230/460		TECO	NP0206
20	286T	Rigid	Cast Iron	230/460		Toshiba	0206SDSR41A-P
20	286TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR24
20	286TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD20P3EC
20	286TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0206SDSR42A-P
20	286TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0206C
20	286TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0206C
20	286TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0206SDSR44A-P

## Totally Enclosed Fan Cooled - 1200 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
25	324T	Rigid	Cast Iron	208-230/460		Century	TE161
25	324T	Rigid	Cast Iron	230/460	Included	TECO	NP0256G
25	324T	Rigid	Cast Iron	230/460		TECO	NP0256
25	324T	Rigid	Cast Iron	230/460		Toshiba	0256SDSR41A-P
25	324T	Rigid	Cast Iron	230/460		US Motors	HD25P3E
25	324T	Rigid	Cast Iron	230/460		Leeson	B199023.00
25	324T	Rigid	Cast Iron	230/460		Marathon	GT1029A
25	324TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR27
25	324TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0256SDSR42A-P
25	324TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0256C
25	324TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0256C
25	324TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0256SDSR44A-P
30	326T	Rigid	Cast Iron	208-230/460		Century	TE168
30	326T	Rigid	Cast Iron	230/460	Included	TECO	NP0306G
30	326T	Rigid	Cast Iron	230/460		TECO	NP0306
30	326T	Rigid	Cast Iron	230/460		US Motors	HD30P3E
30	326T	Rigid	Cast Iron	230/460		Leeson	B199026.00
30	326T	Rigid	Cast Iron	230/460		Marathon	GT1032A
30	326T	Rigid	Cast Iron	230/460		Toshiba	0306SDSR41A-P
30	326TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR30
30	326TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0306SDSR42A-P
30	326TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0306C
30	326TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0306C
30	326TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0306SDSR44A-P
40	364T	Rigid	Cast Iron	208-230/460		Leeson	B199029.00
40	364T	Rigid	Cast Iron	208-230/460		Marathon	GT1035A
40	364T	Rigid	Cast Iron	208-230/460		Century	TE174
40	364T	Rigid	Cast Iron	230/460	Included	TECO	NP0406G
40	364T	Rigid	Cast Iron	230/460		US Motors	HD40P3E
40	364T	Rigid	Cast Iron	230/460		TECO	NP0406
40	364T	Rigid	Cast Iron	230/460		Toshiba	0406SDSR41A-P
40	364TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR33
40	364TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0406C
40	364TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0406C
40	364TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0406SDSR42A-P
40	364TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0406SDSR44A-P
50	365T	Rigid	Cast Iron	208-230/460		Century	TE179
50	365T	Rigid	Cast Iron	230/460	Included	TECO	NP0506G
50	365T	Rigid	Cast Iron	230/460		US Motors	HD50P3E
50	365T	Rigid	Cast Iron	230/460		TECO	NP0506
50	365T	Rigid	Cast Iron	230/460		Toshiba	0506SDSR41A-P
50	365T	Rigid	Cast Iron	230/460		Leeson	B199032.00
50	365T	Rigid	Cast Iron	230/460		Marathon	GT1038A
50	365TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR36
50	365TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0506SDSR42A-P
50	365TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0506C
50	365TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0506C
50	365TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0506SDSR44A-P

## Totally Enclosed Fan Cooled - 1200 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
60	404T	Rigid	Cast Iron	208-230/460		Century	TE184
60	404T	Rigid	Cast Iron	230/460	Included	TECO	NP0606G
60	404T	Rigid	Cast Iron	230/460		US Motors	HD60P3E
60	404T	Rigid	Cast Iron	230/460		Leeson	B199035.00
60	404T	Rigid	Cast Iron	230/460		Marathon	GT1041A
60	404T	Rigid	Cast Iron	230/460		TECO	NP0606
60	404T	Rigid	Cast Iron	230/460		TECO	NP0606
60	404T	Rigid	Cast Iron	230/460		Toshiba	0606SDSR41A-P
60	404TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0606C
75	405T	Rigid	Cast Iron	208-230/460		Century	TE189
75	405T	Rigid	Cast Iron	230/460	Included	TECO	NP0756G
75	405T	Rigid	Cast Iron	230/460		US Motors	HD75P3E
75	405T	Rigid	Cast Iron	230/460		Leeson	B199038.00
75	405T	Rigid	Cast Iron	230/460		Marathon	GT1044A
75	405T	Rigid	Cast Iron	230/460		TECO	NP0756
75	405T	Rigid	Cast Iron	230/460		TECO	NP0756
75	405T	Rigid	Cast Iron	230/460		Toshiba	0756SDSR41A-P
75	405TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR42
75	405TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0756C
100	444T	Rigid	Cast Iron	208-230/460		Century	TE194
100	444T	Rigid	Cast Iron	230/460		US Motors	HD100P3E
100	444T	Rigid	Cast Iron	230/460		TECO	NP1006
100	444T	Rigid	Cast Iron	230/460		Leeson	B199041.00
100	444T	Rigid	Cast Iron	230/460		Marathon	GT1047A
100	444TC	C-Face/Footed	Cast Iron	230/460		TECO	NP1006C
125	445T	Rigid	Cast Iron	230/460		TECO	NP1256
125	445TC	C-Face/Footed	Cast Iron	230/460		TECO	NP1256C
150	447T	Rigid	Cast Iron	460		TECO	NP1506
150	447T	Rigid	Cast Iron	460		Toshiba	B1506FLF4BSH01
150	447TC	C-Face/Footed	Cast Iron	460		TECO	NP1506C
200	449T	Rigid	Cast Iron	460		TECO	NP2006
200	449TC	C-Face/Footed	Cast Iron	460		TECO	NP2006C

## Totally Enclosed Fan Cooled - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
1	143T	Rigid	Cast Iron	200		US Motors	HD1P2H
1	143T	Rigid	Cast Iron	230/460	Included	TECO	NP0014G
1	143T	Rigid	Cast Iron	230/460	Included	TECO	NP0014G
1	143T	Rigid	Cast Iron	230/460	Included	Marathon	E2201-P
1	143T	Rigid	Cast Iron	230/460		Toshiba	0014SDSR41A-P
1	143T	Rigid	Cast Iron	230/460		TECO	NP0014
1	143T	Rigid	Cast Iron	230/460		US Motors	HD1P2E
1	143T	Rigid	Rolled Steel	200		Century	TE104
1	143T	Rigid	Rolled Steel	208-230/460		Century	TE102
1	143T	Rigid	Rolled Steel	230/460	Included	TECO	GP0014G
1	143T	Rigid	Rolled Steel	230/460		TECO	GP0014
1	143T	Rigid	Rolled Steel	230/460		Marathon	E2101
1	143TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0014C
1	143TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0014C
1	143TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0014SDSR42A-P
1	143TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD1P2EC
1	143TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR02
1	143TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1201
1	143TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0014C
1	143TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0014SDSR44A-P
1	143TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF101
1 1/2	145T	Rigid	Cast Iron	200		US Motors	HD32P2H
1 1/2	145T	Rigid	Cast Iron	230/460	Included	TECO	NP1/54G
1 1/2	145T	Rigid	Cast Iron	230/460	Included	Marathon	E2204-P
1 1/2	145T	Rigid	Cast Iron	230/460		Toshiba	Y154SDSR41A-P
1 1/2	145T	Rigid	Cast Iron	230/460		US Motors	HD32P2E
1 1/2	145T	Rigid	Cast Iron	230/460		TECO	NP1/54
1 1/2	145T	Rigid	Rolled Steel	200		Century	TE107
1 1/2	145T	Rigid	Rolled Steel	208-230/460		Century	TE108
1 1/2	145T	Rigid	Rolled Steel	230/460	Included	TECO	GP1/54G
1 1/2	145T	Rigid	Rolled Steel	230/460		TECO	GP1/54
1 1/2	145T	Rigid	Rolled Steel	230/460		Marathon	E2104
1 1/2	145TC	C-Face/Footed	Cast Iron	230/460		TECO	NP1/54C
1 1/2	145TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD32P2EC
1 1/2	145TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y154SDSR42A-P
1 1/2	145TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR04
1 1/2	145TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1204
1 1/2	145TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP1/54C
1 1/2	145TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y154SDSR44A-P
1 1/2	145TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF103

## Totally Enclosed Fan Cooled - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
2	145T	Rigid	Cast Iron	200		US Motors	HD2P2H
2	145T	Rigid	Cast Iron	230/460	Included	TECO	NP0024G
2	145T	Rigid	Cast Iron	230/460	Included	TECO	NP0024G
2	145T	Rigid	Cast Iron	230/460	Included	Marathon	E2207-P
2	145T	Rigid	Cast Iron	230/460		TECO	NP0024
2	145T	Rigid	Cast Iron	230/460		Toshiba	0024SDSR41A-P
2	145T	Rigid	Cast Iron	230/460		US Motors	HD2P2E
2	145T	Rigid	Rolled Steel	200		Century	TE114
2	145T	Rigid	Rolled Steel	208-230/460		Century	TE115
2	145T	Rigid	Rolled Steel	230/460	Included	TECO	GP0024G
2	145T	Rigid	Rolled Steel	230/460		TECO	GP0024
2	145T	Rigid	Rolled Steel	230/460		Marathon	E2107
2	145TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0024C
2	145TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0024C
2	145TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD2P2EC
2	145TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0024SDSR42A-P
2	145TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR07
2	145TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1207
2	145TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0024C
2	145TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0024SDSR44A-P
2	145TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF106
3	182T	Rigid	Cast Iron	200		US Motors	HD3P2H
3	182T	Rigid	Cast Iron	200		Century	TE123
3	182T	Rigid	Cast Iron	208-230/460		Century	TE121
3	182T	Rigid	Cast Iron	230/460	Included	TECO	NP0034G
3	182T	Rigid	Cast Iron	230/460	Included	TECO	NP0034G
3	182T	Rigid	Cast Iron	230/460	Included	Marathon	E2210-P
3	182T	Rigid	Cast Iron	230/460		TECO	NP0034
3	182T	Rigid	Cast Iron	230/460		US Motors	HD3P2E
3	182T	Rigid	Cast Iron	230/460		Toshiba	0034SDSR41A-P
3	182T	Rigid	Cast Iron	230/460		Leeson	B199004.00
3	182T	Rigid	Cast Iron	230/460		Marathon	GT1010A
3	182T	Rigid	Rolled Steel	230/460	Included	TECO	GP0034G
3	182T	Rigid	Rolled Steel	230/460		TECO	GP0034
3	182TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U3P2DC
3	182TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0034C
3	182TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD3P2EC
3	182TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0034SDSR42A-P
3	182TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR10
3	182TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0034C
3	182TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U3P2DCR
3	182TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0034SDSR44A-P
3	182TC	C-Face/Footless	Rolled Steel	208-230/460		Leeson	B199083.00
3	182TC	C-Face/Footless	Rolled Steel	208-230/460		Marathon	GT1310A
3	182TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF109

## Totally Enclosed Fan Cooled - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
5	184T	Rigid	Cast Iron	200		US Motors	HD5P2H
5	184T	Rigid	Cast Iron	200		Century	TE128
5	184T	Rigid	Cast Iron	230/460	Included	TECO	NP0054G
5	184T	Rigid	Cast Iron	230/460	Included	TECO	NP0054G
5	184T	Rigid	Cast Iron	230/460	Included	Marathon	E202-P
5	184T	Rigid	Cast Iron	230/460		US Motors	HD5P2E
5	184T	Rigid	Cast Iron	230/460		TECO	NP0054
5	184T	Rigid	Cast Iron	230/460		Toshiba	0054SDSR41A-P
5	184T	Rigid	Cast Iron	230/460		Marathon	GT1013A
5	184T	Rigid	Cast Iron	230/460		Leeson	B199007.00
5	184T	Rigid	Rolled Steel	230/460	Included	TECO	GP0054G
5	184T	Rigid	Rolled Steel	230/460		TECO	GP0054
5	184TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U5P2DC
5	184TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0054C
5	184TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0054C
5	184TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD5P2EC
5	184TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0054SDSR42A-P
5	184TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR13
5	184TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1213A
5	184TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0054C
5	184TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U5P2DCR
5	184TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0054SDSR44A-P
5	184TC	C-Face/Footless	Rolled Steel	208-230/460		Leeson	B199085.00
5	184TC	C-Face/Footless	Rolled Steel	208-230/460		Marathon	GT1313A
5	184TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF112
7 1/2	213T	Rigid	Cast Iron	200		US Motors	HD7P2H
7 1/2	213T	Rigid	Cast Iron	200		Century	TE135
7 1/2	213T	Rigid	Cast Iron	208-230/460		Century	TE136
7 1/2	213T	Rigid	Cast Iron	230/460	Included	US Motors	HD7V2B
7 1/2	213T	Rigid	Cast Iron	230/460	Included	TECO	NP7/54G
7 1/2	213T	Rigid	Cast Iron	230/460	Included	TECO	NP7/54G
7 1/2	213T	Rigid	Cast Iron	230/460	Included	Marathon	E203A-P
7 1/2	213T	Rigid	Cast Iron	230/460		US Motors	HD7P2E
7 1/2	213T	Rigid	Cast Iron	230/460		Toshiba	Y754SDSR41A-P
7 1/2	213T	Rigid	Cast Iron	230/460		TECO	NP7/54
7 1/2	213T	Rigid	Cast Iron	230/460		Leeson	B194298.00
7 1/2	213T	Rigid	Cast Iron	230/460		Marathon	GT1016A
7 1/2	213T	Rigid	Rolled Steel	230/460	Included	TECO	GP7/54G
7 1/2	213T	Rigid	Rolled Steel	230/460		TECO	GP7/54
7 1/2	213TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U7P2DC
7 1/2	213TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD7P2EC
7 1/2	213TC	C-Face/Footed	Cast Iron	230/460		TECO	NP7/54C
7 1/2	213TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y754SDSR42A-P
7 1/2	213TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR16
7 1/2	213TC	C-Face/Footed	Rolled Steel	230/460		Leeson	B199056.00
7 1/2	213TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1216A
7 1/2	213TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP7/54C
7 1/2	213TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U7P2DCR
7 1/2	213TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y754SDSR44A-P
7 1/2	213TC	C-Face/Footless	Rolled Steel	230/460		Leeson	B199087.00
7 1/2	213TC	C-Face/Footless	Rolled Steel	230/460		Marathon	GT1316A

## Totally Enclosed Fan Cooled - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
10	215T	Rigid	Cast Iron	200		US Motors	HD10P2H
10	215T	Rigid	Cast Iron	200		Century	TE142
10	215T	Rigid	Cast Iron	230/460	Included	US Motors	HD10V2B
10	215T	Rigid	Cast Iron	230/460	Included	TECO	NP0104G
10	215T	Rigid	Cast Iron	230/460	Included	TECO	NP0104G
10	215T	Rigid	Cast Iron	230/460	Included	Marathon	E204A-P
10	215T	Rigid	Cast Iron	230/460		TECO	NP0104
10	215T	Rigid	Cast Iron	230/460		US Motors	HD10P2E
10	215T	Rigid	Cast Iron	230/460		Toshiba	0104SDSR41A-P
10	215T	Rigid	Cast Iron	230/460		Leeson	B194300.00
10	215T	Rigid	Cast Iron	230/460		Marathon	GT1019A
10	215T	Rigid	Rolled Steel	230/460	Included	TECO	GP0104G
10	215T	Rigid	Rolled Steel	230/460		TECO	GP0104
10	215TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U10P2DC
10	215TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD10P2EC
10	215TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0104C
10	215TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0104C
10	215TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0104SDSR42A-P
10	215TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR19
10	215TC	C-Face/Footed	Rolled Steel	230/460		Leeson	B199058.00
10	215TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1219A
10	215TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0104C
10	215TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U10P2DCR
10	215TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0104SDSR44A-P
10	215TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF118
10	215TC	C-Face/Footless	Rolled Steel	230/460		Leeson	B199089.00
10	215TC	C-Face/Footless	Rolled Steel	230/460		Marathon	GT1319A
15	254T	Rigid	Cast Iron	200		US Motors	HD15P2H
15	254T	Rigid	Cast Iron	200		Century	TE151
15	254T	Rigid	Cast Iron	208-230/460		Century	TE149
15	254T	Rigid	Cast Iron	230/460	Included	TECO	NP0154G
15	254T	Rigid	Cast Iron	230/460	Included	TECO	NP0154G
15	254T	Rigid	Cast Iron	230/460	Included	US Motors	HD15V2B
15	254T	Rigid	Cast Iron	230/460		TECO	NP0154
15	254T	Rigid	Cast Iron	230/460		US Motors	HD15P2E
15	254T	Rigid	Cast Iron	230/460		Toshiba	0154SDSR41A-P
15	254T	Rigid	Cast Iron	230/460		Leeson	B199016.00
15	254T	Rigid	Cast Iron	230/460		Marathon	GT1022A
15	254T	Rigid	Rolled Steel	230/460	Included	Marathon	E2122-P
15	254TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U15P2DC
15	254TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR22
15	254TC	C-Face/Footed	Cast Iron	230/460		Leeson	B199060.00
15	254TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1222A
15	254TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD15P2EC
15	254TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0154C
15	254TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0154C
15	254TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0154SDSR42A-P
15	254TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U15P2DCR
15	254TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0154SDSR44A-P

## Totally Enclosed Fan Cooled - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
20	256T	Rigid	Cast Iron	200		US Motors	HD20P2H
20	256T	Rigid	Cast Iron	208-230/460		US Motors	H20P2D
20	256T	Rigid	Cast Iron	208-230/460		Century	TE157
20	256T	Rigid	Cast Iron	230/460	Included	TECO	NP0204G
20	256T	Rigid	Cast Iron	230/460	Included	TECO	NP0204G
20	256T	Rigid	Cast Iron	230/460	Included	US Motors	HD20V2B
20	256T	Rigid	Cast Iron	230/460		TECO	NP0204
20	256T	Rigid	Cast Iron	230/460		US Motors	HD20P2E
20	256T	Rigid	Cast Iron	230/460		Toshiba	0204SDSR41A-P
20	256T	Rigid	Cast Iron	230/460		Leeson	B199019.00
20	256T	Rigid	Cast Iron	230/460		Marathon	GT1025A
20	256T	Rigid	Rolled Steel	230/460	Included	Marathon	E2124-P
20	256TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U20P2DC
20	256TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR25
20	256TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD20P2EC
20	256TC	C-Face/Footed	Cast Iron	230/460		Leeson	B199062.00
20	256TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1225A
20	256TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0204C
20	256TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0204C
20	256TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0204SDSR42A-P
20	256TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U20P2DCR
20	256TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0204SDSR44A-P
25	284T	Rigid	Cast Iron	200		US Motors	HD25P2H
25	284T	Rigid	Cast Iron	208-230/460		US Motors	H25P2D
25	284T	Rigid	Cast Iron	208-230/460		Century	TE164
25	284T	Rigid	Cast Iron	230/460	Included	TECO	NP0254G
25	284T	Rigid	Cast Iron	230/460	Included	TECO	NP0254G
25	284T	Rigid	Cast Iron	230/460	Included	Marathon	E207-P
25	284T	Rigid	Cast Iron	230/460	Included	US Motors	HD25V2B
25	284T	Rigid	Cast Iron	230/460		US Motors	HD25P2E
25	284T	Rigid	Cast Iron	230/460		TECO	NP0254
25	284T	Rigid	Cast Iron	230/460		Toshiba	0254SDSR41A-P
25	284T	Rigid	Cast Iron	230/460		Leeson	B199022.00
25	284T	Rigid	Cast Iron	230/460		Marathon	GT1028A
25	284TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U25P2DC
25	284TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR28
25	284TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD25P2EC
25	284TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0254C
25	284TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0254C
25	284TC	C-Face/Footed	Cast Iron	230/460		Leeson	B199064.00
25	284TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1228A
25	284TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0254SDSR42A-P
25	284TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U25P2DCR
25	284TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0254SDSR44A-P
25	284TS	Rigid	Cast Iron	230/460		US Motors	HD25P2ES
25	284TS	Rigid	Cast Iron	230/460		TECO	NP0254S
25	284TS	Rigid	Cast Iron	230/460		Toshiba	0254SDSR41B-P

## Totally Enclosed Fan Cooled - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
30	286T	Rigid	Cast Iron	200		US Motors	HD30P2H
30	286T	Rigid	Cast Iron	208-230/460		US Motors	H30P2D
30	286T	Rigid	Cast Iron	208-230/460		Century	TE170
30	286T	Rigid	Cast Iron	230/460	Included	TECO	NP0304G
30	286T	Rigid	Cast Iron	230/460	Included	TECO	NP0304G
30	286T	Rigid	Cast Iron	230/460	Included	Marathon	E208-P
30	286T	Rigid	Cast Iron	230/460	Included	US Motors	HD30V2B
30	286T	Rigid	Cast Iron	230/460		US Motors	HD30P2E
30	286T	Rigid	Cast Iron	230/460		TECO	NP0304
30	286T	Rigid	Cast Iron	230/460		Leeson	B199025.00
30	286T	Rigid	Cast Iron	230/460		Marathon	GT1031A
30	286T	Rigid	Cast Iron	230/460		Toshiba	0304SDSR41A-P
30	286TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U30P2DC
30	286TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR31
30	286TC	C-Face/Footed	Cast Iron	230/460		Leeson	B199066.00
30	286TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1231A
30	286TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD30P2EC
30	286TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0304C
30	286TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0304C
30	286TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0304SDSR42A-P
30	286TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U30P2DCR
30	286TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0304SDSR44A-P
30	286TS	Rigid	Cast Iron	230/460		US Motors	HD30P2ES
30	286TS	Rigid	Cast Iron	230/460		TECO	NP0304S
30	286TS	Rigid	Cast Iron	230/460		Toshiba	0304SDSR41B-P
40	324T	Rigid	Cast Iron	200		US Motors	HD40P2H
40	324T	Rigid	Cast Iron	208-230/460		Century	TE175
40	324T	Rigid	Cast Iron	230/460	Included	US Motors	HD40V2B
40	324T	Rigid	Cast Iron	230/460	Included	TECO	NP0404G
40	324T	Rigid	Cast Iron	230/460	Included	TECO	NP0404G
40	324T	Rigid	Cast Iron	230/460	Included	Marathon	E209-P
40	324T	Rigid	Cast Iron	230/460		US Motors	HD40P2E
40	324T	Rigid	Cast Iron	230/460		TECO	NP0404
40	324T	Rigid	Cast Iron	230/460		Toshiba	0404SDSR41A-P
40	324T	Rigid	Cast Iron	230/460		Leeson	B199028.00
40	324T	Rigid	Cast Iron	230/460		Marathon	GT1034A
40	324TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR34
40	324TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD40P2EC
40	324TC	C-Face/Footed	Cast Iron	230/460		Leeson	B199068.00
40	324TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1234A
40	324TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0404C
40	324TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0404C
40	324TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0404SDSR42A-P
40	324TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0404SDSR44A-P
40	324TS	Rigid	Cast Iron	230/460		US Motors	HD40P2ES
40	324TS	Rigid	Cast Iron	230/460		TECO	NP0404S
40	324TS	Rigid	Cast Iron	230/460		Toshiba	0404SDSR41B-P

## Totally Enclosed Fan Cooled - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
50	326T	Rigid	Cast Iron	200		US Motors	HD50P2H
50	326T	Rigid	Cast Iron	208-230/460		Century	TE180
50	326T	Rigid	Cast Iron	208-230/460		US Motors	H50P2E
50	326T	Rigid	Cast Iron	230/460	Included	US Motors	HD50V2B
50	326T	Rigid	Cast Iron	230/460	Included	TECO	NP0504G
50	326T	Rigid	Cast Iron	230/460	Included	TECO	NP0504G
50	326T	Rigid	Cast Iron	230/460	Included	Marathon	E210-P
50	326T	Rigid	Cast Iron	230/460		US Motors	HD50P2E
50	326T	Rigid	Cast Iron	230/460		Toshiba	0504SDSR41A-P
50	326T	Rigid	Cast Iron	230/460		TECO	NP0504
50	326T	Rigid	Cast Iron	230/460		Leeson	B199031.00
50	326T	Rigid	Cast Iron	230/460		Marathon	GT1037A
50	326TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD50P2EC
50	326TC	C-Face/Footed	Cast Iron	230/460		Leeson	B199070.00
50	326TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1237A
50	326TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0504SDSR42A-P
50	326TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0504C
50	326TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0504C
50	326TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0504SDSR44A-P
50	326TS	Rigid	Cast Iron	230/460		US Motors	HD50P2ES
50	326TS	Rigid	Cast Iron	230/460		Toshiba	0504SDSR41B-P
50	326TS	Rigid	Cast Iron	230/460		TECO	NP0504S
60	364T	Rigid	Cast Iron	200		US Motors	HD60P2H
60	364T	Rigid	Cast Iron	208-230/460		Century	TE185
60	364T	Rigid	Cast Iron	230/460	Included	US Motors	HD60V2B
60	364T	Rigid	Cast Iron	230/460	Included	TECO	NP0604G
60	364T	Rigid	Cast Iron	230/460	Included	TECO	NP0604G
60	364T	Rigid	Cast Iron	230/460		US Motors	HD60P2E
60	364T	Rigid	Cast Iron	230/460		TECO	NP0604
60	364T	Rigid	Cast Iron	230/460		Toshiba	0604SDSR41A-P
60	364T	Rigid	Cast Iron	230/460		Leeson	B199034.00
60	364T	Rigid	Cast Iron	230/460		Marathon	GT1040A
60	364T	Rigid	Cast Iron	230/460		TECO	NP0604
60	364TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR40
60	364TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD60P2EC
60	364TC	C-Face/Footed	Cast Iron	230/460		Leeson	B199072.00
60	364TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1240A
60	364TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0604C
60	364TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0604C
60	364TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0604SDSR42A-P
60	364TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0604SDSR44A-P
60	364TS	Rigid	Cast Iron	208-230/460		Century	TE186
60	364TS	Rigid	Cast Iron	230/460		US Motors	HD60P2ES
60	364TS	Rigid	Cast Iron	230/460		TECO	NP0604S
60	364TS	Rigid	Cast Iron	230/460		TECO	NP0604S
60	364TS	Rigid	Cast Iron	230/460		Toshiba	0604SDSR41B-P

## Totally Enclosed Fan Cooled - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
75	365T	Rigid	Cast Iron	200		US Motors	HD75P2H
75	365T	Rigid	Cast Iron	208-230/460		Century	TE191
75	365T	Rigid	Cast Iron	230/460	Included	US Motors	HD75V2B
75	365T	Rigid	Cast Iron	230/460	Included	TECO	NP0754G
75	365T	Rigid	Cast Iron	230/460	Included	TECO	NP0754G
75	365T	Rigid	Cast Iron	230/460		US Motors	HD75P2E
75	365T	Rigid	Cast Iron	230/460		TECO	NP0754
75	365T	Rigid	Cast Iron	230/460		TECO	NP0754
75	365T	Rigid	Cast Iron	230/460		Leeson	B199037.00
75	365T	Rigid	Cast Iron	230/460		Marathon	GT1043A
75	365T	Rigid	Cast Iron	230/460		Toshiba	0754SDSR41A-P
75	365TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD75P2EC
75	365TC	C-Face/Footed	Cast Iron	230/460		Leeson	B199074.00
75	365TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1243A
75	365TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0754C
75	365TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0754C
75	365TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0754SDSR42A-P
75	365TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0754SDSR44A-P
75	365TS	Rigid	Cast Iron	208-230/460		Century	TE190
75	365TS	Rigid	Cast Iron	230/460		US Motors	HD75P2ES
75	365TS	Rigid	Cast Iron	230/460		TECO	NP0754S
75	365TS	Rigid	Cast Iron	230/460		TECO	NP0754S
75	365TS	Rigid	Cast Iron	230/460		Toshiba	0754SDSR41B-P
100	405T	Rigid	Cast Iron	200		US Motors	HD100P2H
100	405T	Rigid	Cast Iron	208-230/460		Century	TE196
100	405T	Rigid	Cast Iron	230/460	Included	US Motors	HD100V2B
100	405T	Rigid	Cast Iron	230/460		US Motors	HD100P2E
100	405T	Rigid	Cast Iron	230/460		Leeson	B199040.00
100	405T	Rigid	Cast Iron	230/460		Marathon	GT1046A
100	405T	Rigid	Cast Iron	230/460		TECO	NP1004
100	405T	Rigid	Cast Iron	230/460		TECO	NP1004
100	405T	Rigid	Cast Iron	230/460		Toshiba	1004SDSR41A-P
100	405TC	C-Face/Footed	Cast Iron	230/460		Leeson	B199076.00
100	405TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1246A
100	405TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD100P2EC
100	405TC	C-Face/Footed	Cast Iron	230/460		TECO	NP1004C
100	405TC	C-Face/Footed	Cast Iron	230/460		TECO	NP1004C
100	405TS	Rigid	Cast Iron	208-230/460		Century	TE197
100	405TS	Rigid	Cast Iron	230/460		US Motors	HD100P2ES
100	405TS	Rigid	Cast Iron	230/460		TECO	NP1004S
100	405TS	Rigid	Cast Iron	230/460		TECO	NP1004S

## Totally Enclosed Fan Cooled - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
125	444T	Rigid	Cast Iron	460	Included	US Motors	HD125V2C
125	444T	Rigid	Cast Iron	460		US Motors	HD125P2F
125	444T	Rigid	Cast Iron	460		Leeson	B199043.00
125	444T	Rigid	Cast Iron	460		Marathon	GT1049A
125	444T	Rigid	Cast Iron	230/460		TECO	NP1254
125	444T	Rigid	Cast Iron	230/460		Century	TE200
125	444T	Rigid	Cast Iron	230/460		Marathon	Y576
125	444T	Rigid	Cast Iron	230/460		Toshiba	1254SDSA41A-P
125	444TC	C-Face/Footed	Cast Iron	230/460		TECO	NP1254C
125	444TS	Rigid	Cast Iron	460		US Motors	HD125P2FS
125	444TS	Rigid	Cast Iron	230/460		TECO	NP1254S
125	444TS	Rigid	Cast Iron	230/460		Century	TE201
125	444TSC	C-Face/Footed	Cast Iron	230/460		TECO	NP1254CS
150	445T	Rigid	Cast Iron	460	Included	US Motors	HD150V2C
150	445T	Rigid	Cast Iron	460		US Motors	HD150P2F
150	445T	Rigid	Cast Iron	460		Leeson	B199046.00
150	445T	Rigid	Cast Iron	460		Marathon	GT1052A
150	445T	Rigid	Cast Iron	230/460		Century	TE205
150	445T	Rigid	Cast Iron	230/460		Toshiba	1504SDSA41A-P
150	445T	Rigid	Cast Iron	460		TECO	NP1504
150	445T	Rigid	Cast Iron	460		TECO	NP1504
150	445TC	C-Face/Footed	Cast Iron	460		TECO	NP1504C
150	445TS	Rigid	Cast Iron	460		US Motors	HD150P2FS
150	445TS	Rigid	Cast Iron	460		TECO	NP1504S
150	445TS	Rigid	Cast Iron	460		TECO	NP1504S
150	445TSC	C-Face/Footed	Cast Iron	460		TECO	NP1504CS
200	445T	Rigid	Cast Iron	460		Marathon	Y578
200	447T	Rigid	Cast Iron	460	Included	US Motors	HD200V2C
200	447T	Rigid	Cast Iron	460		US Motors	HD200P2F
200	447T	Rigid	Cast Iron	460		Leeson	B199049.00
200	447T	Rigid	Cast Iron	460		Marathon	GT1055A
200	447T	Rigid	Cast Iron	460		Century	TE209
200	447T	Rigid	Cast Iron	460		Toshiba	2004SDSB41A-P
200	447T	Rigid	Cast Iron	460		TECO	NP2004
200	447T	Rigid	Cast Iron	460		TECO	NP2004
200	447TC	C-Face/Footed	Cast Iron	460		TECO	NP2004C
200	447TS	Rigid	Cast Iron	460		US Motors	HD200P2FS
200	447TS	Rigid	Cast Iron	460		TECO	NP2004S
200	447TS	Rigid	Cast Iron	460		TECO	NP2004S
200	447TSC	C-Face/Footed	Cast Iron	460		TECO	NP2004CS
250	449T	Rigid	Cast Iron	460		Marathon	Y579
350	449T	Rigid	Cast Iron	460		Toshiba	3504SDSB41A

## Totally Enclosed Fan Cooled - 3600 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
1	143T	Rigid	Cast Iron	230/460	Included	TECO	NP0012G
1	143T	Rigid	Cast Iron	230/460		TECO	NP0012
1	143T	Rigid	Rolled Steel	230/460	Included	TECO	GP0012G
1	143T	Rigid	Rolled Steel	230/460		TECO	GP0012
1	143TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0012C
1	143TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0012C
1 1/2	143T	Rigid	Cast Iron	200		US Motors	HD32P1H
1 1/2	143T	Rigid	Cast Iron	230/460	Included	TECO	NP1/52G
1 1/2	143T	Rigid	Cast Iron	230/460		Toshiba	Y152SDSR41A-P
1 1/2	143T	Rigid	Cast Iron	230/460		TECO	NP1/52
1 1/2	143T	Rigid	Cast Iron	230/460		US Motors	HD32P1E
1 1/2	143T	Rigid	Rolled Steel	208-230/460		US Motors	H32P1D
1 1/2	143T	Rigid	Rolled Steel	208-230/460		Century	TE110
1 1/2	143T	Rigid	Rolled Steel	230/460	Included	TECO	GP1/52G
1 1/2	143T	Rigid	Rolled Steel	230/460		TECO	GP1/52
1 1/2	143T	Rigid	Rolled Steel	230/460		Marathon	E2103
1 1/2	143TC	C-Face/Footed	Cast Iron	230/460		TECO	NP1/52C
1 1/2	143TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y152SDSR42A-P
1 1/2	143TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD32P1EC
1 1/2	143TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR05
1 1/2	143TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1203
1 1/2	143TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP1/52C
1 1/2	143TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y152SDSR44A-P
1 1/2	143TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF104
2	145T	Rigid	Cast Iron	200		US Motors	HD2P1H
2	145T	Rigid	Cast Iron	230/460	Included	TECO	NP0022G
2	145T	Rigid	Cast Iron	230/460		TECO	NP0022
2	145T	Rigid	Cast Iron	230/460		US Motors	HD2P1E
2	145T	Rigid	Cast Iron	230/460		Toshiba	0022SDSR41A-P
2	145T	Rigid	Rolled Steel	208-230/460		US Motors	H2P1D
2	145T	Rigid	Rolled Steel	208-230/460		Century	TE117
2	145T	Rigid	Rolled Steel	230/460	Included	TECO	GP0022G
2	145T	Rigid	Rolled Steel	230/460		TECO	GP0022
2	145T	Rigid	Rolled Steel	230/460		Marathon	E2106
2	145TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0022C
2	145TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD2P1EC
2	145TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0022SDSR42A-P
2	145TC	C-Face/Footed	Rolled Steel	208-230/460		Marathon	GT1206
2	145TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR08
2	145TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0022C
2	145TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0022SDSR44A-P
2	145TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF107

## Totally Enclosed Fan Cooled - 3600 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
3	182T	Rigid	Cast Iron	200		US Motors	HD3P1H
3	182T	Rigid	Cast Iron	208-230/460		US Motors	H3P1D
3	182T	Rigid	Cast Iron	208-230/460		Leeson	B199003.00
3	182T	Rigid	Cast Iron	208-230/460		Marathon	GT1009A
3	182T	Rigid	Cast Iron	208-230/460		Century	TE124
3	182T	Rigid	Cast Iron	230/460	Included	TECO	NP0032G
3	182T	Rigid	Cast Iron	230/460		TECO	NP0032
3	182T	Rigid	Cast Iron	230/460		US Motors	HD3P1E
3	182T	Rigid	Cast Iron	230/460		Toshiba	0032SDSR41A-P
3	182T	Rigid	Rolled Steel	230/460	Included	TECO	GP0032G
3	182T	Rigid	Rolled Steel	230/460		TECO	GP0032
3	182TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U3P1DC
3	182TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0032C
3	182TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0032SDSR42A-P
3	182TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD3P1EC
3	182TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR11
3	182TC	C-Face/Footed	Rolled Steel	230/460		Leeson	B199051.00
3	182TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1209A
3	182TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0032C
3	182TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U3P1DCR
3	182TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0032SDSR44A-P
3	182TC	C-Face/Footless	Rolled Steel	208-230/460		Leeson	B199082.00
3	182TC	C-Face/Footless	Rolled Steel	208-230/460		Marathon	GT1309A
3	182TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF110
5	184T	Rigid	Cast Iron	200		US Motors	HD5P1H
5	184T	Rigid	Cast Iron	208-230/460		US Motors	H5P1D
5	184T	Rigid	Cast Iron	208-230/460		Leeson	B199006.00
5	184T	Rigid	Cast Iron	208-230/460		Marathon	GT1012A
5	184T	Rigid	Cast Iron	208-230/460		Century	TE131
5	184T	Rigid	Cast Iron	230/460	Included	TECO	NP0052G
5	184T	Rigid	Cast Iron	230/460		US Motors	HD5P1E
5	184T	Rigid	Cast Iron	230/460		TECO	NP0052
5	184T	Rigid	Cast Iron	230/460		Toshiba	0052SDSR41A-P
5	184T	Rigid	Rolled Steel	230/460	Included	TECO	GP0052G
5	184T	Rigid	Rolled Steel	230/460		TECO	GP0052
5	184TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U5P1DC
5	184TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0052C
5	184TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD5P1EC
5	184TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0052SDSR42A-P
5	184TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR14
5	184TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1212A
5	184TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0052C
5	184TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U5P1DCR
5	184TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0052SDSR44A-P
5	184TC	C-Face/Footless	Rolled Steel	208-230/460		Leeson	B199084.00
5	184TC	C-Face/Footless	Rolled Steel	208-230/460		Marathon	GT1312A
5	184TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF113

## Totally Enclosed Fan Cooled - 3600 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
7 1/2	213T	Rigid	Cast Iron	200		US Motors	HD7P1H
7 1/2	213T	Rigid	Cast Iron	208-230/460		US Motors	H7P1D
7 1/2	213T	Rigid	Cast Iron	208-230/460		Leeson	B194297.00
7 1/2	213T	Rigid	Cast Iron	208-230/460		Marathon	GT1015A
7 1/2	213T	Rigid	Cast Iron	208-230/460		Century	TE138
7 1/2	213T	Rigid	Cast Iron	230/460	Included	TECO	NP7/52G
7 1/2	213T	Rigid	Cast Iron	230/460		US Motors	HD7P1E
7 1/2	213T	Rigid	Cast Iron	230/460		Toshiba	Y752SDSR41A-P
7 1/2	213T	Rigid	Cast Iron	230/460		TECO	NP7/52
7 1/2	213T	Rigid	Rolled Steel	230/460	Included	TECO	GP7/52G
7 1/2	213T	Rigid	Rolled Steel	230/460		TECO	GP7/52
7 1/2	213TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U7P1DC
7 1/2	213TC	C-Face/Footed	Cast Iron	230/460		TECO	NP7/52C
7 1/2	213TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD7P1EC
7 1/2	213TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y752SDSR42A-P
7 1/2	213TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR17
7 1/2	213TC	C-Face/Footed	Rolled Steel	230/460		Leeson	B199055.00
7 1/2	213TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1215A
7 1/2	213TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP7/52C
7 1/2	213TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U7P1DCR
7 1/2	213TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y752SDSR44A-P
7 1/2	213TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF116
7 1/2	213TC	C-Face/Footless	Rolled Steel	230/460		Leeson	B199086.00
7 1/2	213TC	C-Face/Footless	Rolled Steel	230/460		Marathon	GT1315A
10	215T	Rigid	Cast Iron	200		US Motors	HD10P1H
10	215T	Rigid	Cast Iron	208-230/460		US Motors	H10P1D
10	215T	Rigid	Cast Iron	208-230/460		Century	TE145
10	215T	Rigid	Cast Iron	230/460	Included	TECO	NP0102G
10	215T	Rigid	Cast Iron	230/460		TECO	NP0102
10	215T	Rigid	Cast Iron	230/460		US Motors	HD10P1E
10	215T	Rigid	Cast Iron	230/460		Toshiba	0102SDSR41A-P
10	215T	Rigid	Cast Iron	230/460		Leeson	B194299.00
10	215T	Rigid	Cast Iron	230/460		Marathon	GT1018A
10	215T	Rigid	Rolled Steel	230/460	Included	TECO	GP0102G
10	215T	Rigid	Rolled Steel	230/460		TECO	GP0102
10	215TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U10P1DC
10	215TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0102C
10	215TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD10P1EC
10	215TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0102SDSR42A-P
10	215TC	C-Face/Footed	Rolled Steel	208-230/460		Century	CFR20
10	215TC	C-Face/Footed	Rolled Steel	230/460		Leeson	B199057.00
10	215TC	C-Face/Footed	Rolled Steel	230/460		Marathon	GT1218A
10	215TC	C-Face/Footed	Rolled Steel	230/460		TECO	GP0102C
10	215TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U10E1DCR
10	215TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0102SDSR44A-P
10	215TC	C-Face/Footless	Rolled Steel	208-230/460		Leeson	B199088.00
10	215TC	C-Face/Footless	Rolled Steel	208-230/460		Century	CF119
10	215TC	C-Face/Footless	Rolled Steel	208-230/460		Marathon	GT1318A

## Totally Enclosed Fan Cooled - 3600 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
15	215TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U15P1DFC
15	215TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U15E1DFCR
15	254T	Rigid	Cast Iron	200		US Motors	HD15P1H
15	254T	Rigid	Cast Iron	208-230/460		US Motors	H15P1D
15	254T	Rigid	Cast Iron	208-230/460		Century	TE153
15	254T	Rigid	Cast Iron	230/460	Included	TECO	NP0152G
15	254T	Rigid	Cast Iron	230/460		TECO	NP0152
15	254T	Rigid	Cast Iron	230/460		US Motors	HD15P1E
15	254T	Rigid	Cast Iron	230/460		Toshiba	0152SDSR41A-P
15	254T	Rigid	Cast Iron	230/460		Leeson	B199015.00
15	254T	Rigid	Cast Iron	230/460		Marathon	GT1021A
15	254TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U15P1DC
15	254TC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR23
15	254TC	C-Face/Footed	Cast Iron	230/460		Leeson	B199059.00
15	254TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1221A
15	254TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD15P1EC
15	254TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0152C
15	254TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0152SDSR42A-P
15	254TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U15P1DCR
15	254TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0152SDSR44A-P
20	256T	Rigid	Cast Iron	200		US Motors	HD20P1H
20	256T	Rigid	Cast Iron	208-230/460		Century	TE159
20	256T	Rigid	Cast Iron	230/460	Included	TECO	NP0202G
20	256T	Rigid	Cast Iron	230/460		US Motors	HD20P1E
20	256T	Rigid	Cast Iron	230/460		TECO	NP0202
20	256T	Rigid	Cast Iron	230/460		Toshiba	0202SDSR41A-P
20	256T	Rigid	Cast Iron	230/460		Leeson	B199018.00
20	256T	Rigid	Cast Iron	230/460		Marathon	GT1024A
20	256TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U20P1DC
20	256TC	C-Face/Footed	Cast Iron	230/460		US Motors	HD20P1EC
20	256TC	C-Face/Footed	Cast Iron	230/460		Leeson	B199061.00
20	256TC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1224A
20	256TC	C-Face/Footed	Cast Iron	230/460		TECO	NP0202C
20	256TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0202SDSR42A-P
20	256TC	C-Face/Footless	Aluminum	208-230/460		US Motors	U20P1DCR
20	256TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0202SDSR44A-P
25	284T	Rigid	Cast Iron	230/460		US Motors	HD25P1E
25	284TC	C-Face/Footed	Aluminum	208-230/460		US Motors	U25P1DC
25	284TS	Rigid	Cast Iron	200		US Motors	HD25P1HS
25	284TS	Rigid	Cast Iron	208-230/460		US Motors	H25P1DS
25	284TS	Rigid	Cast Iron	208-230/460		Leeson	B199021.00
25	284TS	Rigid	Cast Iron	208-230/460		Marathon	GT1027A
25	284TS	Rigid	Cast Iron	208-230/460		Century	TE166
25	284TS	Rigid	Cast Iron	230/460	Included	TECO	NP0252G
25	284TS	Rigid	Cast Iron	230/460		US Motors	HD25P1ES
25	284TS	Rigid	Cast Iron	230/460		TECO	NP0252
25	284TS	Rigid	Cast Iron	230/460		Toshiba	0252SDSR41B-P
25	284TSC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR29
25	284TSC	C-Face/Footed	Cast Iron	230/460		Leeson	B199063.00
25	284TSC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1227A
25	284TSC	C-Face/Footed	Cast Iron	230/460		US Motors	HD25P1ESC
25	284TSC	C-Face/Footed	Cast Iron	230/460		TECO	NP0252C
25	284TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0252SDSR42B-P
25	284TSC	C-Face/Footless	Cast Iron	230/460		Toshiba	0252SDSR44B-P

## Totally Enclosed Fan Cooled - 3600 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
30	286T	Rigid	Cast Iron	230/460		US Motors	HD30P1E
30	286TS	Rigid	Cast Iron	200		US Motors	HD30P1HS
30	286TS	Rigid	Cast Iron	208-230/460		Century	TE172
30	286TS	Rigid	Cast Iron	230/460	Included	TECO	NP0302G
30	286TS	Rigid	Cast Iron	230/460		US Motors	HD30P1ES
30	286TS	Rigid	Cast Iron	230/460		Leeson	B199024.00
30	286TS	Rigid	Cast Iron	230/460		Marathon	GT1030A
30	286TS	Rigid	Cast Iron	230/460		TECO	NP0302
30	286TS	Rigid	Cast Iron	230/460		Toshiba	0302SDSR41B-P
30	286TSC	C-Face/Footed	Cast Iron	230/460		Leeson	B199065.00
30	286TSC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1230A
30	286TSC	C-Face/Footed	Cast Iron	230/460		US Motors	HD30P1ESC
30	286TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0302SDSR42B-P
30	286TSC	C-Face/Footed	Cast Iron	230/460		TECO	NP0302C
30	286TSC	C-Face/Footless	Cast Iron	230/460		Toshiba	0302SDSR44B-P
40	324TS	Rigid	Cast Iron	200		US Motors	HD40P1HS
40	324TS	Rigid	Cast Iron	208-230/460		Century	TE177
40	324TS	Rigid	Cast Iron	230/460	Included	TECO	NP0402G
40	324TS	Rigid	Cast Iron	230/460		US Motors	HD40P1ES
40	324TS	Rigid	Cast Iron	230/460		Toshiba	0402SDSR41B-P
40	324TS	Rigid	Cast Iron	230/460		TECO	NP0402
40	324TS	Rigid	Cast Iron	230/460		Leeson	B199027.00
40	324TS	Rigid	Cast Iron	230/460		Marathon	GT1033A
40	324TSC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR35
40	324TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0402SDSR42B-P
40	324TSC	C-Face/Footed	Cast Iron	230/460		Leeson	B199067.00
40	324TSC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1233A
40	324TSC	C-Face/Footed	Cast Iron	230/460		TECO	NP0402C
40	324TSC	C-Face/Footless	Cast Iron	230/460		Toshiba	0402SDSR44B-P
50	326TS	Rigid	Cast Iron	200		US Motors	HD50P1HS
50	326TS	Rigid	Cast Iron	208-230/460		Century	TE182
50	326TS	Rigid	Cast Iron	230/460	Included	TECO	NP0502G
50	326TS	Rigid	Cast Iron	230/460		US Motors	HD50P1ES
50	326TS	Rigid	Cast Iron	230/460		TECO	NP0502
50	326TS	Rigid	Cast Iron	230/460		Marathon	GT1036A
50	326TS	Rigid	Cast Iron	230/460		Toshiba	0502SDSR41B-P
50	326TSC	C-Face/Footed	Cast Iron	230/460		Leeson	B199069.00
50	326TSC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1236A
50	326TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0502SDSR42B-P
50	326TSC	C-Face/Footed	Cast Iron	230/460		TECO	NP0502C
50	326TSC	C-Face/Footless	Cast Iron	230/460		Toshiba	0502SDSR44B-P
60	364TS	Rigid	Cast Iron	200		US Motors	HD60P1HS
60	364TS	Rigid	Cast Iron	208-230/460		Century	TE188
60	364TS	Rigid	Cast Iron	230/460	Included	TECO	NP0602G
60	364TS	Rigid	Cast Iron	230/460		US Motors	HD60P1ES
60	364TS	Rigid	Cast Iron	230/460		Toshiba	0602SDSR41B-P
60	364TS	Rigid	Cast Iron	230/460		Marathon	GT1039A
60	364TS	Rigid	Cast Iron	230/460		TECO	NP0602
60	364TSC	C-Face/Footed	Cast Iron	230/460		Leeson	B199071.00
60	364TSC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1239A
60	364TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0602SDSR42B-P
60	364TSC	C-Face/Footed	Cast Iron	230/460		TECO	NP0602C
60	364TSC	C-Face/Footless	Cast Iron	230/460		Toshiba	0602SDSR44B-P

## Totally Enclosed Fan Cooled - 3600 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
75	365TS	Rigid	Cast Iron	200		US Motors	HD75P1HS
75	365TS	Rigid	Cast Iron	208-230/460		Century	TE193
75	365TS	Rigid	Cast Iron	230/460	Included	TECO	NP0752G
75	365TS	Rigid	Cast Iron	230/460		US Motors	HD75P1ES
75	365TS	Rigid	Cast Iron	230/460		Toshiba	0752SDSR41B-P
75	365TS	Rigid	Cast Iron	230/460		Marathon	GT1042A
75	365TS	Rigid	Cast Iron	230/460		TECO	NP0752
75	365TSC	C-Face/Footed	Cast Iron	208-230/460		Century	CFR44
75	365TSC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1242A
75	365TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0752SDSR42B-P
75	365TSC	C-Face/Footed	Cast Iron	230/460		TECO	NP0752C
75	365TSC	C-Face/Footed	Cast Iron	230/460		Leeson	B199073.00
75	365TSC	C-Face/Footless	Cast Iron	230/460		Toshiba	0752SDSR44B-P
100	405TS	Rigid	Cast Iron	208-230/460		Century	TE198
100	405TS	Rigid	Cast Iron	230/460		Leeson	B199039.00
100	405TS	Rigid	Cast Iron	230/460		Marathon	GT1045A
100	405TS	Rigid	Cast Iron	230/460		US Motors	HD100P1ES
100	405TS	Rigid	Cast Iron	230/460		TECO	NP1002
100	405TS	Rigid	Cast Iron	230/460		Toshiba	1002SDSR41B-P
100	405TSC	C-Face/Footed	Cast Iron	230/460		Leeson	B199075.00
100	405TSC	C-Face/Footed	Cast Iron	230/460		Marathon	GT1245A
100	405TSC	C-Face/Footed	Cast Iron	230/460		TECO	NP1002C
125	444TS	Rigid	Cast Iron	460		US Motors	HD125P1FS
125	444TS	Rigid	Cast Iron	460		Leeson	B199042.00
125	444TS	Rigid	Cast Iron	460		Marathon	GT1048A
125	444TS	Rigid	Cast Iron	230/460		TECO	NP1252
125	444TS	Rigid	Cast Iron	230/460		Century	TE203
125	444TS	Rigid	Cast Iron	230/460		Toshiba	1252SDSA41B-P
125	444TSC	C-Face/Footed	Cast Iron	230/460		TECO	NP1252C
150	445TS	Rigid	Cast Iron	460		Leeson	B199045.00
150	445TS	Rigid	Cast Iron	460		Marathon	GT1051A
150	445TS	Rigid	Cast Iron	460		US Motors	HD150P1FS
150	445TS	Rigid	Cast Iron	230/460		Toshiba	1502SDSA41B-P
150	445TS	Rigid	Cast Iron	230/460		Century	TE207
150	445TS	Rigid	Cast Iron	460		TECO	NP1502
150	445TS	Rigid	Cast Iron	460		TECO	NP1502
150	445TSC	C-Face/Footed	Cast Iron	460		TECO	NP1502C
200	447TS	Rigid	Cast Iron	460		Leeson	B199048.00
200	447TS	Rigid	Cast Iron	460		Marathon	GT1054A
200	447TS	Rigid	Cast Iron	230/460		Century	TE211
200	447TS	Rigid	Cast Iron	460		Toshiba	2002SDSB41B-P
200	447TS	Rigid	Cast Iron	460		TECO	NP2002
200	447TS	Rigid	Cast Iron	460		TECO	NP2002
200	447TSC	C-Face/Footed	Cast Iron	460		TECO	NP2002C

## Explosion Proof - 1200 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
1	145T	Rigid	Cast Iron	230/460		Toshiba	0016XPEA41A-P
1	145T	Rigid	Cast Iron	230/460		TECO	XP0016
1	145T	Rigid	Cast Iron	230/460		Marathon	U039A
1	145T	Rigid	Cast Iron	230/460		US Motors	X1P3B
1	145TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0016XPEA42A-P
1	145TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0016XPEA44A-P
1 1/2	182T	Rigid	Cast Iron	230/460		Toshiba	Y156XPEA41A-P
1 1/2	182T	Rigid	Cast Iron	230/460		TECO	XP1/56
1 1/2	182T	Rigid	Cast Iron	230/460		US Motors	X32P3B
1 1/2	182T	Rigid	Cast Iron	230/460		Marathon	U040A
1 1/2	182TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y156XPEA42A-P
1 1/2	182TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y156XPEA44A-P
2	184T	Rigid	Cast Iron	230/460		TECO	XP0026
2	184T	Rigid	Cast Iron	230/460		Toshiba	0026XPEA41A-P
2	184T	Rigid	Cast Iron	230/460		US Motors	X2P3B
2	184T	Rigid	Cast Iron	230/460		Marathon	U041A
2	184TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0026XPEA42A-P
2	184TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0026XPEA44A-P
3	213T	Rigid	Cast Iron	230/460		TECO	XP0036
3	213T	Rigid	Cast Iron	230/460		Toshiba	0036XPEA41A-P
3	213T	Rigid	Cast Iron	230/460		US Motors	X3P3B
3	213T	Rigid	Cast Iron	230/460		Marathon	U042A
3	213TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0036XPEA42A-P
3	213TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0036XPEA44A-P
5	215T	Rigid	Cast Iron	230/460		TECO	XP0056
5	215T	Rigid	Cast Iron	230/460		Toshiba	0056XPEA41A-P
5	215T	Rigid	Cast Iron	230/460		US Motors	X5P3B
5	215T	Rigid	Cast Iron	230/460		Marathon	U043B
5	215TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0056XPEA42A-P
5	215TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0056XPEA44A-P
7 1/2	254T	Rigid	Cast Iron	230/460		TECO	XP7/56
7 1/2	254T	Rigid	Cast Iron	230/460		Toshiba	Y756XPEA41A-P
7 1/2	254T	Rigid	Cast Iron	230/460		US Motors	X7P3B
7 1/2	254T	Rigid	Cast Iron	230/460		Marathon	E500
7 1/2	254TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y756XPEA42A-P
7 1/2	254TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y756XPEA44A-P
10	256T	Rigid	Cast Iron	230/460		TECO	XP0106
10	256T	Rigid	Cast Iron	230/460		Toshiba	0106XPEA41A-P
10	256T	Rigid	Cast Iron	230/460		US Motors	X10P3B
10	256T	Rigid	Cast Iron	230/460		Marathon	E501
10	256TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0106XPEA42A-P
10	256TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0106XPEA44A-P
15	284T	Rigid	Cast Iron	230/460		TECO	XP0156
15	284T	Rigid	Cast Iron	230/460		Toshiba	0156XPEA41A-P
15	284T	Rigid	Cast Iron	230/460		US Motors	X15P3B
15	284T	Rigid	Cast Iron	230/460		Marathon	E504
15	284TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0156XPEA42A-P

## Explosion Proof - 1200 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
20	286T	Rigid	Cast Iron	230/460		TECO	XP0206
20	286T	Rigid	Cast Iron	230/460		Toshiba	0206XPEA41A-P
20	286T	Rigid	Cast Iron	230/460		Marathon	E507
20	286T	Rigid	Cast Iron	230/460		US Motors	X20P3B
20	286TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0206XPEA42A-P
25	324T	Rigid	Cast Iron	230/460		TECO	XP0256
25	324T	Rigid	Cast Iron	230/460		Toshiba	0256XPEA41A-P
25	324T	Rigid	Cast Iron	230/460		US Motors	X25P3B
25	324T	Rigid	Cast Iron	230/460		Marathon	U048A
25	324TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0256XPEA42A-P
30	326T	Rigid	Cast Iron	230/460		TECO	XP0306
30	326T	Rigid	Cast Iron	230/460		Toshiba	0306XPEA41A-P
30	326T	Rigid	Cast Iron	230/460		US Motors	X30P3B
30	326TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0306XPEA42A-P
40	364T	Rigid	Cast Iron	230/460		TECO	XP0406
40	364T	Rigid	Cast Iron	230/460		Toshiba	0406XPEA41A-P
40	364T	Rigid	Cast Iron	230/460		US Motors	X40P3B
40	364T	Rigid	Cast Iron	230/460		Marathon	E568A
40	364TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0406XPEA42A-P
50	365T	Rigid	Cast Iron	230/460		TECO	XP0506
50	365T	Rigid	Cast Iron	230/460		Toshiba	0506XPEA41A-P
50	365T	Rigid	Cast Iron	230/460		Marathon	E571
50	365T	Rigid	Cast Iron	230/460		US Motors	X50P3B
50	365TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0506XPEA42A-P
60	404T	Rigid	Cast Iron	230/460		TECO	XP0606
60	404T	Rigid	Cast Iron	230/460		Marathon	E574
75	405T	Rigid	Cast Iron	230/460		TECO	XP0756
75	405T	Rigid	Cast Iron	230/460		Marathon	E577
100	444T	Rigid	Cast Iron	460		US Motors	X100P3C
100	444T	Rigid	Cast Iron	230/460		TECO	XP1006
100	444T	Rigid	Cast Iron	230/460		Marathon	E580A

## Explosion Proof - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
1	143T	Rigid	Cast Iron	230/460		TECO	XP0014
1	143T	Rigid	Cast Iron	230/460		Toshiba	0014XPEA41A-P
1	143T	Rigid	Cast Iron	230/460		US Motors	X1P2B
1	143T	Rigid	Cast Iron	230/460		Marathon	U001A
1	143TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0014XPEA42A-P
1	143TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0014XPEA44A-P
1 1/2	143T	Rigid	Cast Iron	230/460		Marathon	U002A
1 1/2	145T	Rigid	Cast Iron	208-230/460		US Motors	XS32P2A14
1 1/2	145T	Rigid	Cast Iron	230/460		TECO	XP1/54
1 1/2	145T	Rigid	Cast Iron	230/460		Toshiba	Y154XPEA41A-P
1 1/2	145T	Rigid	Cast Iron	230/460		US Motors	X32P2B
1 1/2	145TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y154XPEA42A-P
1 1/2	145TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y154XPEA44A-P
2	145T	Rigid	Cast Iron	230/460		TECO	XP0024
2	145T	Rigid	Cast Iron	230/460		Toshiba	0024XPEA41A-P
2	145T	Rigid	Cast Iron	230/460		US Motors	X2P2B
2	145T	Rigid	Cast Iron	230/460		Marathon	U003A
2	145TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0024XPEA42A-P
2	145TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0024XPEA44A-P
3	182T	Rigid	Cast Iron	230/460		TECO	XP0034
3	182T	Rigid	Cast Iron	230/460		Toshiba	0034XPEA41A-P
3	182T	Rigid	Cast Iron	230/460		US Motors	X3P2B
3	182T	Rigid	Cast Iron	230/460		Marathon	U004A
3	182TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0034XPEA42A-P
3	182TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0034XPEA44A-P
5	184T	Rigid	Cast Iron	230/460		TECO	XP0054
5	184T	Rigid	Cast Iron	230/460		Toshiba	0054XPEA41A-P
5	184T	Rigid	Cast Iron	230/460		US Motors	X5P2B
5	184T	Rigid	Cast Iron	230/460		Marathon	U005A
5	184TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0054XPEA42A-P
5	184TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0054XPEA44A-P
7 1/2	213T	Rigid	Cast Iron	230/460		TECO	XP7/54
7 1/2	213T	Rigid	Cast Iron	230/460		Toshiba	Y754XPEA41A-P
7 1/2	213T	Rigid	Cast Iron	230/460		US Motors	X7P2B
7 1/2	213T	Rigid	Cast Iron	230/460		Marathon	U006B
7 1/2	213TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y754XPEA42A-P
7 1/2	213TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y754XPEA44A-P
10	215T	Rigid	Cast Iron	230/460		TECO	XP0104
10	215T	Rigid	Cast Iron	230/460		Toshiba	0104XPEA41A-P
10	215T	Rigid	Cast Iron	230/460		US Motors	X10P2B
10	215T	Rigid	Cast Iron	230/460		Marathon	U007B
10	215TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0104XPEA42A-P
10	215TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0104XPEA44A-P
15	254T	Rigid	Cast Iron	230/460		TECO	XP0154
15	254T	Rigid	Cast Iron	230/460		Toshiba	0154XPEA41A-P
15	254T	Rigid	Cast Iron	230/460		US Motors	X15P2B
15	254T	Rigid	Cast Iron	230/460		Marathon	E503
15	254TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0154XPEA42A-P
15	254TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0154XPEA44A-P

## Explosion Proof - 1800 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
20	256T	Rigid	Cast Iron	230/460		TECO	XP0204
20	256T	Rigid	Cast Iron	230/460		Toshiba	0204XPEA41A-P
20	256T	Rigid	Cast Iron	230/460		US Motors	X20P2B
20	256T	Rigid	Cast Iron	230/460		Marathon	E506
20	256TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0204XPEA42A-P
20	256TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0204XPEA44A-P
25	284T	Rigid	Cast Iron	230/460		TECO	XP0254
25	284T	Rigid	Cast Iron	230/460		Toshiba	0254XPEA41A-P
25	284T	Rigid	Cast Iron	230/460		US Motors	X25P2B
25	284T	Rigid	Cast Iron	230/460		Marathon	E547
25	284TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0254XPEA42A-P
30	286T	Rigid	Cast Iron	230/460		TECO	XP0304
30	286T	Rigid	Cast Iron	230/460		Toshiba	0304XPEA41A-P
30	286T	Rigid	Cast Iron	230/460		US Motors	X30P2B
30	286T	Rigid	Cast Iron	230/460		Marathon	E564
30	286TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0304XPEA42A-P
40	324T	Rigid	Cast Iron	230/460		TECO	XP0404
40	324T	Rigid	Cast Iron	230/460		Toshiba	0404XPEA41A-P
40	324T	Rigid	Cast Iron	230/460		US Motors	X40P2B
40	324T	Rigid	Cast Iron	230/460		Marathon	E567
40	324TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0404XPEA42A-P
50	326T	Rigid	Cast Iron	230/460		TECO	XP0504
50	326T	Rigid	Cast Iron	230/460		Toshiba	0504XPEA41A-P
50	326T	Rigid	Cast Iron	230/460		US Motors	X50P2B
50	326T	Rigid	Cast Iron	230/460		Marathon	E570
50	326TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0504XPEA42A-P
60	364T	Rigid	Cast Iron	230/460		TECO	XP0604
60	364T	Rigid	Cast Iron	230/460		Toshiba	0604XPEA41A-P
60	364T	Rigid	Cast Iron	230/460		US Motors	X60P2B
60	364T	Rigid	Cast Iron	230/460		Marathon	E573A
60	364TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0604XPEA42A-P
75	365T	Rigid	Cast Iron	230/460		TECO	XP0754
75	365T	Rigid	Cast Iron	230/460		Toshiba	0754XPEA41A-P
75	365T	Rigid	Cast Iron	230/460		US Motors	X75P2B
75	365T	Rigid	Cast Iron	230/460		Marathon	E576A
75	365TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0754XPEA42A-P
100	405T	Rigid	Cast Iron	230/460		TECO	XP1004
100	405T	Rigid	Cast Iron	230/460		US Motors	X100P2B
100	405T	Rigid	Cast Iron	230/460		Marathon	E594
125	444T	Rigid	Cast Iron	460		TECO	XP1254
125	444T	Rigid	Cast Iron	460		US Motors	X125P2C
125	444T	Rigid	Cast Iron	460		Marathon	E582A
150	445T	Rigid	Cast Iron	460		TECO	XP1504
150	445T	Rigid	Cast Iron	460		US Motors	X150P2C
150	445T	Rigid	Cast Iron	460		Marathon	E585
200	447T	Rigid	Cast Iron	460		US Motors	X200P2C
200	447T	Rigid	Cast Iron	460		TECO	XP2004

## Explosion Proof - 3600 RPM

HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
1 1/2	143T	Rigid	Cast Iron	230/460		Toshiba	Y152XPEA41A-P
1 1/2	143T	Rigid	Cast Iron	230/460		TECO	XP1/52
1 1/2	143T	Rigid	Cast Iron	230/460		US Motors	X32P1B
1 1/2	143T	Rigid	Cast Iron	230/460		Marathon	U058A
1 1/2	143TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y152XPEA42A-P
1 1/2	143TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y152XPEA44A-P
2	145T	Rigid	Cast Iron	230/460		Toshiba	0022XPEA41A-P
2	145T	Rigid	Cast Iron	230/460		TECO	XP0022
2	145T	Rigid	Cast Iron	230/460		US Motors	X2P1B
2	145T	Rigid	Cast Iron	230/460		Marathon	U059A
2	145TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0022XPEA42A-P
2	145TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0022XPEA44A-P
3	182T	Rigid	Cast Iron	230/460		TECO	XP0032
3	182T	Rigid	Cast Iron	230/460		Toshiba	0032XPEA41A-P
3	182T	Rigid	Cast Iron	230/460		US Motors	X3P1B
3	182T	Rigid	Cast Iron	230/460		Marathon	U060A
3	182TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0032XPEA42A-P
3	182TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0032XPEA44A-P
5	184T	Rigid	Cast Iron	230/460		TECO	XP0052
5	184T	Rigid	Cast Iron	230/460		Toshiba	0052XPEA41A-P
5	184T	Rigid	Cast Iron	230/460		US Motors	X5P1B
5	184T	Rigid	Cast Iron	230/460		Marathon	U061A
5	184TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0052XPEA42A-P
5	184TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0052XPEA44A-P
7 1/2	213T	Rigid	Cast Iron	230/460		TECO	XP7/52
7 1/2	213T	Rigid	Cast Iron	230/460		Toshiba	Y752XPEA41A-P
7 1/2	213T	Rigid	Cast Iron	230/460		US Motors	X7P1B
7 1/2	213T	Rigid	Cast Iron	230/460		Marathon	U062B
7 1/2	213TC	C-Face/Footed	Cast Iron	230/460		Toshiba	Y752XPEA42A-P
7 1/2	213TC	C-Face/Footless	Cast Iron	230/460		Toshiba	Y752XPEA44A-P
10	215T	Rigid	Cast Iron	230/460		TECO	XP0102
10	215T	Rigid	Cast Iron	230/460		Toshiba	0102XPEA41A-P
10	215T	Rigid	Cast Iron	230/460		US Motors	X10P1B
10	215T	Rigid	Cast Iron	230/460		Marathon	U063B
10	215TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0102XPEA42A-P
10	215TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0102XPEA44A-P
15	254T	Rigid	Cast Iron	230/460		TECO	XP0152
15	254T	Rigid	Cast Iron	230/460		Toshiba	0152XPEA41A-P
15	254T	Rigid	Cast Iron	230/460		Marathon	E502
15	254T	Rigid	Cast Iron	230/460		US Motors	X15P1B
15	254TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0152XPEA42A-P
15	254TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0152XPEA44A-P
20	256T	Rigid	Cast Iron	230/460		TECO	XP0202
20	256T	Rigid	Cast Iron	230/460		Toshiba	0202XPEA41A-P
20	256T	Rigid	Cast Iron	230/460		US Motors	X20P1B
20	256T	Rigid	Cast Iron	230/460		Marathon	E505
20	256TC	C-Face/Footed	Cast Iron	230/460		Toshiba	0202XPEA42A-P
20	256TC	C-Face/Footless	Cast Iron	230/460		Toshiba	0202XPEA44A-P

Explosion Proof - 3600 RPM							
HP	Frame	Mounting	Material	Volts	Bearing Protection	Brand	Catalog Number
25	284T	Rigid	Cast Iron	230/460		US Motors	X25P1BS
25	284TS	Rigid	Cast Iron	230/460		TECO	XP0252
25	284TS	Rigid	Cast Iron	230/460		Toshiba	0252XPEA41B-P
25	284TS	Rigid	Cast Iron	230/460		Marathon	E546
25	284TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0252XPEA42B-P
30	286T	Rigid	Cast Iron	230/460		US Motors	X30P1BS
30	286TS	Rigid	Cast Iron	230/460		TECO	XP0302
30	286TS	Rigid	Cast Iron	230/460		Toshiba	0302XPEA41B-P
30	286TS	Rigid	Cast Iron	230/460		Marathon	E563
30	286TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0302XPEA42B-P
40	324T	Rigid	Cast Iron	230/460		US Motors	X40P1BS
40	324TS	Rigid	Cast Iron	230/460		TECO	XP0402
40	324TS	Rigid	Cast Iron	230/460		Toshiba	0402XPEA41B-P
40	324TS	Rigid	Cast Iron	230/460		Marathon	E566
40	324TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0402XPEA42B-P
50	326T	Rigid	Cast Iron	460		US Motors	X50P1BS
50	326TS	Rigid	Cast Iron	230/460		TECO	XP0502
50	326TS	Rigid	Cast Iron	230/460		Toshiba	0502XPEA41B-P
50	326TS	Rigid	Cast Iron	230/460		Marathon	E569
50	326TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0502XPEA42B-P
60	364T	Rigid	Cast Iron	230/460		US Motors	X60P1BS
60	364TS	Rigid	Cast Iron	230/460		TECO	XP0602
60	364TS	Rigid	Cast Iron	230/460		Toshiba	0602XPEA41B-P
60	364TS	Rigid	Cast Iron	230/460		Marathon	E572
60	364TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0602XPEA42B-P
75	365T	Rigid	Cast Iron	230/460		US Motors	X75P1BS
75	365TS	Rigid	Cast Iron	230/460		TECO	XP0752
75	365TS	Rigid	Cast Iron	230/460		Toshiba	0752XPEA41B-P
75	365TS	Rigid	Cast Iron	230/460		Marathon	E575
75	365TSC	C-Face/Footed	Cast Iron	230/460		Toshiba	0752XPEA42B-P

## Terms / Conditions / Freight

- Prices are subject to change
- Possession of this flyer does not constitute an offer to sell
- All orders are subject to approval by our credit department
- Billing is net 30 days, no additional discounts allowed

### Prepaid Freight


US Motors = 1,000 lbs

Century = \$2,500 or 35 pieces, can be combined with Fasco and/or Genteq to reach the free freight levels

Marathon & Leeson = \$2,500 can be combined to reach the free freight levels

Toshiba = No free freight policy

TECO = No free freight policy



# VACUUM

## MOTOR CATALOG 300

with extensive cross referencing on page 8

- ANIMAL GROOMING VACUUMS • BACK PACK • BOAT LIFTS
- CANISTER VACUUMS • CAR WASH VACUUMS • CARPET EXTRACTORS • CENTRAL VACUUMS
- DOCK LIFTS • FOGGERS • HAND DRYERS • HVLP PAINT SPRAYERS • SPAS
- SPRAY TAN • UPRIGHT VACUUMS

[www.PEMSMOTORS.com](http://www.PEMSMOTORS.com)

## 24 & 36 VOLT



Q6600-148A-MPL



Q6600-154T-MPL



Q6600-147A-MPL



Q6600-147A-MPL-1.5



Q6600-153T-MPL



Q6600-149A-MPL

REPLACES AMETEK	DAYTON	STAGE	CFM @ 2" ORFICE	SEALED H <sub>2</sub> O VACUUM	MAX AIR WATTS	MAX AMPS	OVERALL HEIGHT	TYPE (see pg 11)
<b>Q6600-148A-MPL • 24 volts</b>								
116157-00 119436-13 119891-00	4M933	2	67	48	102	16.1	7.09	BPT

<b>Q6600-154T-MPL • 24 volts</b>								
116155-00 119516-00 116555-00	2M189	2	71	47	108	17	6.68	BPP

<b>Q6600-147A-MPL • 24 volts</b>								
116515-13 119433-13	4M919 3GXF3	3	71	71	156	21.5	7.88	BPT

<b>Q6600-147A-MPL-1.5 • 24 volts</b>								
116515-29		3	71	71	156	21.5	7.88	BPT

NOTE: Same as part number Q6600-147A-MPL with the addition of kit 0103-001 inlet tube adapter for 1.5" and 1.88"

<b>Q6600-153T-MPL • 24 volts</b>								
116514-13 119517-00 116598-13 119438-00 116598-00	4M943	3	71	71	157	21.5	7.62	BPP

<b>Q6600-149A-MPL • 36 volts</b>								
116158-01		2	71	51	118	10.9	7.09	BPT



Q6600-149A-MPL-1.8



Q6600-155T-MPL



Q6600-150T-MPL



Q6600-102A-MPL



Q6600-102-MPL-1.5



Q6600-102-MPL-1.8

REPLACES AMETEK DAYTON	STAGE	CFM @ 2" ORFICE	SEALED H <sub>2</sub> O VACUUM	MAX AIR WATTS	MAX AMPS	OVERALL HEIGHT	TYPE (see pg 11)
---------------------------	-------	--------------------	-----------------------------------	------------------	-------------	-------------------	---------------------

**Q6600-149A-MPL-1.8 • 36 volts**

116158-00		2	71	51	118	10.9	8.16	BPT
-----------	--	---	----	----	-----	------	------	-----

NOTE: Same as part number Q6600-149A-MP with the addition of kit 0103-001 Inlet tube adapter for 1.5" and 1.88"

**Q6600-155T-MPL • 36 volts**

116156-00 116556-00	2M190	2	76	51	133	14	6.68	BPP
------------------------	-------	---	----	----	-----	----	------	-----

**Q6600-150T-MPL • 36 volts**

116512-13 119431-00 119437-00	4M942	3	78	85	219	18	7.62	BPP
-------------------------------------	-------	---	----	----	-----	----	------	-----

**Q6600-102A-MPL • 36 volts**

116513-13 119432-00	4M918	3	79	85	220	17.9	7.88	BPT
------------------------	-------	---	----	----	-----	------	------	-----

**Q6600-102-MPL-1.5 • 36 volts**

116513-29		3	79	85	220	17.9	7.88	BPT
-----------	--	---	----	----	-----	------	------	-----

NOTE: Same as part number Q6600-102A-MPL with the addition of kit 0103-001 Inlet tube adapter for 1.5" and 1.88"

**Q6600-102-MPL-1.8 • 36 volts**

116513-32	4M920	3	79	85	220	17.9	7.88	BPT
-----------	-------	---	----	----	-----	------	------	-----

NOTE: Same as part number Q6600-102A-MPL with the addition of kit 0103-001 Inlet tube adapter for 1.5" and 1.88"

# 120 VOLT



Q6600-063A-01



QM6600-135T



Q6600-020T



Q6600-033T-MP



Q6600-004T



Q6600-027T-MP

REPLACES AMETEK	REPLACES DAYTON	STAGE	CFM @ 2" ORFICE	SEALED H <sub>2</sub> O VACUUM	MAX AIR WATTS	MAX AMPS	OVERALL HEIGHT	TYPE (see pg 11)
--------------------	--------------------	-------	--------------------	-----------------------------------	------------------	-------------	-------------------	---------------------

Q6600-063A-01 • 120 volts								
116325-00	2M428	1	95	50	188	7.7	5.2	BPP

QM6600-135T • 120 volts								
116757-00	2M266	2	94	90	286	8.1	6.45	BPP
116025-13								
116758-13	2M267							
119413-00	3GXE8							

Q6600-020T • 120 volts								
116336-00	2M429	2	96	84	280	7.5	6.44	BPP
119414-00	3GXE9							
116212-00	4M954							
131500-00								

Q6600-033T-MP • 120 volts								
116392-13	2M430	2	98	89	290	8.1	6.72	BPT
116207-00	2M201							
116210-50	4M927							
116114-00								
131300-13								

Q6600-004T • 120 volts								
116472-13	4M937	2	112	107	404	11.6	7.09	BPT
116407-13	4M983							
116474-00								
117073-00								
117100-00								

QM6600-027T-MP • 120 volts								
116471-00	4M953	2	116	115	473	12.1	6.83	BPP
116471-13	2M433							



Q6600-052A-MP



QM6600-151T-MP



Q6600-166A-MP



Q6600-166A-MP-1.5



Q6600-066A-MP

REPLACES AMETEK DAYTON	STAGE	CFM @ 2" ORFICE	SEALED H <sub>2</sub> O VACUUM	MAX AIR WATTS	MAX AMPS	OVERALL HEIGHT	TYPE (see pg 11)
<b>Q6600-052A-MP • 120 volts</b>							
119633-07 119708-00 119913-00 119956-00 119992-00	2	130	132	634	14.3	7.59	BPT

<b>QM6600-151T-MP • 120 volts</b>								
116764-13 116566-00 116566-13 116764-00 117939-00	4M914 4M945	3	96	131	427	10.7	7.84	BPP

<b>Q6600-166A-MP • 120 volts</b>								
116565-13	4M923	3	99	126	429	12.2	8.03	BPT

<b>Q6600-166A-MP-1.5 • 120 volts</b>								
116565-29	4M924	3	99	126	429	12.2	8.03	BPT

NOTE: Same as part number Q6600-166A-MPL with the addition of kit 0103-001 Inlet tube adapter for 1.5" and 1.88"

<b>Q6600-066A-MP • 120 volts</b>								
116765-13 131410-13	4M921	3	106	140	512	13.3	8.03	BPT

## 220-240 VOLT



Q6600-024T-01



Q6600-005T-MP-01



QM6600-136T-MP-01



Q6600-057A-MP-01



Q6600-049A-MP-01

REPLACES AMETEK	REPLACES DAYTON	STAGE	CFM @ 2" ORFICE	SEALED H <sub>2</sub> O VACUUM	MAX AIR WATTS	MAX AMPS	OVERALL HEIGHT	TYPE <i>(see pg 11)</i>
<b>Q6600-024T-01</b>		<b>• 220 volts</b>						
116125-00	4M946	2	83	70	212	3	6.44	BPP

<b>Q6600-005T-MP-01</b>		<b>• 230 volts</b>						
116353-00	4M936	2	114	110	400	5.3	4.4	BPT
116420-13	4M934							
116414-13								
117101-00								
117275-00								

<b>QM6600-136T-MP-01</b>		<b>• 240 volts</b>						
116037-13	4M915	2	97	96	319	4.1	6.50	BPP
116296-00								
116296-13								

<b>Q6600-057A-MP-01</b>		<b>• 240 volts</b>						
119678-00		2	130	126	602	6.9	7.62	BPT
119710-00								
119711-00								

<b>Q6600-049A-MP-01</b>		<b>• 240 volts</b>						
117123-13	3EAKS	3	108	145	551	6.4	8.16	BPT
117123-00								

# ACCESSORIES

## ORDER NUMBER

## DESCRIPTION



0101-004  
0101-005  
0101-010  
0101-011

120V Brush Replacement Kit  
220-240V Brush Replacement Kit  
24V Brush Replacement Kit  
36V Brush Replacement Kit



0103-001

Inlet Tube Adapter Kit for 1.5" and 1.88"



0102-001

Adapter/Mounting Kit for 5.7 to 7.2



0478-026

Mounting Gasket for Additional Sound Proofing or Improved Seal

MODEL	BRAND	REPLACEMENT	PG.	MODEL	BRAND	REPLACEMENT	PG.
17	Vacuflo	Q6600-004T	4	99115	PowerStar Compact	QM6600-151T-MP	5
78	Beam	Q6600-004T	4	99116	Brute Power Mini	Q6600-004T	4
89	Beam	Q6600-033T-MP	4	99116	PowerStar Power Mini	QM6600-151T-MP	5
90	Beam	Q6600-066A-MP	5	99193	Brute Optima Power Star	Q6600-049A-MP-01	6
100	Beam	Q6600-004T	4	99225	PowerStar Twin Motor	QM6600-135T	4
107	Vacuflo	Q6600-004T	4	99225	Brute Power Twin	Q6600-020T	4
130	Aqua Air	Q6600-066A-MP	5	99226	PowerStar Twin Motor	QM6600-135T	4
167	Beam	Q6600-004T	4	99226	Brute Power Twin	Q6600-020T	4
177	Beam	Q6600-004T	4	116025-13	Ametek	QM6600-135T	4
178	Beam	Q6600-004T	4	116037-00	Ametek	QM6600-136T-MP-01	6
180	AirVac	Q6600-020T	4	116037-13	Ametek	QM6600-136T-MP-01	6
189	Beam	Q6600-004T	4	116094-02	Ametek	QM6600-136T-MP-01	6
190	Beam	Q6600-166A-MP-1.5	5	116114-00	Ametek	Q6600-033T-MP	4
200	Vacuflo Maxum	QM6600-027T-MP	4	116125-00	Ametek	Q6600-024T-01	6
230	Aqua Air	Q6600-066A-MP	5	116155-00	Ametek	Q6600-154T-MPL	2
234	Wal Vac	Q6600-020T	4	116156-00	Ametek	Q6600-155T-MPL	3
261	Beam	Q6600-066A-MP	5	116157-00	Ametek	Q6600-148A-MPL	2
325	Wal Vac	Q6600-020T	4	116158-00	Ametek	Q6600-149A-MPL-1.8	3
330	Wal Vac	Q6600-020T	4	116158-01	Ametek	Q6600-149A-MPL	2
350	Wal Vac	Q6600-020T	4	116207-00	Ametek	Q6600-033T-MP	4
353	Beam	Q6600-004T	4	116210-50	Ametek	Q6600-033T-MP	4
371	Beam	Q6600-066A-MP	5	116212-00	Ametek	Q6600-020T	4
377	Beam	Q6600-066A-MP	5	116296-00	Ametek	QM6600-136T-MP-01	6
395	AirVac	QM6600-027T-MP	4	116296-13	Ametek	QM6600-136T-MP-01	6
550	AirVac	Q6600-020T	4	116325-00	Ametek	Q6600-063A-01	4
660	Beam	Q6600-020T	4	116336-00	Ametek	Q6600-020T	4
667	Beam	Q6600-005T-MP-01	6	116353-00	Ametek	Q6600-005T-MP-01	6
677	Beam	Q6600-024T-01	6	116355-00	Ametek	Q6600-005T-MP-01	6
750	Beam	Q6600-052A-MP	5	116325-00	Ametek	Q6600-063A-01	4
775	Beam	Q6600-052A-MP	5	116392-00	Ametek	Q6600-033T-MP	4
834	Wal Vac	Q6600-020T	4	116392-13	Ametek	Q6600-033T-MP	4
840	Fasco	Q6600-020T	4	116407-13	Ametek	Q6600-004T	4
853	Fasco	Q6600-020T	4	116414-13	Ametek	Q6600-005T-MP-01	6
1001	Eureka	Q6600-033T-MP	4	116420-13	Ametek	Q6600-005T-MP-01	6
1490	Dirt Devil Pro	Q6600-052A-MP	5	116471-00	Ametek	QM6600-027T-MP	4
1580	Centralux	Q6600-066A-MP	5	116471-13	Ametek	QM6600-027T-MP	4
1580	Electrolux	Q6600-066A-MP	5	116472-00	Ametek	Q6600-004T	4
1590	Centralux - Tapered Motor	Q6600-052A-MP	5	116472-13	Ametek	Q6600-004T	4
1590	Centralux - Flat Bottom	Q6600-066A-MP	5	116474-00	Ametek	Q6600-004T	4
1590	Electrolux	Q6600-066A-MP	5	116512-13	Ametek	Q6600-150T-MPL	3
1804	Eureka	Q6600-052A-MP	5	116513-13	Ametek	Q6600-102A-MPL	3
2000	DustCare	Q6600-020T	4	116513-29	Ametek	Q6600-102-MPL-1.5	3
2089	Beam	Q6600-004T	4	116513-32	Ametek	Q6600-102-MPL-1.8	3
2089	Beam	Q6600-033T-MP	4	116514-13	Ametek	Q6600-153T-MPL	2
2100	Beam	Q6600-066A-MP	5	116515-13	Ametek	Q6600-147A-MPL	2
2100	Beam	Q6600-166A-MP-1.5	5	116515-29	Ametek	Q6600-147A-MPL-1.5	2
2150	Beam	Q6600-066A-MP	5	116549-00	Ametek	QM6600-136T-MP-01	6
2220	Beam	Q6600-066A-MP	5	116555-00	Ametek	Q6600-154T-MPL	2
2400	Hayden	Q6600-004T	4	116556-00	Ametek	Q6600-155T-MPL	3
2500	Beam	Q6600-049A-MP-01	6	116565-00	Ametek	Q6600-166A-MP-1.5	5
2725	Beam	Q6600-052A-MP	5	116565-13	Ametek	Q6600-166A-MP	5
2775	Beam	Q6600-052A-MP	5	116565-29	Ametek	Q6600-166A-MP-1.5	5
2900	Beam	Q6600-052A-MP	5	116566-00	Ametek	QM6600-151T-MP	5
3000	Imperium	Q6600-166A-MP-1.5	5	116566-13	Ametek	QM6600-151T-MP	5
3200	Dirt Devil	Q6600-052A-MP	5	116590-00	Ametek	QM6600-136T-MP-01	6
3400	Dirt Devil	Q6600-052A-MP	5	116598-00	Ametek	Q6600-153T-MPL	2
5610	Hoover	Q6600-033T-MP	4	116598-13	Ametek	Q6600-153T-MPL	2
6000	Hayden	Q6600-066A-MP	5	116599-00<	Ametek	Q6600-154T-MPL	2
9812	Budd	Q6600-004T	4	116757-00	Ametek	QM6600-135T	4
99115	Brute Compact	QM6600-151T-MP	5	116758-13	Ametek	QM6600-135T-MP	4

**Q** - Quiet

**QM** - Quiet Moisture Protected

**MP** - Moisture Protected

**MPL** - Moisture Protected Low Voltage

**A** - Aluminum

**T** - Thermoset Plastic

**01** - Includes 2 qty 9" leads

**<** - Special Leads, verify the configuration

MODEL	BRAND	REPLACEMENT	PG.	MODEL	BRAND	REPLACEMENT	PG.
116764-00	Ametek	QM6600-151T-MP	5	2M267	Dayton	QM6600-135T	4
116764-13	Ametek	QM6600-151T-MP	5	2M428	Dayton	Q6600-063A-01	4
116765-00	Ametek	Q6600-066A-MP	5	2M429	Dayton	Q6600-020T	4
116765-13	Ametek	Q6600-066A-MP	5	2M430	Dayton	Q6600-033T-MP	4
117073-00	Ametek	Q6600-004T	4	2M433	Dayton	QM6600-027T-MP	4
117100-00	Ametek	Q6600-004T	4	3000C	Dust Care	QM6600-027T-MP	4
117101-00	Ametek	Q6600-005T-MP-01	6	3000C	DustCare - Top Bottom	Q6600-020T	4
117123-00	Ametek	Q6600-049A-MP-01	6	3500A	Beam	Q6600-052A-MP	5
117123-13	Ametek	Q6600-049A-MP-01	6	375C	Beam	Q6600-052A-MP	5
117275-00	Ametek	Q6600-005T-MP-01	6	399R-Booster	RhinoVac	Q6600-066A-MP	5
117939-00	Ametek	QM6600-151T-MP	5	399R-L	RhinoVac	Q6600-066A-MP	5
119413-00	Ametek	QM6600-135T	4	3EAK5	Dayton	Q6600-049A-MP-01	6
119414-00	Ametek	Q6600-020T	4	3GXE8	Dayton	QM6600-135T	4
119432-00	Ametek	Q6600-102A-MPL	3	3GXE9	Dayton	Q6600-020T	4
119433-13	Ametek	Q6600-147A-MPL	2	3GXF3	Dayton	Q6600-147A-MPL	2
119435-00<	Ametek	Q6600-154T-MPL	2	4M914	Dayton	QM6600-151T-MP	5
119436-00<	Ametek	Q6600-148A-MPL	2	4M915	Dayton	QM6600-136T-MP-01	6
119436-13	Ametek	Q6600-148A-MPL	2	4M918	Dayton	Q6600-102A-MPL	3
119438-00	Ametek	Q6600-153T-MPL	2	4M919	Dayton	Q6600-147A-MPL	2
119503-13	Ametek	QM6600-135T-R	4	4M920	Dayton	Q6600-102-MPL-1.8	3
119516-00	Ametek	Q6600-154T-MPL	2	4M921	Dayton	Q6600-066A-MP	5
119517-00	Ametek	Q6600-153T-MPL	2	4M923	Dayton	Q6600-166A-MP	5
119631-00	Ametek	Q6600-052A-MP	5	4M924	Dayton	Q6600-166A-MP-1.5	5
119633-07	Ametek	Q6600-052A-MP	5	4M927	Dayton	Q6600-033T-MP	4
119678-00	Ametek	Q6600-057A-MP-01	6	4M933	Dayton	Q6600-148A-MPL	2
119703-00*	Ametek	Q6600-148A-MPL	2	4M934	Dayton	Q6600-005T-MP-01	6
119708-00	Ametek	Q6600-052A-MP	5	4M936	Dayton	Q6600-005T-MP-01	6
119710-00	Ametek	Q6600-057A-MP-01	6	4M937	Dayton	Q6600-004T	4
119711-00	Ametek	Q6600-057A-MP-01	6	4M943	Dayton	Q6600-153T-MPL	2
119731-00<	Ametek	Q6600-148A-MPL	2	4M945	Dayton	QM6600-151T-MP	5
119891-00	Ametek	Q6600-148A-MPL	2	4M946	Dayton	Q6600-024T-01	6
119913-00	Ametek	Q6600-052A-MP	5	4M953	Dayton	QM6600-027T-MP	4
119956-00	Ametek	Q6600-052A-MP	5	4M983	Dayton	Q6600-004T	4
119992-00	Ametek	Q6600-052A-MP	5	657R-LS	RhinoVac	Q6600-052A-MP	5
131300-13	Ametek	Q6600-033T-MP	4	677S	Beam	QM6600-136T-MP-01	6
131410-13	Ametek	Q6600-066A-MP	5	697B	Beam	Q6600-049A-MP-01	6
131500-00	Ametek	Q6600-020T	4	697C	Beam	Q6600-049A-MP-01	6
167C	Beam	Q6600-004T	4	697D	Beam	Q6600-049A-MP-01	6
167S	Beam	Q6600-004T	4	697G	Beam	Q6600-049A-MP-01	6
168C	Beam	QM6600-027T-MP	4	699e	Royal	Q6600-052A-MP	5
180A	AirVac	Q6600-020T	4	750A	Beam	Q6600-052A-MP	5
189C	Beam	Q6600-004T	4	775A	Beam	Q6600-052A-MP	5
189S	Beam	Q6600-004T	4	851DM	Fasco	Q6600-020T	4
197C	Beam	Q6600-066A-MP	5	852SVD	M	Q6600-020T	4
197D	Beam	Q6600-166A-MP-1.5	5	9813P	Budd	QM6600-135T	4
197S	Beam	Q6600-066A-MP	5	AAA137	Eureka	Q6600-066A-MP	5
197S	Beam	Q6600-166A-MP-1.5	5	ACV 1		QM6600-135T	4
199C	Beam	Q6600-066A-MP	5	AKCV35	AirKing	Q6600-004T	4
199ED	Beam	Q6600-049A-MP-01	6	AKCVP35	AirKing	Q6600-004T	4
199J	Beam	Q6600-066A-MP	5	AKCVQZ15	AirKing	Q6600-004T	4
225A	Beam	Q6600-066A-MP	5	AKCVQZ35	AirKing	Q6600-004T	4
2500B	Beam	Q6600-049A-MP-01	6	AV195	AirVac	Q6600-004T	4
275A	Beam	Q6600-066A-MP	5	AV2500	AirVac	Q6600-004T	4
2775VIL	Beam	Q6600-052A-MP	5	AV3500	AirVac	Q6600-066A-MP	5
2900A	Beam	Q6600-052A-MP	5	AV400	AirVac	Q6600-004T	4
299A	Beam	Q6600-066A-MP	5	AV425	AirVac	Q6600-004T	4
2M189	Dayton	Q6600-154T-MPL	2	AV425A	AirVac	Q6600-004T	4
2M190	Dayton	Q6600-155T-MPL	3	AV550	AirVac	Q6600-020T	4
2M201	Dayton	Q6600-033T-MP	4	AV600	AirVac	Q6600-066A-MP	5
2M266	Dayton	QM6600-135T	4	AV625	AirVac	Q6600-049A-MP-01	6

**Q** - Quiet

**QM** - Quiet Moisture Protected

**MP** - Moisture Protected

**MPL** - Moisture Protected Low Voltage

**A** - Aluminum

**T** - Thermoset Plastic

**01** - Includes 2 qty 9" leads

**<** - Special Leads, verify the configuration

**\*** - Add kit 0103-001 inlet tube adapter for 1.5" to 1.88"

MODEL	BRAND	REPLACEMENT	PG.	MODEL	BRAND	REPLACEMENT	PG.
AV850	AirVac	QM6600-136T-MP-01	6	E117A	Aerus	Q6600-066A-MP	5
B2	MD	Q6600-020T	4	E130A	Centralux	Q6600-052A-MP	5
B522421	Ermator	Q6600-020T	4	E130F	Centralux	Q6600-052A-MP	5
B527297	Ermator	QM6600-027T-MP	4	E130G	Centralux	Q6600-052A-MP	5
CFM2	AirFlo	Q6600-020T	4	E177A	Aerus	Q6600-066A-MP	5
CFM3	AirFlo	Q6600-020T	4	E1801B	Eureka	Q6600-049A-MP-01	6
CV07	Central Vac International	QM6600-135T	4	E1801C	Eureka	Q6600-049A-MP-01	6
CV07	Central Vac International	Q6600-020T	4	E3	MD	Q6600-020T	4
CV107G	Eureka	Q6600-052A-MP	5	ECV1590A	Aerus	Q6600-066A-MP	5
CV107H	Eureka	Q6600-052A-MP	5	ECV1690A	Aerus	Q6600-066A-MP	5
CV137BF	Eureka	Q6600-066A-MP	5	FB7700XS	Whirlpool	Q6600-004T	4
CV137C	Eureka	Q6600-066A-MP	5	FC1550	VacuFlo	Q6600-052A-MP	5
CV137D	Eureka	Q6600-066A-MP	5	FC610	VacuFlo	Q6600-052A-MP	5
CV137F	Eureka	Q6600-066A-MP	5	FCV460S	Frigidaire	Q6600-052A-MP	5
CV137G	Eureka	Q6600-052A-MP	5	FCV520S	Frigidaire	Q6600-052A-MP	5
CV137H	Eureka	Q6600-052A-MP	5	FGCV315SQ	Frigidaire	Q6600-066A-MP	5
CV1601-B	Eureka	Q6600-066A-MP	5	FGCV460SQ	Frigidaire	Q6600-052A-MP	5
CV1601BF	Eureka	Q6600-066A-MP	5	FGCV520SQ	Frigidaire	Q6600-052A-MP	5
CV1601D	Eureka	Q6600-066A-MP	5	FX2000	AirVac	Q6600-004T	4
CV1601F	Eureka	Q6600-066A-MP	5	FX3000	AirVac	Q6600-066A-MP	5
CV1601G	Eureka	Q6600-066A-MP	5	FX5800	AirVac	Q6600-004T	4
CV1601K	Eureka	Q6600-066A-MP	5	FX800	Filtex	Q6600-066A-MP	5
CV1601L	Eureka	Q6600-066A-MP	5	FX900	M & S	Q6600-049A-MP-01	6
CV1601M	Eureka	Q6600-052A-MP	5	GS072-3450	GS Electric	Q6600-020T	4
CV160H	Eureka	Q6600-066A-MP	5	H502	Honeywell	Q6600-052A-MP	5
CV-180	Broan	Q6600-020T	4	H602	Honeywell	Q6600-052A-MP	5
CV1801A	Eureka	Q6600-066A-MP	5	H702	Honeywell	Q6600-052A-MP	5
CV1801B	Eureka	Q6600-066A-MP	5	MK-I	AstroVac	Q6600-004T	4
CV1801D	Eureka	Q6600-066A-MP	5	PE371	Beam	Q6600-066A-MP	5
CV1801G	Eureka	Q6600-066A-MP	5	PU300A	Imperium	Q6600-052A-MP	5
CV1801H	Eureka	Q6600-066A-MP	5	PU3450	Electrolux	Q6600-052A-MP	5
CV1801K	Eureka	Q6600-052A-MP	5	PU3650	Electrolux	Q6600-052A-MP	5
CV1801L	Eureka	Q6600-052A-MP	5	PU375A	Imperium	Q6600-052A-MP	5
CV1801M	Eureka	Q6600-052A-MP	5	S44	Silent Master	Q6600-052A-MP	5
CV-181	Broan	Q6600-020T	4	S5602	Hoover	Q6600-004T	4
CV-20	Broan	Q6600-004T	4	S5610	Hoover	Q6600-004T	4
CV3231A	Eureka	Q6600-066A-MP	5	S5615	Hoover	Q6600-004T	4
CV3291A	Eureka	Q6600-052A-MP	5	S5620	Hoover	Q6600-166A-MP-1.5	5
CV3291B	Eureka	Q6600-052A-MP	5	S5626	Hoover	Q6600-066A-MP	5
CV3291C	Eureka	Q6600-052A-MP	5	S5629080	Hoover	Q6600-066A-MP	5
CV3291D/F	Eureka	Q6600-052A-MP	5	S5630	Hoover	Q6600-166A-MP-1.5	5
CV-40	Broan Bottom Motor	QM6600-136T-MP-01	6	SC1200	Royal	Q6600-052A-MP	5
CV400	Nutone - Before 2010	Q6600-033T-MP	4	SR-40	AstroVac	Q6600-066A-MP	5
CV450	NuTone - Lower Motor	Q6600-033T-MP	4	SR-40V	AstroVac	Q6600-066A-MP	5
CV450	NuTone - Upper Motor	Q6600-033T-MP	4	SR-41	AstroVac	Q6600-066A-MP	5
CV554	NuTone	Q6600-004T	4	SR-42	AstroVac	Q6600-004T	4
CV570	NuTone	Q6600-033T-MP	4	SR-43	AstroVac	Q6600-066A-MP	5
CV7	Central Vac International	QM6600-135T	4	SR-82	AstroVac	Q6600-066A-MP	5
CV7	Central Vac International	Q6600-020T	4	SR-88	AstroVac	Q6600-066A-MP	5
CV750	NuTone - Lower Motor	Q6600-033T-MP	4	SR-89	AstroVac	Q6600-049A-MP-01	6
CV750	NuTone - Upper Motor	Q6600-033T-MP	4	V1000	Vacuqueen	Q6600-004T	4
CV8000	Imperium	Q6600-020T	4	V180C	Broan	Q6600-020T	4
CV850	Nutone	Q6600-049A-MP-01	6	V20C	Broan	Q6600-004T	4
CV920A	Eureka	Q6600-066A-MP	5	V40C	Broan Bottom Motor	QM6600-136T-MP-01	6
CVS07	Central Vac International	QM6600-135T	4	VM180A	AirVac	Q6600-020T	4
CVS07	Central International	Q6600-020T	4	VX475	NuTone	Q6600-052A-MP	5
CVS07DP	Central Vac International	QM6600-135T	4	VX475C	NuTone	Q6600-052A-MP	5
CVS07DP	Central International	Q6600-020T	4	ZX5800	AirVac	Q6600-004T	4
CVS5500	Eureka	Q6600-052A-MP	5	ZX6000	AirVac	Q6600-066A-MP	5
DCC6	Dust Care	Q6600-066A-MP	5				

**Q** - Quiet

**QM** - Quiet Moisture Protected


**MP** - Moisture Protected

**MPL** - Moisture Protected Low Voltage

**A** - Aluminum


**T** - Thermoset Plastic

**01** - Includes 2 qty 9" leads



### BYPASS PERIPHERAL (BPP)

This type utilizes two air flow systems. The first is for the working air that vacuums up the debris. This working, filtered air exhausts through the louvers in the motor fan housing. The second airflow system is strictly to cool the motor windings and uses a small fan dedicated for this purpose.



### BYPASS TANGENTIAL (BPT)

Same as Peripheral bypass with two airflow systems except the working filtered air exhaust exits through the tangential horn integral to the 3 lugged motor mounting bracket.